



2014
2015

ENJOY EVERY BRAKING...

SPORT/NAKED/CUSTOM/CROSS-VENTURO/TRAIL/SUPERMOTARD/TRAIL/SCOOTER/MP/ED/ELECTRIC/QUAD/BICYCLE

NG
Brake Disc

FRONT DISC

REAR DISC

YEAR	MODEL TYPE	REF.	SIDE	TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
1	2	3	4	5	6	7	8	9	10

1 Año de fabricación / Manufactured year

2 Model type / Tipo de moto

R: TURISMO / RACING / STREET / SPORT / NAKED

C: CUSTOM & TOURING BIKES - U: TRAIL - E: ENDURO - M: CROSS

F: SUPERMOTARD / SUPERMOTO - T: TRIAL - S: SCOOTER - B: BICYCLE

A: CICLOMOTOR / MOPED 50 C.C. OFFROAD CON MARCHAS / WITH GEAR

H: CICLOMOTOR / MOPED 50 C.C. ONROAD CON MARCHAS / WITH GEAR

V: ELECTRICAS / ELECTRIC - G: TRIKES - Q: QUAD/ATV/UTV/UXV

3 Referencia NG / NG Reference

- DISCO NO DISPONIBLE / NOT AVAILABLE DISC

ND/NA PODEMOS FABRICARLO BAJO PEDIDO /
WE CAN MAKE BY SPECIAL ORDER ONLY

KIT 185, 225, 270 CROSS - ENDURO

KIT Ø320 SUPERMOTARD - SUPERMOTO

KIT 240 / 298 SCOOTER

KIT Ø300 DAKAR

4 Lado / Side

L IZQUIERDO / LEFT SIDE

R DERECHO / RIGHT SIDE

C CENTRADO / CENTER

L/R IZQUIERDO Y DERECHO
LEFT & RIGHT

5 Tipo / Type

S DISCO VENT. STD. / STD. VENT. DISC

X DISCO ONDULADO / WAVY DISC TYPE

T DISCO VENT. TURBINA / TURBINE VENT. DISC

F DISCO FLOTANTE + H / FLOATING DISC + H

TX DISCO TURBINA ONDULADO / TURBINE WAVY DISC

MD DISCO MULTIDISCO / MULTIDISC DISC

MDX DISCO MULTIDISCO ONDULADO / WAVY MULTIDISC DISC

SP DISCO SIN VENTILADCCIONES /
DISC WITHOUT VENTILATIONS HOLES

FSP DISCO FLOTANTE SIN VENTILACIONES /
FLOATING DISC WITHOUT VENTILATIONS HOLES

XSP DISCO ONDULADO SIN VENTILACIONES /
WAVY DISC WITHOUT VENTILATIONS HOLES

KS KIT DISCO VENT. STANDARD / STANDARD VENT. DISC KIT

KF KIT DISCO FLOTANTE / FLOATING DISC KIT

KX KIT DISCO ONDULADO / WAVY DISC KIT

KFX KIT DISCO FLOTANTE ONDULADO /
FLOATING WAVY DISC KIT

KFSP KIT DISCO FLOTANTE SIN VENTILACIONES /
FLOATING DISC KIT WITHOUT VENTILATION HOLES

6 Diametro Exterior / Outside Diameter *Diametro en **negrita**: Kit oversize
Diameter in **bold** letter: Oversize kit*

7 Diametro Interior / Inside Diameter

8 Grosor / Thickness

9 N° Taladros / Holes number

10 Diametro agujeros / Holes diameter





Take a look and choose the
most advanced brake discs
in the market.

Enjoy every curve...
enjoy every braking...

www.ngbrakedisc.com

ENJOY EVERY BRAKING...



INDICE / CONTENT




PRESENTACION NG BRAKE DISC / NG BRAKE DISC PROFILE

> 2-3




KIT OVERSIZE+SOPORTE PINZA / KIT OVERSIZE+BRACKET

> 6-13



DISCOS POR MARCAS / BRAKE DISCS BY BRANDS

> 17-87



DISCOS POR REFERENCIAS / BRAKE DISCS BY REFERENCES

> 91-121



PLATOS CADENA SEMIMECANIZADOS / HALF FINISHED SPROCKETS

> 124



INSTRUCCIONES WEB / WEB INSTRUCTIONS

> 125



NOTAS / NOTES

> 126



DISTRIBUIDORES INTERNACIONALES / WORLDWIDE DISTRIBUTORS

> 127



PRESENTACION / PROFILE

En 1969, la familia Torras-Maseras funda la empresa Tecnologías Metal.lúrgiques MT S.L., dedicada al diseño y fabricación de moldes.

Desde entonces y hasta hoy, 44 años después, se ha caracterizado por ser una empresa familiar que poco a poco ha ido creciendo adaptándose a los constantes cambios del mercado.

En 1992, la empresa se inicia en la fabricación de discos de freno, para ello se crea una empresa con 2 socios: por una parte Tecnologías Metal.lúrgiques MT S.L como socio-fabricante y por otra NG Products como socio-comercial.

En ese momento, la empresa obtiene la certificación ISO-9001, así como el reconocido certificado TÜV.

En 2006 la familia Torras da un gran paso y toma la decisión de adquirir la parte comercial de la empresa de la que hasta ese momento era sólo fabricante a su socio NG Products.

Desde ese momento, Tecnologías Metal.lúrgiques MT S.L, diseña, fabrica y comercializa los discos de freno con la marca NG BRAKE DISC "NEW GENERATION".

In 1969, the Torras-Maseras family founded the company Tecnologías Metal.lúrgiques MT S.L., dedicated to the design and production of moulds.

Since then and until today, 44 years later, it has been a family company that step by step has gone growing and adapting to the constant changes of the market.

In 1992, Tecnologías Metal.lúrgiques MT S.L. joined to NG Products to start with the production of brake discs, the new company was divided into two departments. Tecnologías Metal.lúrgiques MT S.L took charge of the manufacturing part and NG Products took charge of the commercial part.

In that moment, the company obtained the certification ISO-9001 and TÜV certificated.

In 2006, the Torras family stepped up and reached the decision of buying the commercial part of the company to his partner Ng Products.

Starting from this moment, Tecnologías Metal.lúrgiques MT S.L design, manufacture and commercialize the brake discs with the brand NG BRAKE DISC "NEW GENERATION".

Marcas de fabricación OEM (Primeras marcas originales) / OEM manufacturer brands:







>Fábrica / Factory



>I+D+I



>CAD/CAM/CAE



>Análisis de esfuerzos / Stress Simulation



>Materia Prima / Raw material



>Laser / Laser cut



>Prensa / Press machine



>Mecanizado / Mechanized



>Grabación disco / Engraving disc



>Verificación / Verification



>Embalaje / Packing



>Almacén / Storehouse





YAMAHA



SUZUKI

SHERCO

RIEJU

PIAGGIO

MOTO MORINI

MONTESA



KTM



KAWASAKI

ENJOY EVERY BRAKING...

KITS OVERSIZE

CROSS/ENDURO
SUPERMOTARD
DAKAR
SCOOTER

KITS SOBREDIMENSIONADOS / OVERSIZE KITS

BETA
BIMOTA



BMW

CAGIVA

DERBI


DUCATI

GASGAS



HARLEY

HM



HONDA



HUSABERG



HUSQVARNA



TODOS LOS DISCOS NG TIENEN HOMOLOGACIÓN TÜV
ALL NG BRAKE DISCS HAVE TÜV HOMOLOGATION



KBA
HOMOLOGATION

Std: KBA61232
Floating: KBA61231



TÜVRheinland®
CERT
ISO 9001
Nº 0.04.04191

CROSS-ENDURO OVERSIZE KITS

NG
Brake Disc

KITS SOBREDIMENSIONADOS CROSS-ENDURO

Ø270



K01



KX125 95/02, KLX250R 93/96, KX250 94/08, KX250F 04/10
KLX300R 96/07

1150XK01



RMZ250 04/06



KX125 06/08, KLX450F 07/09, KX450F 06/14

1151XK01



RM125 96/08, RM250 96/08, DRZ400E 00/08, DRZ400S 00/09
RMZ250 250 4T 07/14, RMZ450 05/15

1153XK01

1160XK01

K02



WR125 98/12, YZ125 02/14, WR250 98/07, WR250F 02/13
WR250F 02/13, WR250R 01/08, YZ250 01 & 08, WR400F 98/00,
YZ400F 98/00, WR426F 01/02, WR450F 03/10, YZ450F 03/14

1153XK02

K03



CR125E/R 04/08, CR250E 04/08, CR250R 04/08, CRF250R 04/14,
R250R1-R4 04/05, CRF250X 04/09, CRF450R 04/14, CRF450X 04/14

1154XK03



CRE250F 04/09, CRE250X 04/09

1154XK03


K05



YZ125 98/01, YZ125 08 / YZ250 98/07, YZ250 09/14, YZ250F 01/10

1153XK05

K09



EC125R 12/14, EC125 SIXDAYS 2T 10/11, MC125 01/08
ENDUCROSS EC 125 98/09, EC200 HOBBY 08, EC200 SIXDAYS
2T 10/11, ENDUCROSS EC 200 99/09, EC250 2T / EC250 E 2T
96/14, EC250 4T / SIX DAYS 2T 10/11, EC250 4T R / EC250R 12/14,
EC250F 4T 12/13, EC250R 12/13, ENDUCROSS TT 250 95/98,
FSE EC 250 4T 99/00, MC250 98/08, EC300 SIXDAYS 2T 10/11
EC300 / EC300 NANBOLIN 99/14, EC300R 12/14, ENDUCROSS
EC400FSE 01/03, EC450 4T R 06/14, EC450F 4T 12/13,
ENDUCROSS EC450 FSE 02/05, FSE450 SM 01/05, SM450 FSR 08
PAMPERA 450 4T 07, EC515 FSR 4T 08/09

1199XK09




RR250 ENDURO 12/14, RR300 ENDURO 12/14

1254XK09



G450X 08/11

1162XK16 - Ø270



400FE 00/03, 400FE E / 400FS C / FS E 01/03, 470FC 01/02,
501FC 99/03, 501FE E 99/04, 550FC, 01/05, 550FE E 04/08,
600FC / 600FC 4 CR 99/03, 600FE E 99/02, 650FE E 01/08,
650FS C 01/04, 650FS E 01/04, 650FX E 01/05

EXC125 00/09, GS125 125 93/97, MX125 92, SX125 SXS125 00/08,
SX150 07/08, EXC200 00/09, MXC200 98/03, SX200 03/08,
XC200W 06/09, EXC250 00/09, EXC250F 03/09, EXC250G 04/09,
GS250 93/97, MXC250 98/03, SX250 93, SX-F250 03/08, SXS250 03/08,
SXS250F 06/08, XC250F / XC250W 06/09, EXC300 94/09,
EXC-E 300 97/11, GS300 93/96, MX300 92, MXC300 94/06, SX300 93,
SX300 00/03, SX-F300 10/12, XC300 06/09, XC300W 06/09, GS350 4T
93/96, EXC380 00/02, SX380 98/02, EXC400 94/06, EXC400G 04/06,
SX400 4T 00/02, XC400W 07/09, EXC450 03/09, EXC450R 08/09,
MXC450 03/06, SX450F 03/07, SXS450 SXS450F 03/08,
XC450 XC450F 07/09, XC450G 06, XC450W 07/09,
MX500 92/11, SX500 93/11, SX505F 07/08, XC505F 07/09,
MXC520 4T 01/02, SX520 00/02, EXC525 03/08, MXC525 4T 03/05,
SX525 03/06, XC525G XC525W 06/08, EXC530R 08/09,
SXC540 99/00, SXS540 01/06, GS600 93/11,
LC4625SC SUPER COMPETICION 02, SXC625 03/08

1254XK16 - Ø270



CR125 05/12, WR125 07/14, CR250 05/11, TC250 / TC250R 07/13,
TE250 04/10, TXC 250 11, WR250 05/14, TC450 07/10, TE450 06/10,
TE510 07/09, TXC510 09/10

1325XK16 - Ø270



390 FE 10, 450FE 10, 450FX 10, 570FE 10

EXC125 / EXC125 SIXDAYS 09/14, SX125 09/12, SXS125 SX144 09/10,
SX150 09/14, EXC200 10/14, SX200 09, EXC250 10/14,
EXC250 F SIXDAYS 10/14, EXC250 SIXDAYS 09/14, EXC-F 25 10/13,
SX250 SX-F250 09/14, SXS250F 09, EXC300 10/14, EXC300 SIXDAYS
09/14, SX-F350 10/14, EXC400 10/11, EXC450 10/13, SX-F450F 11/14,
SXS450 SXS450F 09/10, SX505F 09, EXC530 10/11, EXC530SIXDAYS 09

1254XK17 - Ø270



TC450 11, TXC450 11/12, TE511 11/12, TXC511 11/13

1325XK17 - Ø270



SE250 I / SE250 I R 12/14, SE300 I R 12/14

1326XK17 - Ø270



SX85 11/13

1324XK20 - Ø260



SX50 12/13

1378XK21 - Ø185



SX65 98/13, XC65 08

1379XK22 - Ø225

OPTIONAL WAVY REAR DISCS



OPTIONAL SOLID REAR DISCS



Ø320mm



Ref. xxx

Round with ventilations
Redondo con ventilaciones

Ø320mm



Ref. xxxX

Wavy with ventilations
Ondulado con ventilaciones

Ø320mm



Ref. xxxSP

Round without ventilations
Redondo sin ventilaciones

K11



TC250 04/06, TE250 02/06, TE400 00/02, TE410/E 00/01
TC450 02/06, TE450 02/06, TC510 02/06, TE510 02/06
TC570 00/03, TE570 01/04, TE610 00/06, TE610E 02/06

722K11, 722XK11, 722SPK11



All models with down suspension 07/11
Modelos con suspensión invertida


725K11, 725XK11, 725SPK11, 730K11



G450X 08/11

1146XK11

K12



With NISSIN brake calipe 02/11
Con pinza freno NISSIN

022K12, 1204XK12

K13



RM125 00/09, RM250 00/08, DRZ400E 00/08,
DRZ400S 00/09

723K13, 723XK13, 723SPK13



WR 125 00/12, YZ125 00/08, WR250 00/08, YZ250 01/08
WR250F 02/13, YZ250F 01/08, YZ400F 00, WR426F 00/02
YZ426F 00/02, WR450F 03/08, YZ450F 03/08



KX125/250 06/08, KX250F/450F 06/14

732K13, 732XK13, 732SPK13



RMZ250 4T 07/14, RMZ450 07/14

749K13, 749XK13, 749SPK13

K14



YZ250F 09/14, YZ450F 09/14

723K14, 723XK14, 723SPK14



CR250E 04/09, CR250F 04/09, CR250R1-R4 04/05
CR250R 04/09, CRF250X 04/14, CRF250X 04/14
CRF450 04/14, CRF450SM 04/11, CRF450X 04/14

724K14, 724XK14, 724SPK14

K15



CR125E 95/08, CR125R 98/03, CR250E 95/03.
CR250R 95/03, CR250R1-R4 95/03, CR250 04/09
CR RS / RT / RV / RW / RX / RY 95/03

724K15, 724XK15, 724SPK15

XR400R 96/04, XR400R SUPERMOTARD 96/03
XR600R 00, XR650R 93/11

726K15, 726XK15, 726SPK15



WR450F 2011 / 2012



Ø300mm

DAKAR KIT

Ref. 1209XK10



Caliper support
#10

ENJOY EVERY BRAKING...


YAMAHA TMAX 530
OVERSIZE DISCS KIT**KIT DISCOS SOBREDIMENSIONADOS****2012-2014**

Ref. 1205XK07

Left side / Lado izq.

Ø298mm

Ref. 1205XK08


Right side / Lado der.

Ø298mm

Ref. 1206X

Rear/Trasero

Ø286mm



Siguenos en...



YAMAHA TMAX 500
OVERSIZE DISCS KIT**KIT DISCOS SOBREDIMENSIONADOS****2004-2011**

Ø298

Ø298

Ø267



Ref. 1196XK07

Left side / Lado izq.

Ref. 1196XK08

Right side/Lado der.

Ref. 1032X

Rear/Trasero

NG
Brake Disc

HONDA SCOOTER OVERSIZE KIT

KIT SOBREDIMENSIONADO PARA HONDA SCOOTER



Ø240mm DISC
+
SUPPORT DROP



SCOOPY KIT

Ref. 364K6



Caliper support
#6



SUITABLE FOR THE MODELS:

NES 125 Chiocciola	00/05
PS Passion 125 i	06/13
SH 125 i	00/10
NES 150 Chiocciola	00/03
PS Passion 150 i	06/08
SH 150 i	00/09

ENJOY EVERY BRAKING...

SCOOTER MULTI-DISC


 NG REF.:
 1022

Ø190

NG REF.: 1022X



SUITABLE FOR THE MOST IMPORTANT SCOOTERS

023


 APRILIA
 FANTIC
 GILERA
 HUSQVARNA
 KL
 KTM
 MBK
 MONDIAL
 MOTO MORINI
 PIAGGIO
 YAMAHA

303


 BETA
 GILERA
 PEUGEOT
 PIAGGIO
 SIAMOTO
 SYM

007/665


 ATALA
 BENELLI
 BETA
 MACAL
 MALAGUTI
 MOTROM
 PEUGEOT
 RIEJU
 RENAULT

107/1086


 CPI
 DAELIM
 GARELLI
 HONDA
 MBK
 PEUGEOT
 PGO
 TGB
 YAMAHA

ENJOY EVERY BRAKING...

Benelli

aprilia

AJP

AFAM

YAMAHA

SUZUKI

RIEJU

PIAGGIO

MOTO
MORINI

Montesa

MECATECNO

Malaguti

ENJOY EVERY BRAKING...

POR MARCAS
BY BRANDS

DISCOS POR MARCAS / BRAKE DISCS BY BRANDS

NG
Brake Disc

bimota

BMW

CAGIVA

DERBI

DUCATI

GAS GAS

GILERA

MOTOR HARLEY-DAVIDSON CYCLES

HONDA

Kawasaki

KTM

KYMCO



ENJOY EVERY BRAKING...





AFAM														AFAM													
AFAM	-	-	-	-	-	-	-	-	-	-	-	-	-	068	L	S	220	81	4	5	6,5						
AJP Portugal														AJP													
50 c.c.														50 c.c.													
Enduro 50 R	98/99	A	331	L	S	255	108	3,5	6	6,5				332 / 035	R	S / SP	185	103	3,5	-	-	-	-	-	-		
125 c.c.														125 c.c.													
Enduro 125	08	E	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR3 125 Enduro / Pro	08/11	E	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR3 125 Enduro / SM	12/13	E	1096	L	S	260	-	3,5	4	6,5				1277	R	S	220	45	3,5	4	6,5						
PR3 Supermoto 125 / Pro	08/11	F	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR4 125 Enduro / SM	05	E	731 / 731XK / 1288X	L	S / X / FX00,0	260	108	3,5	6	6,5				060	R	S	210	108	3,5	6	6,5						
PR4 125 SM / Enduro / SM	04/09	E	331	L	S	255	108	3,5	6	6,5				060	R	S	210	108	3,5	6	6,5						
PR4 Enduro 125 / PRO 125	10/11	E	1096	L	S	260	-	3,5	4	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
PR4 Supermoto125 / Pro 125	10/11	F	1096	L	S	260	-	3,5	4	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
200 c.c.														200 c.c.													
Enduro 200	08	E	331	L	S	255	108	3,5	6	6,5				060	R	S	210	108	3,5	6	6,5						
PR3 200 Enduro / Pro	08/11	E	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR3 200 Enduro / SM	12/13	E	1096	L	S	260	-	3,5	4	6,5				1277	R	S	220	45	3,5	4	6,5						
PR3 MX 200 4T/ MX Pro	07/11	C	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR3 Supermoto 200 / Pro	10/11	F	1096	L	S	260	-	3,5	4	6,5				1097	R	S	185	45	3,5	4	6,5						
PR4 200 Enduro	04/09	E	331	L	S	255	108	3,5	6	6,5				060	R	S	210	108	3,5	6	6,5						
PR4 200 Enduro / Enduro Pro	10/11	E	1096	L	S	260	-	3,5	4	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
PR4 200 Supermoto	04/09	F	331	L	S	255	108	3,5	6	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
PR4 200 Supermoto / Pro	10/11	F	1096	L	S	260	-	3,5	4	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
AKT Colombia														AKT													
125 c.c.														125 c.c.													
AK 125 SL	12/13	R	1201X	L	FX22,0	220	58	4	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
EVO 125 NE	12/13	R	1201X	L	FX22,0	220	58	4	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
150 c.c.														150 c.c.													
EVO 150 NE	12/13	R	1201X	L	FX22,0	220	58	4	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
RXT 150	12/13	R	1201X	L	FX22,0	220	58	4	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
ALFER Spain														ALFER													
50 c.c.														50 c.c.													
Mini 50	01/02	A	600	L	S	207	45	3	5	6,5				426	R	S	150	45	3	5	6,5						
65 c.c.														65 c.c.													
150	06	-	918	L	S	210	-	3	4	6,5				389	R	S	150	45	3	4	6,5						
125 c.c.														125 c.c.													
VRE 125 No limits	03	E	338	L	S	260	108	3,5	6	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
250 c.c.														250 c.c.													
VR 250	96/03	M	338	L	S	260	108	3,5	6	6,5				302 / 1057 / 1057X	L	S / S / X	220	108	4 / 3,5 / 4	6	6,5						
VR 250 No limits	96/03	F	022 / 1204X	L	F / FX00,0	320/318	108	4	6	6,5				302 / 1057 / 1057X	L	S / S / X	220	108	4 / 3,5 / 4	6	6,5						
300 c.c.														300 c.c.													
Trial 300	95	T	062	L	S	185	72	4	6	15,5				063	R	S	150	45	3	5	6,5						
APRILIA Italy 1 / 3														APRILIA													
50 c.c.														50 c.c.													
Amico 50 LX / LK / GL / DT	92/99	S	406	L	S	155	40,6	3,8	3	10,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Amico 50 Sport DT	96/99	S	406	L	S	155	40,6	3,8	3	10,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Amico 50 Sport LX	92	S	406	L	S	155	40,6	3,8	3	10,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Amico Trendy 50	92/95	S	406	L	S	155	40,6	3,8	3	10,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Area 51 50 / Superbike	98/02	S	202	C	S	190	68	3,5	3	8,5				023 / 1022 / 1022X	R	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Gulliver 50 AC	97/99	S	023 / 1022 / 1022X	C	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Habana 50 / Custom 50	98/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Mojito / Custom / Retro	94/12	S	023 / 1022 / 1022X	C	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Mc Gulliver 50	99/00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
MX 50	04	A	163	L	S	230	112	4	6	6,5				189	R	S	220	110	4	6	6,5						
Pegaso 50	92/05	A	274	L	S	230	112	4,5	6	6,5				189	R	S	220	110	4	6	6,5						
Rally 50 AC	95/02	S	023 / 1022 / 1022X	C	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Rally 50 LC	97	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Red Rose 50	89	C	1100	L	S	230	105	4	6	6,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
RS 50	07/08	H	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5				802	R	T	180	57	4	6	6,5						
RS 50 Extrema	96/98	H	688	L	S	290	155	4	6	6,5				-	-	-	-	-	-	-	-	-	-	-	-		
RS 50 Extrema	99/04	H	289	L	S	280	155	4	5	6,5				290	R	S	220	102	4	5	8,5						
RS 50 Racing / Replica	99/00	H	289	L	S	280	155	4	5	6,5				290	R	S	220	102	4	5	8,5						
RS 50 Replica GP-1 / SBX	04/05	H	289	L	S	280	155	4	5	6,5				290	R	S	220	102	4	5	8,5						
RX 50	89/91	H	274	L	S	230	112	4,5	6	6,5				042	R	S	220	57	4	5	6,5						
RX 50	92/05	H	274	L	S	230	112	4,5	6	6,5				189	R	S	220	110	4	6	6,5						
RX 50	06/08	H	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5				351	R	S	180	62	3,5	3	10,5						
RX 50	11	H	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5				843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5						
RX 50 Racing	04	H	287	L	S	250	140	4	6	9				160	R	S	220	110	4	6	6,5						
Scarabeo 50 2T	98/05	S	017	L	S	220	60	4	5	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Scarabeo 50 4T	02/09	S	-	-	-	-	-	-	-	-				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Scarabeo 50 Bright / de-luxe	97	S	291	L	S	220	60	4	5	6,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Scarabeo 50 de-luxe	98	S	017	L	S	220	60	4	5	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Scarabeo 50 DD / 50 DT	98/02	S	017	L	S	220	60	4	5	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Scarabeo 50 DT	93/97	S	147	L	S	220	96	4	5	6,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Scarabeo 50 Ditech	01/04	S	017	L	S	220	60	4	5	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
Scarabeo 50 Street	98/07	S	292	L	S	260	60	4	5	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Sonic 50 / Sonic 50 GP LC	97/07	S	452	L	S	155	40,6	4	3	8,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
Spice Sonic 50	98	S	406	L	S	155	40,6	3,8	3	10,5				Drum	-	-	-	-	-	-	-	-	-	-	-		
SR 50 AC LC	94/00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				-	-	-	-	-	-	-	-	-	-	-	-		
SR / Air / Capirossi / Ditech	01/06	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
SR 50 Hiper 2	03/05	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
SR 50 LC	99/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
SR 50 LC DD	97	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5				023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5						
SR 50 Netscaper	97/99	S	023 / 1																								



APRILIA Italy 2 / 3														APRILIA													
50 c.c.														50 c.c.													
SR 50 Racing	97/04	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
SR 50 R	05/13	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
SR 50 R Factory Hiper 2	05/06	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
SR 50 R Factory Purejet	05/07	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
SR Sport Pro (Motor Piaggio)	03	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	1069	L	S	190	68	4	3	8,5	-	-	-	-	-	-	-		
SR 50 Sport	00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
SR 50 Stealth	96/00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
SR 50 Street	05/12	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
SR 50 Urban Kid	96/97	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
SR 50 www	97	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
SX 50	07/10	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-		
SX 50	11	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-		
Tuareg 50	86/87	A	-	-	-	-	-	-	-	-	042	R	S	220	57	4	5	6,5	-	-	-	-	-	-	-		
Tuareg 50	88/89	A	274	L	S	230	112	4,5	6	6,5	042	R	S	220	57	4	5	6,5	-	-	-	-	-	-	-		
Tuono 50	03/07	A	289	L	S	280	155	4	5	6,5	290	R	S	220	102	4	5	8,5	-	-	-	-	-	-	-		
70 c.c.														70 c.c.													
Scarabeo 70	94/98	S	147	L	S	220	96	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
100 c.c.														100 c.c.													
Scarabeo 100 2T / 4T	00	S	017	L	S	220	60	4	5	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
125 c.c.														125 c.c.													
AF1 Futura	90/92	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Atlantic 125	03/11	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5	-	-	-	-	-	-	-		
Arrecife 125	05/10	S	1008	L	S	240	105	4,5	5	6,5	1107	R	S	190	70	4,5	3	8,5	-	-	-	-	-	-	-		
ETX 125	85/90	U	287	L	S	250	140	4	6	9	160	R	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
Habana 125 / Custom	99/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
Habana 125 Ditech	00/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
Kat 125	89/99	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	326	L	S	220	110	4,5	6	6,5	-	-	-	-	-	-	-		
Leonardo 125 4T	96/98	S	017	L	S	220	60	4	5	8,5	023 / 1022 / 1022X	R	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
Leonardo ST 125 4T	99/04	S	017	L	S	220	60	4	5	8,5	023 / 1022 / 1022X	R	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-		
Mojito 125	03/08	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
Mojito 125 Retro	99/01	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
MX 125	04/07	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	288	R	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
MX 125 Supermotard	04	F	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	326	L	S	220	110	4,5	6	6,5	-	-	-	-	-	-	-		
Pegaso 125	89/99	E	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	288	R	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
Red Rose 125	88/89	C	318	L	S	260	105	3,5	6	6,5	ND / NA	L	S	240	90	5	6	6,5	-	-	-	-	-	-	-		
RS 125	92/96	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	288	L	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
RS 125	97	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	326	L	S	220	110	4,5	6	6,5	-	-	-	-	-	-	-		
RS 125	98/05	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	R	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125	06/12	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125 Moto GP	03	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125 Extrema	92/97	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	288	L	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
RS 125 Extrema	98/07	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125 Racing	98/00	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125 Replica	92/98	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
RS 125 Replica	99	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS Replica GP1 / SBX	04	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS 125 R Pista	04/11	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	774	L	S	220	102	5	5	8,5	-	-	-	-	-	-	-		
RS4 125	12/13	R	1103 / 1068 / 801	R	F / FSP00,0 / T	300	90	4	6	6,5	8021	L	T	218	57	3,5	6	6,5	-	-	-	-	-	-	-		
RX 125	90/95	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
RX 125 C	89/00	E	287	L	S	250	140	4	6	9	288	L	S	220	110	4	6	6,5	-	-	-	-	-	-	-		
Scarabeo 125 4T	98	S	147	L	S	220	96	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarabeo 125 4T	99/03	S	292	L	S	260	60	4	5	8,5	017	L	S	220	60	4	5	8,5	-	-	-	-	-	-	-		
Scarabeo 125 4T Rotax	99/03	S	292	L	S	260	60	4	5	8,5	017	L	S	220	60	4	5	8,5	-	-	-	-	-	-	-		
Scarabeo 125 / Net	03/12	S	292	L	S	260	60	4	5	8,5	291	R	S	220	60	4	5	6,5	-	-	-	-	-	-	-		
Scarabeo 125 GT	99	S	292	L	S	260	60	4	5	8,5	291	L	S	220	60	4	5	6,5	-	-	-	-	-	-	-		
Scarabeo 4T motor Piaggio	03/07	S	292	L	S	260	60	4	5	8,5	1071	L	S	240	125	4	5	6,5	-	-	-	-	-	-	-		
Sport 125 Pro	92	S	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Sportcity 125	04/08	S	292	L/R	S	260	60	4	5	8,5	017	R	S	220	60	4	5	8,5	-	-	-	-	-	-	-		
Sportcity Cube 125	09/12	S	292	L/R	S	260	60	4	5	8,5	017	R	S	220	60	4	5	8,5	-	-	-	-	-	-	-		
SR 125 / SR 125 Sporter	99/03	R	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-								



APRILIA Italy 3 / 3													APRILIA												
250 c.c.													250 c.c.												
RS 250 Replica	95/03	R	1236	L/R	F10,5	300	61	5	6	8,5			774	L	S	220	102	5	5	8,5					
Scarabeo 250 / Light	04/10	S	292	L	S	260	60	4	5	8,5			1071	R	S	240	125	4	5	6,5					
Sportcity 250	06/08	S	292	L/R	S	260	60	4	5	8,5			017	R	S	220	60	4	5	8,5					
Climber 280 R	93/96	T	308	R	S	184	45	4	6	6,5			-	-	-	-	-	-	-	-	-	-	-	-	
300 c.c.													300 c.c.												
Atlantic 300	10/11	S	1008	L	S	240	105	4,5	5	6,5			1107	R	S	190	70	4,5	3	8,5					
Scarabeo 300 / Light / S	09/12	S	292	L	S	260	60	4	5	8,5			1071	L	S	240	125	4	5	6,5					
Sportcity Cube 300	09/12	S	292	L/R	S	260	60	4	5	8,5			017	R	S	220	60	4	5	8,5					
SR Max 300 i	10/13	S	1001	L	S	260	125	5	5	6,5			1071	L	S	240	125	4	5	6,5					
Leonardo 300	02/05	S	017	L	S	220	60	4	5	8,5			147	L	S	220	96	4	5	6,5					
350 c.c.													350 c.c.												
ETX 350	86/92	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
400 c.c.													400 c.c.												
Atlantic Sprint 400	05/08	S	292	L/R	S	260	60	4	5	8,5			147	R	S	220	96	4	5	6,5					
Scarabeo 400 Urban / Light	06/08	S	292	L/R	S	260	60	4	5	8,5			1071	L	S	240	125	4	5	6,5					
450 c.c.													450 c.c.												
RXV 450	05/12	E	1162X	L	FX00,0	270	105	3	5	6,5			1147X	R	X	240	102	4	5	6,5					
SVX 450	05/12	F	1146X	L	FX00,0	320	105	5	5	6,5			1147X	R	X	240	102	4	5	6,5					
500 c.c.													500 c.c.												
Atlantic 500	01/08	S	292	L/R	S	260	60	4	5	8,5			147	R	S	220	96	4	5	6,5					
Atlantic Sprint 500	05/08	S	292	L/R	S	260	60	4	5	8,5			1107	R	S	190	70	4,5	3	8,5					
Arrecife 500	01/04	S	292	L/R	S	260	60	4	5	8,5			147	R	S	220	96	4	5	6,5					
Scarabeo 500 / Light	03/05	S	292	L/R	S	260	60	4	5	8,5			147	L	S	220	96	4	5	6,5					
Scarabeo 500 Urban / i.e.	06/12	S	292	L/R	S	260	60	4	5	8,5			1071	L	S	240	125	4	5	6,5					
550 c.c.													550 c.c.												
RXV 550	05/12	E	1162X	L	FX00,0	270	105	3	5	6,5			1147X	R	X	240	102	4	5	6,5					
SVX 550	05/12	F	1146X	L	FX00,0	320	105	5	5	6,5			1147X	R	X	240	102	4	5	6,5					
600 c.c.													600 c.c.												
ETX 600	86/92	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
Pegaso 600	89/92	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
650 c.c.													650 c.c.												
Moto 6,5 Philip Stark	95 →	C	1321	L	F00,0	298	110	4	6	6,5			-	L	S	-	-	-	-	-	-	-	-	-	
Pegaso 650 / Cube 650 I.E.	91/00	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
Pegaso 650 I.E.	01/04	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			325	R	S	240	110	5	6	6,5					
Pegaso 650 Strada	05/09	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5			325	R	S	240	110	5	6	6,5					
Pegaso 650 Trail	05/08	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
Pegaso i.e. Tuscany Tibet Raid	04	U	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5			326	L	S	220	110	4,5	6	6,5					
Stark 650	95/00	U	-	-	-	-	-	-	-	-			326	L	S	220	110	4,5	6	6,5					
750 c.c.													750 c.c.												
SL 750 Shilver / GT	07/13	R	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5			1342X	R	X	240	102	5	5	8,5					
SMV 750 Dorsoduro / ABS	08/12	F	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5			1342X	R	X	240	102	5	5	8,5					
SMV Dorsoduro Factory / ABS	08/12	F	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5			1342X	R	X	240	102	5	5	8,5					
850 c.c.													850 c.c.												
NA 850 Mana GT	08/13	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5			1343	L	S	260	102	5	5	8,5					
SRV 850 / MAX / ABS+ATC	13	S	1351	L/R	S	300	145	5	5	13,8			1352	L	S	280	140	5	5	13,8					
1000 c.c.													1000 c.c.												
ETV 1000 Caponord	01/07	U	1091	L/R	S	300	140	5	6	8,5			1361	R	S	272	140,5	5	6	8,5					
RST 1000 Futura	01/03	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5			-	R	S	-	-	-	6	-					
RSV 1000	98/03	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	L	S	220	102	5	5	8,5					
RSV 1000 Mille R / Mille SP	98/05	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV 1000 Mille R Factory	03/08	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV 1000R	98/08	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV 1000 R Factory	04	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV 1000 SP	98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV 1000 SP R	00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV4 1000 Factory	09	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV4 1000 R / APRC	10/12	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV4 1000 Factory APRC	11	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
RSV4 1000 Factory ABS	12/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			1341	R	S	220	102	5	5	8,5					
SL R Falco / R Falco Sport	98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
Tuono 1000 R Factory	03/09	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			-	-	-	-	-	-	-	-	-	-	-	-	
Tuono Fighter 1000	02/05	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
Tuono Racing 1000	04/08	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	L	S	220	102	5	5	8,5					
Tuono V4 1000R / APRC	11	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			774	R	S	220	102	5	5	8,5					
Tuono V4 1000R ABS / APRC	12/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			1341	R	S	220	102	5	5	8,5					
1200 c.c.													1200 c.c.												
Dorsoduro 1200/ABS-TCS/ATC	11/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			1342	R	S	240	102	5	5	8,5					
ATALA Italy													ATALA												
50 c.c.													50 c.c.												
AT 18 50	98	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			-	-	-	-	-	-	-	-	-	-	-	-	
Byte 50	97/00	S	406	L	S	155	40,6	3,8	3	10,5			-	-	-	-	-	-	-	-	-	-	-	-	
Carosello 50	99/01	S	147	L	S	220	96	4	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Hacker AT12 50 / LC 50	97/00	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Hacker Racing 50	97	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			-	-	-	-	-	-	-	-	-	-	-	-	
Skeggia 50 / 50 LC	99/00	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
BAJA													BAJA												
150 c.c.													150 c.c.												
SC 150	-	S	1201X	R	FX22,0	220	58	4	3	8,5			1312X	R	X17,0	190	58	4	3	8,5					
BAJAJ India 1 / 2													BAJAJ												
135 c.c.													135 c.c.												
135R	12/13	R	1381X	R	X	240	112	4	5	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
180 c.c.													180 c.c.												
180UG R	12/13	R	1380X	R	X	260	130	4,5	6	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
220 c.c.													220 c.c.												
220F R	12/13	R	1380X	R	X	260	130	4,5	6	10,5			1382X	R	X	230	110	4	6	6,5					



BAJAJ India 2 / 2											BAJAJ										
135 c.c.											135 c.c.										
220S R	12/13	R	1380X	R	X	260	130	4,5	6	10,5	1382X	R	X	230	110	4	6	6,5			
BENELLI Italy											BENELLI										
50 c.c.											50 c.c.										
491 Army 50	97/99	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	9			
491 GT 50	97/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
491 K2 50 / Namur 50	97	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
491 Naked 50	02	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
491 Racing	97/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			
491 RR Morini	01/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			
491 SP 50 / 491 ST 50	01	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			
491 Sport	97/01	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
491 Superbike	97/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			
Grido 50	12/13	S	1022X	L	MDX	190	58	3,7	3	9	Drum	-	-	-	-	-	-	-			
Quattro move X50	08/13	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-	-			
			1300X	L	FX00,0	220		3,5													
Pepe 50 / Pepe LX 50	07/10	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-	-	-	-	-	-			
K2 / K2 LC / K2 Mamur	98/02	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
Naked 50	99/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
100 c.c.											100 c.c.										
491 K2 100	01	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
K2 100 Biposto	99/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
Pepe 100	02	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-	-	-	-	-	-			
Naked 100	99/02	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
125 c.c.											125 c.c.										
Adiva 125	00/05	S	1077	L	S	220	105	4	5	6,5	1050	L	S	220	96	4	5	6,5			
Velvet / Velvet Touring	99/04	S	1077	L	S	220	105	4	5	6,5	717	R	S	220	89,6	4	6	6,5			
150 c.c.											150 c.c.										
Adiva 150	00/05	S	1077	L	S	220	105	4	5	6,5	1050	L	S	220	96	4	5	6,5			
Velvet / Velvet Touring	99/04	S	1077	L	S	220	105	4	5	6,5	717	R	S	220	89,6	4	6	6,5			
250 c.c.											250 c.c.										
Velvet / Velvet Touring	99/01	S	1034	L	S	240	105	4	5	6,5	717	R	S	220	89,6	4	6	6,5			
400 c.c.											400 c.c.										
Velvet Dusk 400	03	S	1034	L	S	240	105	4	5	6,5	717	R	S	220	89,6	4	6	6,5			
899 c.c.											899 c.c.										
Century Racer 899 / S / T	11/13	R	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
Tornado 899 S	08/09	R	145	L/R	F9,5	320	64	4	6	8,5	325	R	S	240	110	5	6	6,5			
Tre K 899	11/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
900 c.c.											900 c.c.										
Tornado 900	03/06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
Tornado 900 IE	00/02	R	145	L/R	F9,5	320	64	4	6	8,5	-	-	-	-	-	-	-	-			
Tornado 900 TRE	01/06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
Tornado 900 TRE Naked	07/09	R	145	L/R	F9,5	320	64	4	6	8,5	325	R	S	240	110	5	6	6,5			
Tornado 900 TRE RS	01/03	R	145	L/R	F9,5	320	64	4	6	8,5	-	-	-	-	-	-	-	-			
Tornado 900 TRE RS	04/06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
1100 c.c.											1100 c.c.										
TNT 1100	04	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
1130 c.c.											1130 c.c.										
Café Racer / Century Racer	11/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
Racer 1130 GP	07/08	R	145	L/R	F9,5	320	64	4	6	8,5	-	-	-	-	-	-	-	-			
TNT 1130	04/10	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
TNT 1130 Café Racer / RS	05/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
TNT RS Café Racer Titanium	05/07	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
TNT 1130 R 160	11	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
TNT 1130 RS	05/07	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
TNT 1130 Sport / Sport EVO	05/13	R	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
Tornado 1130	06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
Tornado 1130 TRE	06/12	R	145	L/R	F9,5	320	64	4	6	8,5	325	R	S	240	110	5	6	6,5			
Tre 1130 R	12	R	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
Tre K 1130	05/08	U	145	L/R	F9,5	320	64	4	6	8,5	325	R	S	240	110	5	6	6,5			
Tre K 1130	11/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	325	R	S	240	110	5	6	6,5			
Tre K 1130 Amazonas	11/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	R	X	255	-	-	-	-			
BEON Spain											BEON										
450 c.c.											450 c.c.										
KIT 450 GP - Aprilia SVX	07/11	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT 450 GP - Honda CRF	05/10	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT 450 GP - Kawasaki KXF	06/10	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT 450 GP - Ktm SXF	07/10	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT 450 GP - Suzuki RMZ	08/10	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT 450 GP - Yamaha YZF	07/10	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Aprilia SVX	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Ktm EXC	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Ktm SXF	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Honda CRF	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Kawasaki KXF	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Suzuki RMZ	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD - Yamaha YZF	06/11	M	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
450 - 550 c.c.											450 - 550 c.c.										
KIT 450 GP - Aprilia SVX 550	10/11	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
KIT GP MOTARD-Aprilia SVX	06/11	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
BETA Italy - Spain 1 / 3											BETA										
50 c.c.											50 c.c.										
Alp 50	92	T	-	-	-	-	-	-	-	-	161	L	S	160	-	3,5	6	6,5			
Ark 50 AC	96/11	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Ark K Series / Ark Liquid Cooled	96/05	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5			
Ark 50 LC / LC Tribe	08/11	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5			



BETA Italy - Spain 2 / 3													BETA					
50 c.c.													50 c.c.					
MODEL TYPE	YEAR	REF.	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	MODEL TYPE	YEAR	REF.
Ark 50 LC / LC Tribe	12	S														Ark 50 LC / LC Tribe	12	S
Ark 50 LC Paddock	10/11	S														Ark 50 LC Paddock	10/11	S
Ark 50 LC Paddock	12	S														Ark 50 LC Paddock	12	S
Ark 50 LC Razor/LC Factory	10/11	S														Ark 50 LC Razor/LC Factory	10/11	S
Ark 50 LC Razor/LC Factory	12	S														Ark 50 LC Razor/LC Factory	12	S
Quadra 50	94/00	S														Quadra 50	94/00	S
Ark 50 RR	06	S														Ark 50 RR	06	S
Art 50	03/05	S														Art 50	03/05	S
Chrono 13 50	94/99	S														Chrono 13 50	94/99	S
Chrono 502 50	96/99	S														Chrono 502 50	96/99	S
Eikon 50	99/05	S														Eikon 50	99/05	S
Enduro 50 RR Italia	98	E														Enduro 50 RR Italia	98	E
Enduro 50 URC6-RR	02/03	E														Enduro 50 URC6-RR	02/03	E
MX 50 R Enduro	95/96	E														MX 50 R Enduro	95/96	E
Rev-3 50	05/06	T														Rev-3 50	05/06	T
RK 6 50 / RK 6 50 Italia	95/97	E														RK 6 50 / RK 6 50 Italia	95/97	E
RK 6 50 Italia	96	E														RK 6 50 Italia	96	E
RK 6 50 Italia	97	E														RK 6 50 Italia	97	E
RK 6 T 50	98	E														RK 6 T 50	98	E
RK 6 T 50 / Supermotard	99/01	E														RK 6 T 50 / Supermotard	99/01	E
RK 50 Adventure	95/96	E														RK 50 Adventure	95/96	E
RR6 50 First production	97/98	E														RR6 50 First production	97/98	E
RR6 50 Second production	97/98	E														RR6 50 Second production	97/98	E
RR 50 Enduro	06/12	E														RR 50 Enduro	06/12	E
RR 50 Motard Standard	12	U														RR 50 Motard Standard	12	U
RR 50 Motard Track	10/12	U														RR 50 Motard Track	10/12	U
RR T 50 Enduro	04/05	E														RR T 50 Enduro	04/05	E
RR T 50 Enduro	08/09	E														RR T 50 Enduro	08/09	E
RRT 50 SM Racing Edition	08	F														RRT 50 SM Racing Edition	08	F
RRT 50 Motard	08	F														RRT 50 Motard	08	F
RR Enduro 50 Alu	03	E														RR Enduro 50 Alu	03	E
RR 50 Enduro Racing/Motard	06	E														RR 50 Enduro Racing/Motard	06	E
RR Motard 50	12	E														RR Motard 50	12	E
RR 50 Supermotard	98/03	F														RR 50 Supermotard	98/03	F
RR T Motard 50	04/05	F														RR T Motard 50	04/05	F
RR T 50	99/01	E														RR T 50	99/01	E
RR T 50	05	E														RR T 50	05	E
ST 50	96/97	E														ST 50	96/97	E
ST 50	99/00	E														ST 50	99/00	E
50 Supermotard	98/99	F														50 Supermotard	98/99	F
50 Supermotard RR	98/03	F														50 Supermotard RR	98/03	F
Tempo 13 50	94/00	S														Tempo 13 50	94/00	S
80 c.c.													80 c.c.					
EVO 80 21" / 18"	09/13	T														EVO 80 21" / 18"	09/13	T
EVO 80 Junior - 19" / 17"	09/13	T														EVO 80 Junior - 19" / 17"	09/13	T
Rev 3 80	02/08	T														Rev 3 80	02/08	T
90 c.c.													90 c.c.					
Alp 90	89	U														Alp 90	89	U
95 c.c.													95 c.c.					
Alp 95	95	U														Alp 95	95	U
125 c.c.													125 c.c.					
Alp 125	12	U														Alp 125	12	U
Alp 125 4T	00/01	U														Alp 125 4T	00/01	U
Alp 125 4T	02/03	U														Alp 125 4T	02/03	U
Eikon 125	99/03	S														Eikon 125	99/03	S
EVO 125 2T	09/13	T														EVO 125 2T	09/13	T
Jonathan 125	99/02	C														Jonathan 125	99/02	C
RE 125 4T	12	E														RE 125 4T	12	E
Rev 3 125	99/02	T														Rev 3 125	99/02	T
Rev 3 125	03/08	T														Rev 3 125	03/08	T
RR 125 Enduro / Motard	06	E														RR 125 Enduro / Motard	06	E
RR 125 LC	11/12	E														RR 125 LC	11/12	E
RR 125 Motard 4T LC	10/12	U														RR 125 Motard 4T LC	10/12	U
Techno 125	95/98	T														Techno 125	95/98	T
Urban 125	12	U														Urban 125	12	U
Urban 125 Special	10/11	U														Urban 125 Special	10/11	U
Eikon 150	00/02	S														Eikon 150	00/02	S
200 c.c.													200 c.c.					
Alp 200	12	U														Alp 200	12	U
Alp 200 4T	00/01	U														Alp 200 4T	00/01	U
Alp 200 4T	02/03	U														Alp 200 4T	02/03	U
Alp 200	06	U														Alp 200	06	U
EVO 200 2T	09/13	T														EVO 200 2T	09/13	T
Rev 3 200	99/02	T														Rev 3 200	99/02	T
Rev 3 200	03/08	T														Rev 3 200	03/08	T
Urban 200/Urban 200 Special	12	U														Urban 200/Urban 200 Special	12	U
Urban 200 Special	10/11	U														Urban 200 Special	10/11	U
250 c.c.													250 c.c.					
Alp 250	96	U														Alp 250	96	U
Alp 250	97/99	U														Alp 250	97/99	U
Alp 250	00/03	U														Alp 250	00/03	U
EVO 250 2T	09	T														EVO 250 2T	09	T
EVO 250 2T / 4T	10/13	T														EVO 250 2T / 4T	10/13	T
Rev 3 250	99/02	T														Rev 3 250	99/02	T
Rev 3 250	03/08	T														Rev 3 250	03/08	T

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo/ Racing / Street / Sport / Naked - C: Custom/Touring - U: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utv/Urv - T: Trial - F: Supermotard / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor/Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor/Moped 50 c.c. Onroad con marchas / with gear - V: Electricas/Electric - G: Trikes
SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)
DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations
XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



NG		YEAR	MODEL TYPE	FRONT							REAR							
REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
BETA Italy - Spain 3 / 3																		
250 c.c.																		
Rev 4T 250	07/09	T	626 / 626X	L	S / X	185	-	3 / 2,7	4	10	647	R	S	150	45	3,5	5	6,5
Rev 3 Long Range 250	07/08	U	626 / 626X	L	S / X	185	-	3 / 2,7	4	10	645	L	S	165	-	3	4	10,5
RR 250 EN	05/09	E	392 / 1164X 910 / 910X / 008	L	S / FX00,0 S / X / SP	260	120	3,5 / 3	4	6,5	648X 1264X	R	X	240	112	4	4	9,5
RR 250 Enduro	12/14	E	1293X 1254XK09	L	X KFX00,0	260 270	-	3,5 3	6	6,5	1294X	R	X	240	110	4	6	6,5
ST 250	97/99	T	273	L	S	185	72	3,5	6	10	271	L	S	185	46	3,5	5	10
Techno 250	94/96	T	005	L	S	185	-	4	4	10	-	-	-	-	-	-	-	-
Techno 250	97	T	005	L	S	185	-	4	4	10	018	L	S	165	50	3,5	4	10,5
Techno 250	98/99	T	005	L	S	185	-	4	4	10	006	L	S	160	-	4	4	10
260 c.c.																		
Alp 260	95	U	005	L	S	185	-	4	4	10	-	-	-	-	-	-	-	-
270 c.c.																		
Rev 3 270	03/08	T	626 / 626X	L	S / X	185	-	3 / 2,7	4	10	645	L	S	165	-	3	4	10,5
290 c.c.																		
EVO 290 2T / 300 4T	09/11	T	626 / 626X	L	S / X	185	-	3 / 2,7	4	10	1152 / 1152X	L	S / X	160	-	2,5	4	6,5
300 c.c.																		
REV 4T 300 Racing	09	T	626 / 626X	L	S / X	185	-	3 / 2,7	4	10	1152 / 1152X	L	S / X	160	-	2,5	4	6,5
RR 300 Enduro	12/14	E	1293X 1254XK09	L	X KFX00,0	260 270	-	3,5 3	6	6,5	1294X	R	X	240	110	4	6	6,5
350 c.c.																		
Euro 350	99/05	C	232	R	F11,0	300	110	4	6	6,5	189	R	S	220	110	4	6	6,5
Jonathan 350	02/03	C	232	R	F11,0	300	110	4	6	6,5	189	R	S	220	110	4	6	6,5
M 4 350 / M4 340 SM	07/09	F	684	L	S	310	140	4	6	8,5	160	R	S	220	110	4	6	6,5
Motard M4	05/06	F	684	L	S	310	140	4	6	8,5	160	R	S	220	110	4	6	6,5
RR Enduro 350 4T	12/13	E	1263X	L	X	260	120,2	3,5 / 3	4	8,5	1264X	R	X	240	112	4	4	9,5
VCM 350 4T	01	C	232	R	F11,0	300	110	4	6	6,5	189	R	S	220	110	4	6	6,5
VTM 35 350	03	C	159	L	S	260	110	4	6	6,5	160	R	S	220	110	4	6	6,5
VSP 35 350	03	C	684	L	S	310	140	4	6	8,5	160	R	S	220	110	4	6	6,5
400 c.c.																		
Alp 4.0	03/06	U	159	L	S	260	110	4	6	6,5	189	R	S	220	110	4	6	6,5
Motard 4.0	06	F	684	L	S	310	140	4	6	8,5	189	R	S	220	110	4	6	6,5
RR Enduro 400	12/13	E	1263X	L	X	260	120,2	3,5 / 3	4	8,5	1264X	R	X	240	112	4	4	9,5
RR 400 EN	05/11	E	1164X / 392 910X / 910 / 008	L	FX00,0 / S X / S / SP	260	120	3 / 3,5 3	4	6,5	648X 1264X	R	X	240	112	4	4	9,5
RR 400 SM	05/07	F	392 / 1164X 910 / 910X / 008	L	S / FX00,0 S / X / SP	260	120	3,5 / 3 3	4	6,5	648X 1264X	R	X	240	112	4	4	9,5
450 c.c.																		
RR Enduro 450	12/13	E	1263X	L	X	260	120,2	3,5	4	8,5	1264X	R	X	240	112	4	4	9,5
RR 450 EN	05/11	E	1164X / 392 910X / 910 / 008	L	FX00,0 / S X / S / SP	260	120	3 / 3,5 3	4	6,5	648X 1264X	R	X	240	112	4	4	9,5
RR 450 SM	05/07	F	392 / 1164X 910 / 910X / 008	L	S / FX00,0 S / X / SP	260	120	3,5 / 3 3	4	6,5	648X 1264X	R	X	240	112	4	4	9,5
498 c.c.																		
RR Enduro 498	12/13	E	1263X	L	X	260	120,2	3,5	4	8,5	1264X	R	X	240	112	4	4	9,5
520 c.c.																		
RR 520	05/11	E	1164X / 392 910X / 910 / 008	L	FX00,0 / S X / S / SP	260	120	3 / 3,5 3	4	6,5	648X 1264X	R	X X	240	112 112	4	4	9,5
525 c.c.																		
RR 525	09	E	1164X / 392 910X / 910 / 008	L	FX00,0 / S X / S / SP	260	120	3 / 3,5 3	4	6,5	648X 1264X	R	X X	240	112 112	4	4	9,5
400 c.c.																		
YB 7 400	89	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
500 c.c.																		
V due 500	97/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
600 c.c.																		
YB 9 600	95	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
650 c.c.																		
Supermono 650	96/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
850 c.c.																		
TESI 1D 850	90/91	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
900 c.c.																		
DB2 SR 904	93/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
DB4 900 / DB4 900 i.e.	98/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
Mantra 900 DB3	96	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
Tesi 900	91/93	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
BIMOTA Italy																		
1000 c.c.																		
Dieci 1000 Biposto	91/95	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
SB 8K Santa Monica	06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
SB 8R 1000	97/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
1100 c.c.																		
SB 6 1100 / SB 6 1100 R	96/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-
BLATA Czech Republic																		
125 c.c.																		
Motard 125	10/11	F	1169X	L	X	280	71	4	6	8,5	1167X	R	X	220	68	4	3	8,5
Enduro 125	10/11	E	1170X	L	X	280	71	4	6	8,5	1168X	R	X	220	68	4	3	8,5
BMW Germany 1 / 3																		
450 c.c.																		
G 450 X	08/11	E	1240XSP 1162XK16 1146XK11	L	X KFX00,0 KFX00,0	260 270 320	105	3,2 3 5	5	6,5	1241	R	X	220	103	4	6	6,5
475 c.c.																		
R 45 (disc only)	81	R	1047	L	S	260	144	5	10	5	Drum	-	-	-	-	-	-	-

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo/Racing / Street / Sport / Naked - C: Custom/Touring - U: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utv/Uxv - T: Trial - F: Supermotard / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor/Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor/Moped 50 c.c. Onroad con marchas / with gear - V: Electrica/Electric - G: Trikes

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





BMW Germany 2 / 3														BMW								
600 c.c.														600 c.c.								
R 60/7 - R 60 TIC (disc only)	76/84	R	1047	L	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
650 c.c.														650 c.c.								
C 600 Sport	12/13	S	1338 / 1338X 1373 / 1373X	L/R	S / X F00,0 / FX00,0	270	-	5	5	9,8	1338 / 1338X					L	S / X	270	-	5	5	9,8
C 650 GT	12/13	S	1338 / 1338X 1373 / 1373X	L/R	S / X F00,0 / FX00,0	270	-	5	5	9,8	1338 / 1338X					L	S / X	270	-	5	5	9,8
F 650	94/01	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 CS Scarver	02/07	U	324 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	325					R	S	240	110	5	6	6,5
F 650 F Enduro	98/03	E	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 FL	93/05	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 CS	01/07	T	324 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 GS	08/12	T	324 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	1045 / 1045X					L	S / X	265	136	4,5	5	10,5
F 650 GS ABS	01/07	T	1232 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 GS ABS	08/12	T	1232 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	1045 / 1045X					L	S / X	265	136	4,5	5	10,5
F 650B GS Dakar	94/06	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 ST Strada	97/01	T	1232 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
F 650 Scarver 324 SL	02/06	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
G 650 GS	09/13	T	1232 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
G 650 GS ABS	12/13	T	1232 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
G 650 GS Sertao	12/13	T	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	325					L	S	240	110	5	6	6,5
G 650 X Challenge	07/08	E	324 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	1090 / 1090X					L	S / X	240	105	4,5	6	6,5
G 650 X Country	07/09	E	1232 / 1194 / 1194X	L	S / F / FX00,0	300	105	5	6	6,5	1090 / 1090X					L	S / X	240	105	4,5	6	6,5
G 650 X Country ABS	07/09	E	1232 / 1194 / 1194X	R	S / F / FX00,0	300	105	5	6	6,5	1090 / 1090X					L	S / X	240	105	4,5	6	6,5
R 65 / R 65 LS (disc only)	81	R	1047	L	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 65 GS (disc only)	80/92	R	1047 / 1217	L	S	260 / 285	144	5	10	5	Drum					-	-	-	-	-	-	
R 65/20 (disc only)	85/95	R	1047 / 1217	L	S	260 / 285	144	5	10	5	Drum					-	-	-	-	-	-	
R 65/35 - R 65 RT (disc only)	85/95	R	1047 / 1217	L	S	260 / 285	144	5	10	5	Drum					-	-	-	-	-	-	
700 c.c.														700 c.c.								
F 700 GS	12/13	U	324 / 1194 / 1194X	L/R	S / F / FX00,0	300	105	5	6	6,5	1045 / 1045X					L	S / X	265	136	4,5	5	10,5
750 c.c.														750 c.c.								
K 75	84/96	R	1271	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
K 75 C	85/91	R	1271	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
K 75 RT	90/96	R	1271	L/R	S	285	165	4,8	10	13,8	1042					R	S	285	165	4,8	10	13,8
K 75 S	85/96	R	1271	L/R	S	285	165	4,8	10	13,8	1042					R	S	285	165	4,8	10	13,8
K 75 S C	85/91	R	1042	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R75 (disc only)	73/84	R	1047	L	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
800 c.c.														800 c.c.								
F 800 GS	06	U	324 / 1194 / 1194X	L/R	S / F / FX00,0	300	105	5	6	6,5	-					-	-	-	-	-	-	
F 800 GS	09/13	U	324 / 1194 / 1194X	L/R	S / F / FX00,0	300	105	5	6	6,5	1045 / 1045X					L	S / X	265	136	4,5	5	10,5
F 800 GT	13	R	1046	L/R	S	320	181	4,8	5	14	1045 / 1045X					R	S / X	265	136	4,5	5	10,5
F 800 R / ABS	09/13	R	1046	L/R	S	320	181	4,8	5	14	1045 / 1045X					L	S / X	265	136	4,5	5	10,5
F 800 S / 800 ST	06/13	R	1046	L/R	S	320	181	4,8	5	14	1045 / 1045X					R	S / X	265	136	4,5	5	10,5
R 80 / R80 G (disc only)	81	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 (disc only)	85/95	R	1047	L	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 GS Paris Dakar	88/94	U	1042	R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R 80 GS (disc only)	80/92	R	1047	R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 mono (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R80 S (disc only)	81	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R80 ST (disc only)	80/85	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 R Roadster	92/93	R	1042	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R 80 RT (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 RT	85/95	R	1042	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R 80 RT (disc only)	01/04	R	1046	L/R	S	320	181	4,8	5	14	-					-	-	-	-	-	-	
R 80 ST (disc only)	80/92	R	1047	R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 80 TIC (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
850 c.c.														850 c.c.								
R 850 C	98/01	C	1044 / 1044X	L/R	S / X	305	181	4,8	5	14	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 GS	99/07	U	1044 / 1044X	L/R	S / X	305	181	4,8	5	14	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 R	94/01	R	1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 R	02/07	R	1044 / 1044X	L/R	S / X	305	181	4,8	5	14	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 RT	95/00	R	1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 RT Integral ABS	01/04	R	1046	L/R	S	320	181	4,8	5	14	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 R RT	98/03	R	-	-	-	-	-	-	-	-	236 / 236X					R	S / X	276	-	5	5	10,5
R 850 RT Integral wheels	01	R	1046	L/R	S	320	181	4,8	5	14	236 / 236X					R	S / X	276	-	5	5	10,5
900 c.c.														900 c.c.								
R 90S / R 90/6 (Disc only)	73/76	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
1000 c.c.														1000 c.c.								
HP4 1000	13	R	1387 / 1387X	L/R	F00,0 / FX00,0	320	64	5	6	8,5	1282					R	S	220	119	5	5	6,6
K 1	89/93	R	1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9	1042					R	S	285	165	4,8	10	13,8
K 100 / LT ABS / LT Limited	83/92	R	1271	L/R	S	285	165	4,8	10	13,8	1271					R	S	285	165	4,8	10	13,8
K 100 RS	84/89	R	1271	L/R	S	285	165	4,8	10	13,8	1271					R	S	285	165	4,8	10	13,8
K 100 RS 16V	89/93	R	1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9	1271					R	S	285	165	4,8	10	13,8
K 100 RT	84/89	R	1271	L/R	S	285	165	4,8	10	13,8	1271					R	S	285	165	4,8	10	13,8
R 100 / R100 GS (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 100 GS	87/94	R	1042	R	S	285	165	4,8	10	13,8	-					-	-	-	-	-	-	
R 100 GS Mystic	91/95	R	1042	L/R	S	285	165	4,8	10	13,8	-					-	-	-	-	-	-	
R 100 R Roadster	92/95	R	1042	R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R 100 RS (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 100 RT	91/94	R	1042	L/R	S	285	165	4,8	10	13,8	Drum					-	-	-	-	-	-	
R 100 RT / 7T (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
R 100 S/R 100 TIC (disc only)	76/84	R	1047	L/R	S	260	144	5	10	5	Drum					-	-	-	-	-	-	
S 1000 RR	09/13	R	1046	L	S	320	181	4,8	5	14	1282					R	S	220	119	5	5	6,6
1100 c.c.														1100 c.c.								
K 1100 LT	92/00	R	1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9	1271					R	S	285	165	4,8	10	13,8

FRONT										REAR										
NG										NG										
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø			
BMW Germany 3 / 3																		BMW		
1100 c.c.																		1100 c.c.		
K 1100 RS	93/96	R		1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9		1271	R	S	285	165	4,8	10	13,8
K 1100 SE	92/00	R		1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9		1271	R	S	285	165	4,8	10	13,8
R 1100 C / CL	97/03	R		-	-	-	-	-	-	-	-		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 GS	94/01	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 R	95/01	R		1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 R (Spokes wheels)	93/01	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 RS	94/01	R		1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9		1042	R	S	285	165	4,8	10	13,8
R 1100 RT	94/01	R		1137 / 1137X	L/R	F00,0 / FX00,0	305	118	5	6	9		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 RT (Spokes wheels)	93/03	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 S	98/00	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 S	01/06	R		1046	L/R	S	320	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1100 S Boxer cup Replika	03/06	R		1046	L/R	S	320	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
1150 c.c.																		1150 c.c.		
R 1150 GS	99/05	U		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1150 GS Adventure	02/05	U		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1150 R	01/06	R		1046	L/R	S	320	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1150 R Rockster	03/06	R		1046	L/R	S	320	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1150 RS / R RT / RT ABS	01/05	R		1046	L/R	S	320	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
1200 c.c.																		1200 c.c.		
HP 2 1200	06/10	U		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
HP 2 1200 Megamoto	07/10	U		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
HP 2 1200 Sport	08/12	U		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
K 1200 GT ABS	02/07	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
K 1200 LT	99/00	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		-	-	-	-	-	-	-	-
K 1200 LT ABS	01	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
K 1200 R / S / S ABS	04/08	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
K 1200 R Sport	07	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
K 1200 RS	97/00	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		1042	R	S	285	165	4,8	10	13,8
K 1200 RS	01/06	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
R 1200 C "Cruiser"	96/01	C		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R 1200 C "Cruiser"	02/03	C		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		1323	R	S	285	-	5	5	10,5
R 1200 C Classic	02/03	C		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		-	-	-	-	-	-	-	-
R 1200 CL	02/06	R		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		236 / 236X	R	S / X	276	-	5	5	10,5
R GS / GS Adventure / ABS	04/13	U		1044 / 1044X	L/R	S / X	305	181	4,8	5	14		1045 / 1045X	L	S / X	265	136	4,5	5	10,5
R 1200 LT	08/09	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
R 1200 R	06/13	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
R 1200 R Classic	12	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
R 1200 RT	03/13	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
R 1200 S	06/08	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
R 1200 S	09/10	R		-	L/R	S	-	-	-	-	-		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
R 1200 ST	05/08	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	R	S / X	265	136	4,5	5	10,5
1300 c.c.																		1300 c.c.		
K 1300 GT	08/09	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
K 1300 R / S - ABS	08/13	R		1046	L/R	S	320	181	4,8	5	14		1045 / 1045X	L	S / X	265	136	4,5	5	10,5
1600 c.c.																		1600 c.c.		
K 1600 GT	11/13	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
K1600 GTL	11/13	R		1046	L/R	S	320	181	4,8	5	14		-	-	-	-	-	-	-	-
BRUNE																		BRUNE		
-																		-		
Triciclo	99/00	-		512 / 505	L	SP / S	230	44	5	6	8,5		-	-	-	-	-	-	-	-
BUELL USA																		BUELL		
1200 c.c.																		1200 c.c.		
M2 / S1 / S3 / S3T	98/02	R		-	-	-	-	-	-	-	-		209	R	S	240	105	5	4	10,5
X1 Lightning 1200	98/02	R		ND / NA	R	F11,0	340	60,5	5	5	8,5		209	R	S	240	105	5	4	10,5
CAGIVA Italy 1 / 2																		CAGIVA		
50 c.c.																		50 c.c.		
City Scooter 50	92/94	S		108	L	S	160	58	4	3	10,5		Drum	-	-	-	-	-	-	-
Cucciolo 50	00/02	S		447	L	S	220	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-
Mantis 50	98	S		087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
Mito 50	98/99	H		081	L	S	260	90	4	6	6,5		099	R	S	220	57	4	6	6,5
Prima 50	92	H		-	-	-	-	-	-	-	-		099	R	S	220	57	4	6	6,5
Progress 50 / LC	97/99	S		087	L	S	190	62	3,5	3	10,5		Drum	-	-	-	-	-	-	-
Supercity 50	91	H		1103 / 1068	R	F00,0 / FSP0,0	300	90	4	6	6,5		099	R	S	220	57	4	6	6,5
75 c.c.																		75 c.c.		
Prima 75 R	95/97	R		-	-	-	-	-	-	-	-		099	R	S	220	57	4	6	6,5
125 c.c.																		125 c.c.		
Blues 125	88	S		ND / NA	R	S	260	124	3,5	6	6,5		ND / NA	R	S	240	124	5	6	6,5
Cucciolo 125	01/02	R		448	L	S	240	58	3,5	3	10,5		Drum	-	-	-	-	-	-	-
Freccia 125 C 12	89/91	R		404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5		-	-	-	-	-	-	-	-
Mito 125 Evoluzione	90/06	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
Mito 125 N1	95/03	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
Mito 125 SP 525	06/08	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
Passing 125	94	S		108	L	S	160	58	4	3	10,5		Drum	-	-	-	-	-	-	-
Planet 125	97	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
Raptor 125	03/08	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
Supercity 125	91	F		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
500 c.c.																		500 c.c.		
Canyon 500	99/01	U		456	L	S	296	144	4,5	6	10,5		-	-	-	-	-	-	-	-
Mito 500	07/08	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
River 500	00	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		-	-	-	-	-	-	-	-
600 c.c.																		600 c.c.		
Canyon 600	96/99	U		048	R	S	296	144	4	6	10,5		-	-	-	-	-	-	-	-
River 600	95	R		1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5		146	R	S	229	110	4	6	6,5
650 c.c.																		650 c.c.		
Raptor 650	00/07	R		1236	L/R	F10,5	300	61	5	6	8,5		337	R	S	220	87	5	4	10,4

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Tuning / Racing / Street / Sport / Naked C: Custom/Touring H: Trail F: Enduro M: Cross Q: Quad/ATV/Utility T: Tool S: Supermoto / Supamoto B: Bicycle

MODEL TYPE: **R:** Roadster / Racing / Sport / Sport / Naked - **C:** Custom / Touring - **S:** Scooter - **A:** Ciclomotor / Moped 50 c.c. Offroad con marchio / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit



25



CPI China 2 / 2																CPI			
50 c.c.																50 c.c.			
SM 50 Black Tiger	09	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5	
SX 50 Supercross	07/08	A	1075	L	S	267	-	3,5	6	6,5	1076	R	S	209	-	3,5	6	6,5	
125 c.c.																125 c.c.			
Oliver City 125	06/07	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	
250 c.c.																250 c.c.			
SM Enduro 250	09	E	1075	L	S	267	-	3,5	6	6,5	ND / NA	R	S	227	-	4	6	6,5	
DAELIM Korea																DAELIM			
50 c.c.																50 c.c.			
A-Four 50	06/09	S	1274	L	S	220	100	4	5	10,5	Drum	-	-	-	-	-	-	-	
Bonita 50	12	S	-	L	S	-	-	-	-	-	Drum	-	-	-	-	-	-	-	
Cordi 50	08/12	S	629	L	S	160	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
E-Five	12	S	1274	L	S	220	100	4	5	10,5	-	-	-	-	-	-	-	-	
Message II 50	97	S	629	L	S	160	60	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Message II 50 / Vivo 50	98/02	S	371	L	S	160	60	3	3	8,5	Drum	-	-	-	-	-	-	-	
S-Four S4 50	12	S	1274	L	S	220	100	4	5	10,5	Drum	-	-	-	-	-	-	-	
S-Five 50	06/10	S	1086 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5	Drum	-	-	-	-	-	-	-	
S-Five 50	11/12	S	1274	L	S	220	100	4	5	10,5	Drum	-	-	-	-	-	-	-	
100 c.c.																100 c.c.			
Delfino 100	99/06	S	1274	L	S	220	100	4	5	10,5	Drum	-	-	-	-	-	-	-	
125 c.c.																125 c.c.			
Besbi 125	11/12	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	Drum	-	-	-	-	-	-	-	
B-Bone 125 FI	12	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Delfino 125	07/12	S	1274	R	S	220	100	4	5	10,5	Drum	-	-	-	-	-	-	-	
History 125	-	S	1181	-	S	220	58,3	4	3	10,5	-	-	-	-	-	-	-	-	
History 125	01/08	S	1274	L	S	220	100	4	5	10,5	-	-	-	-	-	-	-	-	
NS 125 DLX	00/07	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NS 125 Otelio	-	S	1201X	R	FX22,0	220	58	4	3	8,5	1279	-	S	200	78	4	5	10,5	
NS III 125	-	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	
Roadwin 125 FI	11/12	R	208	L	S	276	144	4,5	6	10,5	1315	R	S	219	80	4	5	10,5	
Roadwin 125 R FI	11/12	R	208	L	S	276	144	4,5	6	10,5	1315	R	S	219	80	4	5	10,5	
Rocket 125	99/00	S	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
S1 125 / S1 125 FI	08/12	S	1315	L	S	219	80	4	5	10,5	1279	R	S	200	78	4	5	10,5	
S2 125	06/09	S	1185	L	S	240	58	4	3	10,5	1190	-	S	200	68	3,8	3	10,5	
S2 125 FI	10/12	S	1185	L	S	240	58	4	3	10,5	1135	R	S	200	68	4	3	10,5	
S2 125 FI	10/12	S	1185	L	S	240	58	4	3	10,5	1279	R	S	200	78	4	5	10,5	
S3 125 FI / S3125 FI Touring	12/13	S	1316X	L	X	240	80	4	5	10,5	1315	R	S	219	80	4	5	10,5	
SL125	-	R	-	-	-	-	-	-	-	-	1190	R	S	200	68	3,8	3	10,5	
VL Daystar 125 / FI	00/12	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
VL Daystar 125 Classic	00/03	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
VT Evolution 125	99/11	C	208	L	S	276	144	4,5	6	10,5	Drum	-	-	-	-	-	-	-	
250 c.c.																250 c.c.			
Roadwin 250 R FI	12	R	-	L/R	-	-	-	-	-	-	-	R	-	-	-	-	-	-	
S2 250	05	S	1185	L	S	240	58	4	3	10,5	1186	R	S	220	58	4	3	10,5	
S2 250	06/09	S	1185	L	S	240	58	4	3	10,5	1315	-	S	219	80	4	5	10,5	
DERBI Spain 1 / 3																DERBI			
50 c.c.																50 c.c.			
Astro 50 "BULTACO"	99/00	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	
Astro 50 "BULTACO"	01/02	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-	
Atlantis 50 2T	99/10	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 Electric	05/07	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 H2o	99/06	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 Red Bullet	01/04	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 Red Bullet LC	01/02	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 Wave / 50 LC	01/02	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Atlantis 50 4T	05/10	S	444	L	S	190	58	3,5	5	6,5	Drum	-	-	-	-	-	-	-	
Bullet Atlantis 50	06	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
DRD Edition 50	02/06	A	618 / 632	L/R	S	240	125	3,5	6	7,5	238 / 238X / 843	R	S / X / T	218	62	3,5	3	10,5	
DRD Pro 50	04/05	A	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	
DRD Pro 50 SM	06/07	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	
DRD 50 Racing	02	A	828	L	T	260	108	4	6	6,5	099	R	S	220	57	4	6	6,5	
DRD Racing 50 R	05/06	A	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	
DRD Racing 50 SM	05	A	841	L	T	300	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	
DRD Racing 50 SM	06	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	
DRD 50 SM Limited Edition	06	A	618 / 632	L/R	S	240	125	3,5	6	7,5	099	R	S	220	57	4	6	6,5	
FDS World Champion 50	92	A	083	L	S	219	53	3,5	4	8,5	Drum	-	-	-	-	-	-	-	
Fénix EX 50	95/97	H	082	R	S	218	62	3,5	3	8,5	089	R	S	180	62	3,8	3	10,5	
Fénix EX 50	98/01	H	082	R	S	218	62	3,5	3	8,5	-	-	-	-	-	-	-	-	
GP 150	01/04	S	444	L	S	190	58	3,5	5	6,5	366	R	S	175	73	4	5	6,5	
GP 150	05	S	471	L	T	245	125	3,5	5	6,5	734	L	T	180	60	3,5	3	10,5	
GP 150 Open / GP1 Malossi	06/07	S	113 / 113X	L	S / X	220	105	4	6	6,5	734	L	T	180	60	3,5	3	10,5	
GP 1 Open / GP 1 Malossi	08/09	S	-	-	-	-	-	-	-	-	233	C	S	175	73	4	5	6,5	
GP 150 Racing	06	S	471	L	T	245	125	3,5	5	6,5	734	L	T	180	60	3,5	3	10,5	
GP 150 Replica	01/04	S	444	L	S	190	58	3,5	5	6,5	233	L	S	175	73	4	5	6,5	
GP 50 Series	02	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
GPR 50	97/03	H	081	L	S	260	90	4	6	6,5	099	R	S	220	57	4	6	6,5	
GPR 50 Replica	99/03	H	081	L	S	260	90	4	6	6,5	099	R	S	220	57	4	6	6,5	
GPR 50 2T / GPR 50 R 2T	04/08	H	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5	802	R	T	180	57	4	6	6,5	
GPR 50 2T	09/11	H	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5	829	R	T	220	57	4	5	6,5	
GPR 50 Nude	05/09	H	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5	802	R	T	180	57	4	6	6,5	
GPX 150	06	A	471	L	T	245	125	3,5	5	6,5	734	L	T	180	60	3,5	3	10,5	
Hunter 50	96/99	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Lobito 50 "BULTACO"	99/02	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	
MXR 50	97/99	A	087	L	S	190	62	3,5	3	10,5	-	-	-	-	-	-	-	-	
Paddock LC 50	97/99	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	



DERBI Spain 2 / 3																	DERBI										
50 c.c.																	50 c.c.										
Paddock ST 50	96/98	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Predator 50 02 GPS	01	S	087	L	S	190	62	3,5	3	10,5	087	L	S	190	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Predator 50 LC / 50 Replica	97/01	S	087	L	S	190	62	3,5	3	10,5	087	L	S	190	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Predator 50 TSI	99/01	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senda DRD 50 Evo	08/09	A	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5	8021	R	T	218	57	3,5	6	6,5	-	-	-	-	-	-	-	-	-
Senda 50 Black Devil	05/07	A	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD Pro 50 SM	07/08	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD Racing 50	08/09	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD Racing 50 R	11	A	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD Racing 50 SM	11	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5	-	-	-	-	-	-	-	-	-
Senda DRD SM 50	08/09	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD X-Treme 50 R	11	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda DRD X-Treme 50 SM	11	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	8021	R	T	218	57	3,5	6	6,5	-	-	-	-	-	-	-	-	-
Senda Extreme 50	03	A	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda SR AI 50	06	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senda R 50	01/03	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda R DRD 50	02/03	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda R DRD Devil 50	04/05	A	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda R DRD 50	06	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senda R LE 50	01/03	A	088	L	S	218	90	3,8	3	8,5	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda R Racer 50	02/03	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda R X-Treme 50	00/02	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda R X-Treme 50	03/04	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda X-Treme SM 50	05/06	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda EX 50	95/97	A	-	-	-	-	-	-	-	-	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda L 50	99/01	A	-	-	-	-	-	-	-	-	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda L 6V 50	94/97	A	088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senda R 50	97/99	A	088	L	S	218	90	3,8	3	8,5	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda R 50	00/03	A	335	L	S	240	108	3,5	6	6,5	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda R 6V 50	94/97	A	088	L	S	218	90	3,8	3	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senda SM X Trem 50	04	A	-	-	-	-	-	-	-	-	843 / 238 / 238X	R	T / S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda SM X Trem 50	08/09	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda SR 50	01	A	088	L	S	218	90	3,8	3	8,5	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda SM 50	97/99	A	088	L	S	218	90	3,8	3	8,5	089	R	S	180	62	3,8	3	10,5	-	-	-	-	-	-	-	-	-
Senda SM DRD 50	02	A	618 / 632	L/R	S	240	125	3,5	6	7,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Senda X 50 Race SM	06	A	-	-	-	-	-	-	-	-	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Senda X 50 Race SM	08/09	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
SM DRD 50	03	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
SM DRD 50 Edition	04	A	841	L	T	300	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SM Racer 50	02/03	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
SM X-Trem 50	00/03	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
SM X-Trem 50	05/06	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Vamos FL 50	95/01	S	452	L	S	155	40,6	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Variant Sport R 50	92/00	S	079	R	S	180	62	3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X-Race 50	04/05	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Race R 50	05/09	A	335	L	S	240	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Race 50 SM	05/07	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Treme 50	04/09	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Treme 50 R	05	A	335	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Treme 50 SM	05	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
X-Treme 50 SM	06/07	A	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	-	-	-	-	-	-	-	-	-
Yumbo FDS Savannah 50	88	A	088	L	S	218	90	3,8	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Yumbo FDS Savannah 50	91/93	A	-	-	-	-	-	-	-	-	085	R	S	179	62	3,5	3	6,5	-	-	-	-	-	-	-	-	-
80 c.c.																	80 c.c.										
DRD 80 Copa	06	R	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5																	



DERBI Spain 3 / 3																	DERBI			
180 c.c.																	180 c.c.			
Predator 180	02	S	612	L	S	220	58	4	5	6,5	233	L	S	175	73	4	5	6,5		
200 c.c.																	200 c.c.			
Boulevard 200	05	S	612	L	S	220	58	4	5	6,5	Drum	-	-	-	-	-	-	-		
250 c.c.																	250 c.c.			
GP 1 250	05/06	S	471	L/R	T	245	125	3,5	5	6,5	864	R	T	240	125	3,5	5	6,5		
GP 1 250 Low seat Euro 3	07	S	8006	L	T	245	105	4	6	6,5	-	-	-	-	-	-	-	-		
GP 1 250 i Racing	08/10	R	471	L	T	245	125	3,5	5	6,5	-	-	-	-	-	-	-	-		
Rambla 250 i	08/09	S	292	L/R	S	260	60	4	5	8,5	017	R	S	220	60	4	5	8,5		
300 c.c.																	300 c.c.			
Rambla 300 i	10/12	S	292	L/R	S	260	60	4	5	8,5	017	R	S	220	60	4	5	8,5		
DIAMO USA																	DIAMO			
260 c.c.																	260 c.c.			
Turista 260	-	S	1266X	-	X	243	115	4	6	8,5	-	-	-	-	-	-	-	-		
300 c.c.																	300 c.c.			
Turista 300	-	S	1266X	-	X	243	115	4	6	8,5	-	-	-	-	-	-	-	-		
DUCATI Italy 1 / 3																	DUCATI			
350 c.c.																	350 c.c.			
F3	86	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Junior 350 SS	92	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
400 c.c.																	400 c.c.			
Junior 400 SS	92/97	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Nuda 400 SS	92	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
SS Supersport / SS Junior	92/97	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
M 400 Monster	01/06	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
600 c.c.																	600 c.c.			
600 SS	94/98	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
600 SS Supersport	94/97	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 600	93/01	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 600 City	98/00	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 600 Dark	94/02	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 600 Road	97	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
620 c.c.																	620 c.c.			
M 620 Monster	02/04	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 620 IE	02/03	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
M 620 Monster single disk	05/06	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Multistrada 620 single disk	05/06	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
M 620 Monster double disk	05/06	R	1385	L/R	F00,0	300	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Multistrada 620 double disk	05/06	R	1385	L/R	F00,0	300	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
620 Sport	03/06	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
620 SS Supersport	04	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
695 c.c.																	695 c.c.			
Monster 695	06	R	1385	L/R	F00,0	300	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 695	08/09	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
696 c.c.																	696 c.c.			
Monster 696 / ABS	08/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
748 / 749 c.c.																	748 / 749 c.c.			
748 Biposto	95/02	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
748 R	00	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
748 S	99/02	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
748 SP	95/97	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
748 SPS	98/99	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
748 Racing	95/02	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	718	R	S	220	108	4	4	8,5		
749 / 749 S	03/07	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1052	R	S	240	107	4	5	8,5		
749 R	03/07	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1052	R	S	240	107	4	5	8,5		
750 c.c.																	750 c.c.			
M 750 Monster	96/01	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 750 City	99/00	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 750 Dark	99/01	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
750 Sport	00/02	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
750 SS Supersport	91/99	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
780 c.c.																	780 c.c.			
780 R	99	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-		
796 c.c.																	796 c.c.			
Hypermotard 796	10/12	R	1302	L/R	F10,0	305	72	5	5	8,5	718	L	S	220	108	4	4	8,5		
Hypermotard 796 ABS	13	R	1302	L/R	F10,0	305	72	5	5	8,5	-	R	S	245	108,3	5	4	8,5		
Monster 796 / ABS	11	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	1303	R	S	245	108,3	5	4	8,5		
Monster 796 ABS	13	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	-	R	S	245	108,3	5	4	8,5		
800 c.c.																	800 c.c.			
Monster 800 IE	03/04	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
M 800 Monster	03/06	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 800 S	03/05	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
800 Sport / SS Supersport	03/06	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
Monster 800 S2R	05/08	R	1385	L/R	F00,0	300	64	5	6	8,5	718	L	S	220	108	4	4	8,5		
848 c.c.																	848 c.c.			
848	08/10	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1303	R	S	245	108,3	5	4	8,5		
848 Evo	11/12	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5	4	8,5		
848 Evo Dark Stealth	12	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5	4	8,5		
848 Evo Dark Stealth Corse	12	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1303	L	S	245	108,3	5	4	8,5		
Streetfighter 848 / 848 S	12/13	R	1051	L/R	F15,0	320	72	4,5	5	8,5	1303	R	S	245	108,3	5	4	8,5		
851 c.c.																	851 c.c.			
851	89	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-		
851 SBK-Bip.	89/91	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5		
851 SP2	90	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-		
851 SP4	92	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-		
851 SP5	93	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-		

29

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KK: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



FRONT										REAR									
NG	YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
DUCATI Italy 3 / 3										DUCATI									
1200 c.c.										1200 c.c.									
Multistrada 1200 S / ABS	10/13	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	-	R	S	245	83,5	5	4	8,5	
Multistrada 1200 S GT	10/13	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	-	R	S	245	83,5	5	4	8,5	
Multistrada 1200 S Pikes Peak	12/13	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	-	R	S	245	83,5	5	4	8,5	
Multistrada 1200 S Sport	11/12	R	-	-	-	-	-	-	-	-	-	R	S	245	83,5	5	4	8,5	
Multistrada 1200 S Touring	10/13	R	1273 / 1273X	L/R	F10,0 / FX10,0	320	72	5	5	8,5	-	R	S	245	83,5	5	4	8,5	
Strada 1200	11/12	R	-	-	-	-	-	-	-	-	-	R	S	245	83,5	5	4	8,5	
FACTORY BIKE										FACTORY BIKE									
50 c.c.										50 c.c.									
Chrono SM 50	02	A	295	L	S	260	108	4	6	6,5	1057 / 1057X / 243 821	L	S / X / SP T	220	108	3,5 / 4 / 3,5 4	6	6,5	
Chrono SM 50	05	A	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	
Phantom R12	04/05	H	702	L	S	165	45	3	5	6,5	426	R	S	150	45	3	5	6,5	
Phantom R14 "air"	04/05	H	704	L	S	184	45	3	5	6,5	Drum	-	-	-	-	-	-	-	
Desert YM 50	05	A	238 / 238X / 843	L	S / X / T	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5	
YR 50	00	A	295	L	S	260	108	4	6	6,5	1057 / 1057X / 243	L	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5	
Desert YR 50	04/05	A	238 / 238X / 843	L	S / X / T	218	62	3,5	3	10,5	115	R	S	200	62	3,5	3	10,5	
125 c.c.										125 c.c.									
YR 125 Desert	01	E	731 / 731X / 731XX 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	L	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5	
Desert YR 125	05	E	219	L	S	290	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	
250 c.c.										250 c.c.									
YR 250	00	E	295	L	S	260	108	4	6	6,5	1057 / 1057X / 243	L	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5	
Desert YR 250	01	E	731 / 731X / 731XX 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	L	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5	
Desert YR 250	02/05	E	338	L	S	260	108	3,5	6	6,5	302 / 1057 / 1057X	R	S / S / X	220	108	4 / 3,5 / 4	6	6,5	
FAMEL										FAMEL									
50 c.c.										50 c.c.									
Scooter 50	96	S	452	L	S	155	40,6	4	3	8,5	-	-	-	-	-	-	-	-	
FANTIC Italy										FANTIC									
50 c.c.										50 c.c.									
Oasis 50 / Caballero 50 RS	90/95	A	-	-	-	-	-	-	-	-	1134	R	S	220	74	4,7	6	6,5	
Big Wheels 50	91/94	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Caballero 50 XM / Extra 50	97/98	A	300	L	S	260	108	3,5	6	6,5	302 / 1057 / 1057X	R	S / S / X	220	108	4 / 3,5 / 4	6	6,5	
Clubman 50	97	A	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
Flying Tiger 50	96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Gary Uno 50	97	A	300	L	S	260	108	3,5	6	6,5	302 / 1057 / 1057X	R	S / S / X	220	108	4 / 3,5 / 4	6	6,5	
Grinta 50	95/00	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Key Roo 50	96/97	A	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
Leader 50	95	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	
Quennie 50	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Racer 50	97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
80 c.c.										80 c.c.									
Clubman 80	97	T	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
125 c.c.										125 c.c.									
Caballero 125 XM	95/99	E	300	L	S	260	108	3,5	6	6,5	302 / 1057 / 1057X	R	S / S / X	220	108	4 / 3,5 / 4	6	6,5	
Clubman 125	97	T	250	L	S	184	93	4	6	14	251	L	S	160	87	4	6	12	
Motard 125 2T	12	F	022 / 1204X	L	F00,0 / FX00,0	320/318	108	4	6	6,5	1057X / 1057 / 243	R	X / S / SP	220	108	4 / 3,5 / 3,5	6	6,5	
Section 125	97	T	062	L	S	185	72	4	6	15,5	063	L	S	150	45	3	5	6,5	
TZ 125 SM	120	F	022 / 1204X	L	F00,0 / FX00,0	320/318	108	4	6	6,5	1057X / 1057 / 243	R	X / S / SP	220	108	4 / 3,5 / 3,5	6	6,5	
250 / 260 c.c.										250 / 260 c.c.									
Clubman 250	97	T	250	L	S	184	93	4	6	14	251	L	S	160	87	4	6	12	
Clubman 250	98	T	-	-	-	-	-	-	-	-	251	L	S	160	87	4	6	12	
Coach 250	97	T	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
Coach 250	98	T	250	L	S	184	93	4	6	14	-	-	-	-	-	-	-	-	
Section 250	97	T	062	L	S	185	72	4	6	15,5	063	L	S	150	45	3	5	6,5	
Key Roo 260	92/96	T	250	L	S	184	93	4	6	14	251	L	S	160	87	4	6	12	
305 / 309 c.c.										305 / 309 c.c.									
305 / 307 Trial	89/90	T	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
309 Trial	91	T	250	L	S	184	93	4	6	14	249	L	S	184	87	4	6	12	
GARELLI Italy										GARELLI									
50 c.c.										50 c.c.									
Big Wheels 50	91/94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Big Racing 50 / Grinta 50	94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
FX 50 / KRS 50	-	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	
Pony SR 50	92/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
Queenie 50	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	
125 c.c.										125 c.c.									
Freeland 125	-	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	
150 c.c.										150 c.c.									
Freeland 150	-	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	
GAS GAS Spain 1 / 4										GAS GAS									
All models w/NISSIN caliper '02/'11	02/'11	E	022KK12 / 1204XXK12	L	KF / KFX00,0	320/318	108	4	6	6,5	Todos los modelos con pinza de freno NISSIN '02/'11								
ELECTRIC										ELECTRIC									
TXT E Coming soon	12/13	T	649	L	S	185	-	3	4	6,5	650 / 650X	R	S / X	150	45	3	4	6,5	
50 c.c.										50 c.c.									
Boy 50 2T	10/11	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5	
EC 50 Boy Air / Boy LC	05	A	666	L	S	180	46	3,5	5	6,5	667	R	S	150	46	3,5	5	6,5	
EC Enducross 50 Boy	99	A	032	L	S	180	45	3,5	5	6,5	370	-	S	130	46	3,5	5	6,5	
EC Enducross 50 Boy Air	05	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5	
EC Enducross 50 Boy LC	05	A	666	L	S	180	46	3,5	5	6,5	667	-	S	150	46	3,5	5	6,5	
EC 50 Rookie	00/02	A	350	L	S	240	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5	
SM 50 Rookie	01/02	A	385	L	S	260	108	3,5	6	6,5	115	-	S	200	62	3,5	3	10,5	
Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice																			
MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom/Touring - U: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utv/Uxv - T: Trial - F: Supermotard / Supermoto - B: Bicycle S: Scooter - A: Ciclomotor/Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor/Moped 50 c.c. Onroad con marchas / with gear - V: Electrica/Electric - G: Trikes																			
SIDE: L (Izquierdo/Left) - R (Derecho/Right) - L/R (Izquierdo y derecho/Left & Right)																			
DISC TYPE: S: Std. / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit																			
 																			

31

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)
 DISC TYPE: **S**: Std / **K**: Wavy / **T**: Turbine / **F**: Floating / **TK**: Turbine Wavy / **MD**: Multidisc / **MDX**: Wavy Multidisc / **SP**: Without ventilations / **FSP**: Floating without ventilations
XSP: Wavy without ventilations / **K**: Std kit / **KF**: Floating kit / **KX**: Wavy kit / **KFX**: Wavy without vent kit / **KFSP**: Floating without ventilations kit



GAS GAS Spain 3 / 4											GAS GAS										
All models w/NISSIN caliper '02/'11											Todos los modelos con pinza de freno NISSIN '02/'11										
250 c.c.											250 c.c.										
Delta GT 25	91	T	035 / 332	L	SP / S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-			
EC 250 2T / EC 250 E 2T	96/14	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
EC 250 2T Cervantes Replica	11/12	E	1199XK09	L	KFX00,0	270															
EC 250 Replica Guillaume	13	E	1288X	L	FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 250 Replica factory	13	E	1288X	L	FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 250 4T / Six Days 2T	10/11	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 250 4T R / EC 250 R	12/14	E	1199XK09	L	KFX00,0	270															
EC 250 4T R / EC 250 R	12/14	E	731X / 731 / 731XK 1288X	L	X / S / X FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
Enducross TT 250	95/98	E	1199XK09	L	KFX00,0	270					1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
FSE EC 250 4T	99/00	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
MC 250	98/08	M	1199XK09	L	KFX00,0	270					821	T				4					
MC 250	98/08	M	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
Pampera 250	95/96	U	1199XK09	L	KFX00,0	270					030	R	S	170	103	3,5	-	-			
Pampera 250	98	U	035 / 332	L	SP / S	185	103	3,5	-	-	032	R	S	180	45	3,5	5	6,5			
Pampera 250	02/05	U	033	L	S	240	72	3,5	6	15,8	115	R	S	200	62	3,5	3	10,5			
Raga 250	10/11	T	385	L	S	260	108	3,5	6	6,5	650 / 650X	R	S / X	150	45	3	4	6,5			
SM 250	01/05	F	715 / 715X	L	S / X	185	-	3	4	15,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
Trial 250	89/91	T	022 / 1204X	L	F00,0 / FX00,0	320/318	108	4	6	6,5	030	R	S	170	103	3,5	-	-			
TXT 250 Replica factory	13	T	035 / 332	L	SP / S	185	103	3,5	-	-	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT PRO 250	02	T	715 / 715X	L	S / X	185	-	3	4	15,5	389	R	S	150	45	3	4	6,5			
TXT PRO 250	03	T	413	L	S	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT PRO / TXT PRO Racing	04/13	T	649	L	S	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT Raga Replica	12/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650X / 650	R	X / S	150	45	3	4	6,5			
Contact JTR 270	96	T	715X / 715	L	X / S	185	-	3	4	15,5	030	R	S	170	103	3,5	-	-			
Contact JTX 270 / TXT 270	97/98	T	035 / 332	L	SP / S	185	103	3,5	-	-	063	R	S	150	45	3	5	6,5			
Contact TXT 270	99	T	062	L	S	185	72	4	6	15,5	370	R	S	130	46	3,5	5	6,5			
Contact TXT 280	00/01	T	021	L	S	185	72	3	6	15,5	370	R	S	130	46	3,5	5	6,5			
Pampera 280	03/05	T	385	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5			
TXT 280 Replica factory	13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT PRO 280	02	T	413	L	S	185	-	3	4	15,5	389	R	S	150	45	3	4	6,5			
TXT PRO 280	03	T	649	L	S	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT PRO / TXT Pro Racing	03/12	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT 280 Raga Replica	10/13	T	715X / 715	L	X / S	185	-	3	4	15,5	650X / 650	R	X / S	150	45	3	4	6,5			
EC 300 / EC 300 Nanbolin	99/14	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
EC 300 R	12/14	E	1199XK09	L	KFX00,0	270					1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 300 Replica Guillaume	13	E	731X / 731 / 731XK 1288X	L	X / S / X FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 300 Six Days 2T	10/11	E	1199XK09	L	KFX00,0	270					1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
EC 300 Replica factory	13	E	1288X	L	FX00,0	260	108	3,5	6	6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6	6,5			
TXT 300 Replica factory	13	T	1199XK09	L	KFX00,0	270					650 / 650X	R	S / X	150	45	3	4	6,5			
TXT PRO / TXT PRO Racing	04/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TXT 300 Raga Replica	04/13	T	715X / 715	L	X / S	185	-	3	4	15,5	650X / 650	R	X / S	150	45	3	4	6,5			
Delta GT 32 / Contact GT 32	91/93	T	035 / 332	L	SP / S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-			
Contact JTX / TX 320	97/98	T	062	L	S	185	72	4	6	15,5	063	R	S	150	45	3	5	6,5			
Contact TXT 321	99/01	T	021	L	S	185	72	3	6	15,5	370	R	S	130	46	3,5	5	6,5			
TXT PRO 321	02	T	413	L	S	185	-	3	4	15,5	389	R	S	150	45	3	4	6,5			
Trial 327	88/91	T	035 / 332	L	SP / S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-			
TXT 348 Four Stroke	08	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5			
Contact JTR 370	96	T	035 / 332	L	SP / S	185	103	3,5	-	-	030	R	S	170	103	3,5	-	-			
Pampera 370	98	U	033	L	S	240	72	3,5	6	15,8	032	R	S	180	45	3,5	5	6,5			
Enducross EC 400 FSE	01/03	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
Pampera 400	06/07	U	1199XK09	L	KFX00,0	270					1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
SM 400 FSE	01	F	022 / 1204X	L	F / FX00,0	320/318	108	4	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
SM 450 FSR	08	F	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6	6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6	6,5			
SM 450 FSR	08	F	1199XK09	L	KFX00,0	270					821	T				4					



GAS GAS Spain 4 / 4										GAS GAS									
All models w/NISSIN caliper '02/'11										Todos los modelos con pinza de freno NISSIN '02/'11									
450 c.c.										450 c.c.									
Enducross EC 450 FSE	02/05	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6 6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6 6,5			
			1199XK09		KFX00,0	270				821		T			4				
EC 450 4T R	06/14	E	731X / 731 / 731XK 1288X	L	X / S / X FX00,0	260	108	3,5	6 6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6 6,5			
			1199XK09		KFX00,0	270													
EC 450 F Replica Cervantes	13	E	1288X	L	FX00,0	260	108	3,5	6 6,5	1057X / 243	R	X / SP	220	108	4 / 3,5	6 6,5			
FSE 450 SM	01/05	F	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6 6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6 6,5			
			1199XK09		KFX00,0	270				821		T			4				
Halley 450 R 4T / SM 4T	08	E	193 / 193X	L	S / X	260	108	3,5	6 6,5	238 / 238X	R	S / X	218	62	3,5	3 10,5			
Pampera 450 4T	07	U	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6 6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6 6,5			
			1199XK09		KFX00,0	270				821		T			4				
515 c.c.										515 c.c.									
EC 515 FSR 4T	08/09	E	731 / 731X / 731XK 1288X	L	S / X / X FX00,0	260	108	3,5	6 6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6 6,5			
			1199XK09		KFX00,0	270				821		T			4				
SM 515 FSR	08	F	022 / 1204X	L	F / FX00,0	320/318	108	4	6 6,5	1057 / 1057X / 243	R	S / X / SP	220	108	3,5 / 4 / 3,5	6 6,5			
GILERA Italy 1 / 2										GILERA									
50 c.c.										50 c.c.									
Cannibal 50	96/98	A	003 / 026	L	S	220	108	4	6 6,5	227	R	S	184	60	4	6 8,5			
Coguar 50	86	A	1001	L	S	260	125	5	5 6,5	Drum	-	-	-	-	-	-			
DNA 50	00/01	H	1071	L	S	240	125	4	5 6,5	610	R	S	200	96,5	4	5 6,5			
DNA 50	02/07	H	638	L	S	240	125	4,5	5 6,5	610	R	S	200	96,5	4	5 6,5			
DNA GP Experience	03/04	H	1071	L	S	240	125	4	5 6,5	610	R	S	200	96,5	4	5 6,5			
Easy Moving	95/97	S	406	L	S	155	40,6	3,8	3 10,5	Drum	-	-	-	-	-	-			
GSM 50	99/01	A	003 / 026	L	S	220	108	4	6 6,5	227	R	S	184	60	4	6 8,5			
H @ K 50	99/00	A	003 / 026	L	S	220	108	4	6 6,5	-	-	-	-	-	-	-			
H @ K 50	01	A	003 / 026	L	S	220	108	4	6 6,5	227	R	S	184	60	4	6 8,5			
Ice 50	01/05	S	610	L	S	200	96,5	4	5 6,5	Drum	-	-	-	-	-	-			
NRG 50	94	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Off Road 50	97	A	003 / 026	L	S	220	108	4	6 6,5	-	-	-	-	-	-	-			
R 50	97/98	A	003 / 026	L	S	220	108	4	6 6,5	-	-	-	-	-	-	-			
RCR 50	05	A	193 / 193X	L	S / X	260	108	3,5	6 6,5	351	R	S	180	62	3,5	3 10,5			
RCR 50	11	A	868 / 193 / 193X	L	T / S / X	260	108	3,5	6 6,5	843 / 238 / 238X	R	T / S / X	218	62	3,5	3 10,5			
RK 50	96	A	003 / 026	L	S / S	220	108	4	6 6,5	-	-	-	-	-	-	-			
RT 50 Fun	90/94	A	003 / 026	L	S / S	220	108	4	6 6,5	-	-	-	-	-	-	-			
Runner 50	96/97	S	612	L	S	220	58	4	5 6,5	Drum	-	-	-	-	-	-			
Runner DD 50	98	S	365	L	S	220	58	4	5 6,5	191	C	S	174	66	4	5 6,5			
Runner DD 50	00/04	S	365	L	S	220	58	4	5 6,5	366	L	S	175	73	4	5 6,5			
Runner DT 50	98	S	365	L	S	220	58	4	5 6,5	191	C	S	174	66	4	5 6,5			
Runner DT 50	00/03	S	365	L	S	220	58	4	5 6,5	366	L	S	175	73	4	5 6,5			
Runner Jet / Racing Replica	03	S	612	L	S	220	58	4	5 6,5	366	L	S	175	73	4	5 6,5			
Runner PureJet 50	02	S	113 / 113X	L	S / X	220	105	4	6 6,5	366	L	S	175	73	4	5 6,5			
Runner SP 50	98/99	S	365	L	S	220	58	4	5 6,5	191	C	S	174	66	4	5 6,5			
Runner SP 50	00/08	S	365	L	S	220	58	4	5 6,5	366	L	S	175	73	4	5 6,5			
Runner SP 50	12	S	113 / 113X	L	S / X	220	105	4	6 6,5	366	L	S	175	73	4	5 6,5			
Runner ST 50	98	S	612	L	S	220	58	4	5 6,5	-	-	-	-	-	-	-			
Scuadra Corse 50	06	H	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6 6,5	802	R	T	180	57	4	6 6,5			
SMT 50	05	A	193 / 193X	L	S / X	260	108	3,5	6 6,5	351	R	S	180	62	3,5	3 10,5			
SMT 50 / SMT 50 Racing	11	A	193 / 193X / 840	L	S / X / T	260	108	3,5	6 6,5	8021	R	T	218	57	3,5	6 6,5			
Stalker 50 DD	97/01	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3 8,5	233 / 366	L	S	175	73	4	5 6,5			
Stalker 50 DT	98/05	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3 8,5	-	-	-	-	-	-	-			
Storm 50	94/97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Surfer TT	99/02	A	003 / 026	L	S	220	108	4	6 6,5	Drum	-	-	-	-	-	-			
Typhoon 50	94/00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Typhoon Benetton / Martini	97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Typhoon X 50	98/99	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Typhoon X-R 50	00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Zulu 50	01	A	003 / 026	L	S / S	220	108	4	6 6,5	227	R	S	184	60	4	6 8,5			
80 c.c.										80 c.c.									
Typhoon 80	95/99	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
125 c.c.										125 c.c.									
Coguar 125	99	R	1001	L	S	260	125	5	5 6,5	Drum	-	-	-	-	-	-			
DNA 125	00	R	1071	L	S	240	125	4	5 6,5	1071	R	S	240	125	4	5 6,5			
GFR 125	93/94	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6 8,5	-	-	-	-	-	-	-			
KK 125 / KZ 125	86	R	707	L	S	240	89,6	4	6 6,5	707	R	S	240	89,6	4	6 6,5			
Nexus 125	07/08	S	-	-	-	-	-	-	-	1071	L	S	240	125	4	5 6,5			
Nexus 125 i.e.	09/12	S	1001	L	S	260	125	5	5 6,5	1071	L	S	240	125	4	5 6,5			
Runner 125	08	S	1090 / 1090X	L	S / X	240	105	4,5	6 6,5	-	-	-	-	-	-	-			
Runner 125 4T	05	S	113 / 113X	L	S / X	220	105	4	6 6,5	113 / 113X	L	S / X	220	105	4	6 6,5			
Runner FX 125	97/02	S	365	L	S	220	58	4	5 6,5	638	L	S	240	125	4,5	5 6,5			
Runner FX 125 SP	99/01	S	365	L	S	220	58	4	5 6,5	638	L	S	240	125	4,5	5 6,5			
Runner SP 125	99/03	S	365	L	S	220	58	4	5 6,5	1071	L	S	240	125	4	5 6,5			
Runner ST 125	12	S	1090 / 1090X	L	S / X	240	105	4,5	6 6,5	-	-	-	-	-	-	-			
Runner VX 125	00/05	S	365	L	S	220	58	4	5 6,5	610	R	S	200	96,5	4	5 6,5			
Runner VX 125	06/07	S	1090 / 1090X	L	S / X	240	105	4,5	6 6,5	113 / 113X	L	S / X	220	105	4	6 6,5			
Runner VXR 125 4T	00/03	S	-	-	-	-	-	-	-	610	L	S	200	96,5	4	5 6,5			
Runner VXR 125 4T	05/07	S	1090 / 1090X	L	S / X	240	105	4,5	6 6,5	-	-	-	-	-	-	-			
Scuadra Corse 125	06	S	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6 6,5	802	R	T	180	57	4	6 6,5			
Typhoon 125	95/00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			
Typhoon X-R 125	00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3 8,5	Drum	-	-	-	-	-	-			



GILERA Italy 2 / 2													GILERA												
180 c.c.													180 c.c.												
DNA 180	00/03	S	1071	L	S	240	125	4	5	6,5			1071	R	S	240	125	4	5	6,5					
Runner 180 4T	05	S	113 / 113X	L	S / X	220	105	4	6	6,5			113 / 113X	L	S / X	220	105	4	6	6,5					
Runner FXR 180	97/03	S	365	L	S	220	58	4	5	6,5			638	L	S	240	125	4,5	5	6,5					
Runner FXR 180 SP	99/00	S	365	L	S	220	58	4	5	6,5			638	L	S	240	125	4,5	5	6,5					
Runner SP 180	99/02	S	365	L	S	220	58	4	5	6,5			638	L	S	240	125	4,5	5	6,5					
Runner VXR 180	00/03	S	365	L	S	220	58	4	5	6,5			610	L	S	200	96,5	4	5	6,5					
200 c.c.													200 c.c.												
Runner VXR 200	02/03	S	365	L	S	220	58	4	5	6,5			113 / 113X	L	S / X	220	105	4	6	6,5					
Runner VXR 200	04/05	S	113 / 113X	L	S / X	220	105	4	6	6,5			113 / 113X	L	S / X	220	105	4	6	6,5					
Runner VXR 200	06/08	S	1090 / 1090X	L	S / X	240	105	4,5	6	6,5			113 / 113X	L	S / X	220	105	4	6	6,5					
250 c.c.													250 c.c.												
Nexus 250	06/07	S	-	-	-	-	-	-	-	-			1071	L	S	240	125	4	5	6,5					
300 c.c.													300 c.c.												
Nexus 300 i.e.	08/12	S	1001	L	S	260	125	5	5	6,5			1071	L	S	240	125	4	5	6,5					
500 c.c.													500 c.c.												
Fuoco 500 i.e.	07/13	S	1090 / 1090X	L/R	S / X	240	105	4,5	6	6,5			638	L	S	240	125	4,5	5	6,5					
Nexus 500 i.e.	03/13	S	1001	L/R	S	260	125	5	5	6,5			1071	L	S	240	125	4	5	6,5					
600 c.c.													600 c.c.												
XRT 600	-	U	136	R	S	230	-	4,5	6	14			-	-	-	-	-	-	-	-					
800 c.c.													800 c.c.												
GP 800	08/13	S	1351	L/R	S	300	145	5	5	13,8			1352	R	S	280	140	5	5	13,8					
HARLEY DAVIDSON EUA 1 / 3													H.D.												
883 c.c.													883 c.c.												
SPORTSTER													SPORTSTER												
All Sportster series models	84/98	C	420	L/R	F00,0	292	50,8	5	5	8,5			678 / 742	L/R	S	292	50,8	5,8	5	8,5					
R-XL	02/03	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
R-XL Sportster	00/03	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL	93	C	1004 / 1376X	L	S / FX00,0	292	50,8	5	5	10/10,5			-	-	-	-	-	-	-	-					
XL Custom 53	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL L / XL Low	04/10	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL L Sportster low	07/10	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL L Superlow	11/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL Sportster Custom	04/10	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL N Iron	09/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL Sportster Custom 53	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL Sportster Hugger	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL Sportster Standard	04/08	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XLH Hugger / XLH Sportster	00/03	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XLH Sportster	85/99	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	L	S	292	50,8	5	5	10					
XLH Sportster	00/06	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XLH Sportster Hugger	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XLH Sportster R Flat Track	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL R 100th Anniversary Edition	03	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL R Custom 53c / XL R Roadster	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL R Sportster	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL R Roadster	10/11	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL R Roadster	12/13	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL R Sportster R	05/09	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
1130 c.c.													1130 c.c.												
VRSCA V-Rod	06/10	C	1319	L/R	F00,0	300	172,5	5	5	12,5			1332	R	S	300	56,3	5	5	10,5					
1200 c.c.													1200 c.c.												
SPORTSTER													SPORTSTER												
All Sporster models	84/98	C	739 / 740	L/R	S	292	50,8	5	5	8,5			741	L	S	292	50,8	5,8	5	8,5					
XL Custom	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL C Sportster Custom	04/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL C Sportster Custom CA / CB	12/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL Sport / XL S Sport	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL L Sportster low	07/11	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL Sportster N Nightster	07/12	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL Sportster - Forty Eight	10/11	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XL Sportster - Forty Eight	12/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL Sportster - Seventy Two	12/13	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL R Sportster Roadster	04/08	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XLH Sportster	87/99	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	L	S	292	50,8	5	5	10					
XLH Sportster	00/03	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XLH Sportster R Flat Track	00/04	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL V - Seventy Two	12	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XL X - Forty Eight	10/12	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	L	S	292	56,3	5	5	10,5					
XR	08/10	C	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
XR X	10/12	C	679 / 735	L/R	F00,0 / S	292	56,3	5	5	8,5			1246	L	S	256	56,3	5	5	10,5					
1250 c.c.													1250 c.c.												
VRSCAW V-Rod	08/10	C	1319	L/R	F00,0	300	172,5	5	5	12,5			1332	R	S	300	56,3	5	5	10,5					
VRSCF V-Rod muscle	08/13	C	1319	L/R	F00,0	300	172,5	5	5	12,5			1332	R	S	300	56,3	5	5	10,5					
VRSCDX Night rod Special	07/13	C	1319	L/R	F00,0	300	172,5	5	5	12,5			1332	R	S	300	56,3	5	5	10,5					
1340 c.c.													1340 c.c.												
FLH Electra Glide	82/83	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	R	S	292	50,8	5	5	10					
FLSTC Fat Boy	89/99	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	R	S	292	50,8	5	5	10					
FLSTC Fat Boy	00/02	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	R	S	292	56,3	5	5	10,5					
FLSTC Heritage Softail Classic	89/99	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	R	S	292	50,8	5	5	10					
FLSTC Heritage Softail Classic	00/02	C	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5			1247	R	S	292	56,3	5	5	10,5					
FLSTF Fat Boy	89/99	C	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5			1004	R	S	292	50,8	5	5	10					
All Dyna Glide models	73	C	695	L/R	F00,0	254	50,8	5	5	8,5			-	-	-	-	-	-							



HARLEY DAVIDSON EUA 2/3

1450 c.c.

H.D.
1450 c.c.

MODEL TYPE	YEAR	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
FLHT/I Electra Glide Standard	00/06	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHTCUI Electra Glide Ultra Classic	00/06	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHRCI Road King Classic	00/06	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHR/I Road King	98/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FLHR/I Road King	00/07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTCI Heritage Softail Classic	00/06	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTC Heritage Softail Classic	00/06	679 / 735	L/R	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTF Fat Boy	00/06	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTN Softail Deluxe	05/07	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTS Heritage Springer	00/03	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLTR/I Road Glide	98/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FLTR/I Road Glide	00/07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXD Dyna Super Glide	00/03	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXD Dyna Super Glide	06/07	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDB Dyna Street Bob	06/07	1319	L	F00,0	300	172,5	5	5	12,5	1333	R	S	300	56,3	6	5	10,5
FXDB Dyna Street Bob	08/10	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	-	-	-	-	-	-	-	-
FXDC Dyna Super Glide Custom	06/07	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDi Super Glide	04/05	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5	5	10,5
FXDL Dyna Low Rider	00/06	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXDWG Dyna Wide Glide	93/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXDWG Dyna Wide Glide	00/05	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXDWG Dyna Wide Glide	06/07	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDGi Wide Glide	04/05	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5	5	10,5
FXDX Dyna Super Glide T-Sport	00/05	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXLR Low Rider Custom	87/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXR Super Glide	82/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXRS Sport Glide	84/86	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXRT Sport Glide	87/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXST Softail Standard	00/07	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXSTB/I Night Train	00/07	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXSTC Softail Custom	89/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXSTD/I Softail Deuce	00/06	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXSTS Springer Softail	89/99	420 / 739 / 740	L	F00,0 / S / S	292	50,8	5	5	8,5	1004	R	S	292	50,8	5	5	10
FXSTS/I Springer Softail	00/06	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
XL Custom 53	00/03	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5

1584 c.c.

SPORTSTER

1584 c.c.

FLCW Rocker	08/09	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHX Street Glide	06/07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHT/I Electra Glide Standard	07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHTCUI Electra Glide Ultra Classic	07/08	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHR/I Electra Glide Ultra Classic	07/08	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHR/I Road King	08/10	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHRC Road King Classic	07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHRC Road King Classic	08/11	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHTC Electra Glide Ultra Classic	08/11	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHTCU Electra Glide Ultra Classic	09/10	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHT/I Electra Glide Classic	07	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLHT/I Electra Glide Classic	08/10	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHX Street Glide	08/12	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLSTB Fat Boy Special	10/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTB Softail Cross Bones	08/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTC Heritage Softail Classic	07/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTF Fat Boy	08/12	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLSTN Softail Deluxe	05/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLTSE CVO Softail Convertible	10/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FLTR/I Road Glide	08/09	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FXCW Rocker	08/09	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXCWC Rocker C	08/11	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXD/FXDL Dyna Super Glide	06/07	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	-	-	-	-	-	-	-	-
FXD Dyna Super Glide	08/10	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDB Dyna Street Bob	06/07	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	-	-	-	-	-	-	-	-
FXDB Dyna Street Bob	08/10	1319	L	F00,0	300	172,5	5	5	12,5	1333	R	S	300	56,3	6	5	10,5
FXDC Dyna Super Glide	06/07	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FXDC Dyna Super Glide Custom	08/13	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXDF Fat Bob	08/10	1319	L/R	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDL Dyna Low Rider	00/05	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5	5	10,5
FXDL Dyna Low Rider	06	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXDL Dyna Low Rider	07/10	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXDWG Dyna Wide Glide	00/05	-	-	-	-	-	-	-	-	1247	R	S	292	56,3	5	5	10,5
FXDWG Dyna Wide Glide	06/07	1248 / 1248X / 1248F	L	S / X / F00,0	300	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXDWG Dyna Wide Glide	08/10	1319	L	F00,0	300	172,5	5	5	12,5	1247	R	S	292	56,3	5	5	10,5
FXSTB Night Train	08/10	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXSTC Softail Custom	08/10	679 / 735	L	F00,0 / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5
FXSTSS CVO Softail Springer	09	679 / 735 / 736	L/R	F00,0 / S / S	292	56,3	5	5	8,5	1247	R	S	292	56,3	5	5	10,5

1690 c.c.

1690 c.c.

FLHP Road King Police	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHP Electra Glide Police	09/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHTK Electra Glide Ultra Limited Street Glide	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHTK Ultra Electra Glide Ultra Limited	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLHX Street Glide	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLTRU	11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLTRU Screamin Eagle Road Glide	11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5
FLTRX Road Glide Custom	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5



HARLEY DAVIDSON														H.D.													
1800 c.c.														1800 c.c.													
FLHTCUSE CVO Ultra Classic Electra Glide	09/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5									
FLHTCUSE BLK Ultra Classic Electra Glide	08/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5									
FLHXSE CVO Street Glide	10/11	C	1248 / 1248X / 1248F	L/R	S / X / F00,0	300	56,3	5	5	8,5	1333	R	S	300	56,3	6	5	10,5									
HERCULES														HERCULES													
50 c.c.														50 c.c.													
Gipsy	95	S	420	R	F00,0	292	50,8	5	5	8,5	-	-	-	-	-	-	-	-									
HERO														HERO													
125 c.c.														125 c.c.													
Glamour	11/12	R	194	R	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-	-									
150 c.c.														150 c.c.													
Hunk	11/12	R	194	R	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-	-									
HM MOTORCYCLES														HM MOTORCYCLES													
Italy 1 / 2														50 c.c.													
Baja 10 / 10 Junior	98/02	A	468	L	S	184	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
Baja 10 / 10 Junior	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
Baja 10 / 10 Senior	01/02	A	468	L	S	184	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
Baja 12	01/02	A	468	L	S	184	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
Baja 12	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
Baja 15	01/02	A	468	L	S	184	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
Baja 15	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
Baja 50	07	A	1074	L	S	250	118	3,5	4	6,5	-	-	-	-	-	-	-										
CRE Baja	01/02	A	369	L	S	250	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5									
CRE Baja	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5									
CRE Six	01/02	A	369	L	S	250	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5									
CRX 10 / 10 Junior	01/02	A	467	L	S	169	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 10 / 10 Junior	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
CRX 10 / 10 Junior Racing	01/02	A	467	L	S	169	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 10 / 10 Junior Racing	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
CRX 10 / 10 Senior	01/02	A	467	L	S	169	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 10 / 10 Senior	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
CRX 10 / 10 Senior Racing	01/02	A	467	L	S	169	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 10 / 10 Senior Racing	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
CRX 12	01/02	A	469	L	S	205	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 12	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
CRX 12/15	03/05	A	710	L	S	205	46	3	5	6,5	-	-	-	-	-	-	-										
CRX 15	01/02	A	469	L	S	205	72	3	4	6,5	466	R	S	160	72	3	4	6,5									
CRX 15	03/05	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
Derapage 50	01/02	A	219	L	S	290	108	3,5	6	6,5	115	L	S	200	62	3,5	3	10,5									
Derapage 50	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5									
Derapage 50 Competition	06	A	398	L	S	240	108	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5									
Mini Baja 10 / 10 Racing JR	10/11	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
Mini Baja 12 / 14 Racing MX	10/11	A	668	L	S	184	46	3	5	6,5	669	R	S	160	45	3	5	6,5									
125 c.c.														125 c.c.													
CR E 125	01	E	398	L	S	240	108	3,5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CR E 125 F	08/09	E	1116	L	S	250	101	3	6	6,5	1117	R	S	220	121	4	4	6,5									
CR E 125 R	02/08	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CR E 125 Supermotard	00/01	F	724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5	1049 / 1049X	R	S / X	240	122	4	4	10,5									
CR E 125 Supermotard	02/08	F	724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
Motard 125	02/04	F	019 / 846	L	F00,0 / T	320	101	4,5	5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
			724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5																	
230 c.c.														230 c.c.													
CRF 230 Enduro	04/10	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRF 230 Easy Motard	03	F	724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5	669	R	S	160	45	3	5	6,5									
CRF 230 Easy Motard	08	F	724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRF 230 Supermotard	04/10	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
250 c.c.														250 c.c.													
CR 250 E / F / X	09	E	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CR 250 E Supermotard	04/08	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CR 250 R Moto	04	F	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRE 250	01	E	398	L	S	240	108	3,5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRE 250 F / CRE 250 X	04/09	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
			1154XK03	L	KFX00,0	270	101	3	6	6,5																	
CRE 250 R	02/03	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRE F 250 R	11	E	066X / 066	L	X / S	240	101	3	6	6,5	654X / 654 / 654SP	R	X / S / SP	240	121,5	4	4	6,5									
CRF F / Motard / R Enduro	04/09	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRF R 250 X Supermotard	04/08	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
Motard 250	02/04	F	019 / 846	L	F00,0 / T	320	101	4,5	5	6	6,5	375	-	S	240	121	4	4	10,5								
			724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5																	
300 c.c.														300 c.c.													
Future 300	08	U	627	L	S	184	-	3,5	4	15,5	607	R	S	150	46	2,5	4	6,5									
450 c.c.														450 c.c.													
CRE 450 F	01/04	E	398	L	S	240	108	3,5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRE 450 F Enduro	02/04	E	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-									
CRF450 R Enduro	04	E	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-									
CRF 450 Supermotard	02/03	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRF 450 X Supermotard	02/09	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
CRM F 450 R	08	F	019 / 846	L	F00,0 / T	320	101	4,5	5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
			724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5																	
CRM F 450 X Iniezione	08	F	019 / 846	L	F00,0 / T	320	101	4,5	5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
			724 / 724X / 724SP	L	F / FX / FSP00,0	320	101	5	6	6,5																	
Motard 450 F	01/02	F	-	-	-	-	-	-	-	-	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									
500 c.c.														500 c.c.													
CRF 500 R Enduro	04	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5									



HM MOTORCYCLES Italy 2 / 2

500 c.c.

Motard 500	01/02	F	019 / 846 724 / 724X / 724SP	L	F00,0 / T F / FX / FSP00,0	320 320	101	4,5 5	6	6,5
------------	-------	---	---------------------------------	---	-------------------------------	------------	-----	----------	---	-----

HM MOTORCYCLES

500 c.c.

654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5
--------------------	---	------------	-----	-------	---	---	-----

HONDA Japan 1 / 7

50 c.c.

HONDA

50 c.c.

AX 150	-	C	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-
Bali SJ 50	93/97	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Bali EX 50	96/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
CRE 50 SIX	06	A	369	L	S	250	108	3,5	6	6,5	-	-	-	-	-	-	-
CRM 50 R	95/02	A	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-
Derapage 50 Motard / Six	05	A	219	L	S	290	108	3,5	6	6,5	-	-	-	-	-	-	-
HSC 01 Scooter 50	93	S	108	L	S	160	58	4	3	10,5	-	-	-	-	-	-	-
HSC ZR Scooter 50	92	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
NSC 50 R Repsol	12/13	S	1219 / 1219X	L	S / X	220	58,3	3,5	4	10,7	Drum	-	-	-	-	-	-
NSR 50 / NSR 50 Repsol	96/01	H	1023	R	S	256	144	4,5	6	10,5	312	R	S	220	88	4	3 10,5
SC 01 SR 50	90/93	S	108	L	S	160	58	4	3	10,5	-	-	-	-	-	-	-
Scoopy SH 50	96	S	084	L	S	220	88	4	3	8,5	Drum	-	-	-	-	-	-
Scoopy SH 50	97/03	S	312	L	S	220	88	4	3	10,5	Drum	-	-	-	-	-	-
Scoopy SH 50 Fifty	96	S	084	L	S	220	88	4	3	8,5	Drum	-	-	-	-	-	-
SFX 50	90/93	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
SFX 50 / SFX 50 Repsol	95/04	S	359	L	S	160	39	4	3	10,5	Drum	-	-	-	-	-	-
SGX Sky / Sky Deluxe	97/03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Shadow 50	98	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SJ Bali 50	96/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SKY / SKY Aniversario / SGX	97/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SKY 50 Classic	96	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SKY Deluxe SGX / Vetro SGX	99/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SKY STD SGX 50	97/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
SR Dio 50	90/93	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
SXR 50	98/00	S	359	L	S	160	39	4	3	10,5	Drum	-	-	-	-	-	-
Vision 50	11/13	S	1219 / 1219X	L	S / X	220	58,3	3,5	4	10,7	Drum	-	-	-	-	-	-
Why 50	99/07	S	312	L	S	220	88	4	3	10,5	Drum	-	-	-	-	-	-
X8R-S Super Sport (SZX-50)	98/04	S	155	L	S	220	105	4	3	10,5	601	L	S	190	72	4	4 10,5
X8R-X Cross Sport (SZX-50)	98/04	S	155	L	S	220	105	4	3	10,5	601	L	S	190	72	4	4 10,5
ZX Dio 50	90/93	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
Yupi 50	90	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-

75 c.c.

75 c.c.

CRM 75	91/99	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-
NS 175	94/98	R	1023	R	S	256	144	4,5	6	10,5	312	L	S	220	88	4	3 10,5

80 c.c.

80 c.c.

CR 80 R	86/95	M	748 / 748X	L	S / X	220	88	3	4	6,5	796 / 796X	R	S / X	190	80	4	4 6,5
CR 80 R	96/02	M	1102 / 1102X	L	S / X	220	88	3	4	6,5	796 / 796X	R	S / X	190	80	4	4 6,5
CRE 80	98	E	1102 / 1102X	L	S / X	220	88	3	4	6,5	-	-	-	-	-	-	-
CR 85 R2	03/07	M	1102 / 1102X	L	S / X	220	88	3	4	6,5	796 / 796X	R	S / X	190	80	4	4 6,5

90 c.c.

90 c.c.

Shadow 90	98	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Yupy 90	90	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Yupi NH / Yupi Metal NH i	90/94	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-

100 c.c.

100 c.c.

Bali SJ 100	95/03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Scoopy SH 100	96/01	S	312	L	S	220	88	4	3	10,5	Drum	-	-	-	-	-	-
SJ Bali 100	96/99	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-

105 c.c.

105 c.c.

New Lead 107	08	S	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-
--------------	----	---	------------	---	-------	-----	-----	---	---	------	------	---	---	---	---	---	---

110 c.c.

110 c.c.

Lead 110	08/09	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Lead 110	10/13	S	1360	L	S	190	58	3,8	4	10,5	-	-	-	-	-	-	-
Vision 110 / Wave 110 i	11/13	S	1219 / 1219X	L	S / X	220	58,3	3,5	4	10,7	Drum	-	-	-	-	-	-

125 c.c.

125 c.c.

@ 125 / ES / Two tone / NES	00/06	S	451	L	S	220	105	4	4	10,5	Drum	-	-	-	-	-	-
CBF 125	08/12	R	194	R	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-
CBR 125 R	03/09	R	204	R	S	276	144	5	6	10,5	043	R	S	220	105	4	4 10,5
CBR 125 R	10/13	R	1092	R	S	276	144	4	5	10,5	043	R	S	220	105	4	4 10,5
CR 125 / E	84/94	M	198 / 198X	L	S / X	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4 10,5
CR 125 E	98/01	E	066 / 066X 724K15 / 724XK15 724SPK15	L	KF / KFX00,0 KFSP00,0	240 320	101	3 5	6	6,5	1049 / 1049X	R	S / X	240	122	4	4 10,5
CR 125 E	02/03	E	066 / 066X 724K15 / 724XK15 724SPK15	L	KF / KFX00,0 KFSP00,0	240 320	101	3 5	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4 6,5

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utr / Urv - T: Trial - F: Supermotard / Supermoto - B: Bicycle

S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes

SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





HONDA Japan 2 / 7														HONDA													
125 c.c.														125 c.c.													
CR 125 E / R	95/97	M	066 / 066X 724K15 / 724XK15 724SPK15	L	S / X KF / KFX00,0 KFSP00,0	240 320	101	3 5	6 6,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 E / R	04/08	M	066 / 066X 1154XK03 724K14 / 724XK14 724SPK14	L	S / X KF / KFX00,0 KFSP00,0	240 270 320	101	3 5	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CR 125 R	89/94	M	-	-	-	-	-	-	-	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R	98/99	M	066 / 066X 724K15 / 724XK15 724SPK15	L	S / X KF / KFX00,0 KFSP00,0	240 320	101	3 5	6 6,5	1049 / 1049X	R	S / X	240	122	4	4	10,5										
CR 125 R	00/03	M	066 / 066X 724K15 / 724XK15 724SPK15	L	S / X KF / KFX00,0 KFSP00,0	240 320	101	3 5	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CR 125 R	04/08	M	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CR 125 R SM	85/88	F	200	L	S	240	118	3	4 6,5	761	R	S	220	122	4	6	10,5										
CR 125 R SM	89	F	198 / 198X	L	S / X	240	118	3	4 10,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R SM	90	F	199	L	S	240	118	3	4 10,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R SM	91	F	237	L	S	240	118	3	4 10,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R SM	92/94	F	473 / 473X	L	S / X	240	118	3	4 6,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R SM	95/97	F	066 / 066X	L	S / X	240	101	3	6 6,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CR 125 R SM / RS	98/01	F	066 / 066X	L	S / X	240	101	3	6 6,5	375	R	S	240	121	4	4	10,5										
CR 125 RS	02/03	M	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CR 125 RS	04	M	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-										
CR 125 RT / RV / RW / RX / RY	95/04	M	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-										
CR 125 R SM	02/06	F	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CRE 125 R	92/94	E	473 / 473X	L	S / X	240	118	3	4 6,5	-	-	-	-	-	-	-	-										
CRE 125 R	95/06	E	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5										
CRE 125 R	07/08	E	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-										
CRE 125 R SM	90	F	199	L	S	240	118	3	4 10,5	-	-	-	-	-	-	-	-										
CRE 125 R SM	91	F	237	L	S	240	118	3	4 10,5	045 / 045X	R	S / X	220	121	5	4	10,5										
CRE 125 R Supermotard	02/03	F	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-										
CRF 125	00/01	E	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-										
CRM 125	90	T	437	R	S	240	62	4	6 6,5	-	-	-	-	-	-	-	-										
CRM 125	94/98	T	437	L	S	240	62	4	6 6,5	1201X	R	FX22,0	220	58	4	3	8,5										
CRM 125 R	90	T	656	L	S	220	105	4	4 6,5	656	R	S	220	105	4	4	6,5										
CRM 125 R	91	T	-	-	-	-	-	-	-	1201X	R	FX22,0	220	58	4	3	8,5										
CRM 125 R	98	T	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	-	-	-	-	-	-	-	-										
Dylan 125 SES	00/07	S	451	L	S	220	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
MTX 125	86	E	437	R	S	240	62	4	6 6,5	-	-	-	-	-	-	-	-										
NES 125 Chiocciola	00/06	S	451 364K06	L	S KS	220 240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
NSR 125 / R / Raiden	93/03	R	482	L	F00,0	318	106	4	6 8,5	-	-	-	-	-	-	-	-										
Pantheon FES 125 2T	98/02	S	364	L	S	240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
Pantheon FES 125 4T	98/07	S	364	L	S	240	105	4	4 10,5	101 / 101X	R	S / X	220	105	5	4	10,5										
PCX 125	10/13	S	1219 / 1219X	L	S / X	220	58,3	3,5	4 10,7	Drum	-	-	-	-	-	-	-										
Passion 125 i	06/13	S	451 364K06	L	S KS	220 240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
Rebel CA 125	95/01	R	194	L	S	240	114	4	6 10,5	Drum	-	-	-	-	-	-	-										
RS 125 R	91/03	R	216	R	F17,0	296	58	4	6 6,5	-	-	-	-	-	-	-	-										
RS 125 R GP	04/05	R	216	R	F17,0	296	58	4	6 6,5	ND / NA	R	S	187	88	4	3	10,5										
SH 125 i	09/13	S	364	L	S	240	105	4	4 10,5	209	R	S	240	105	5	4	10,5										
SH i / SH i Edo / SH i Sporty	00/10	S	451 364K06	L	S KS	220 240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
SJ Bali 125	96/99	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3 10,5	-	-	-	-	-	-	-	-										
Spacy 125 / CHA 125	96/01	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3 10,5	Drum	-	-	-	-	-	-	-										
S-Wing 125 / S-Wing 125 ABS	07/11	S	364	L	S	240	105	4	4 10,5	221	R	S	220	105	4,5	4	10,5										
Varadero XL 125 V	01/09	R	641	R	S	276	88	4	4 10,5	642	R	S	220	105	4	4	10,5										
VT 125 C Shadow	99/08	C	194	R	S	240	114	4	6 10,5	Drum	-	-	-	-	-	-	-										
XL 125	85	U	437	R	S	240	62	4	6 6,5	-	-	-	-	-	-	-	-										
XLR 125 R	85/86	E	237	L	S	240	118	3	4 10,5	Drum	-	-	-	-	-	-	-										
XLR 125 R	98/00	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	Drum	-	-	-	-	-	-	-										
XR 125 L	03/07	U	1192	L	F22,0	240	58	4	5 6,5	Drum	-	-	-	-	-	-	-										
Ylan 125	02	S	451	L	S	220	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
150 c.c.																											
@ NES 150	00/06	S	451	L	S	220	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
CRF 150 F	03/12	M	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	Drum	-	-	-	-	-	-	-										
CRF 150 R / CRF 150 RB	07/12	M	1102 / 1102X	L	S / X	220	88	3	4 6,5	796 / 796X	R	S / X	190	80	4	4	6,5										
Dylan 150 / Dylan 150 SES	00/07	S	451	L	S	220	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
NES 150 Chiocciola	00/03	S	451 364K06	L	S KS	220 240	105	4	4 10,5	-	-	-	-	-	-	-	-										
PCX 150	13	S	1219 / 1219X	L	S / X	220	58,3	3,5	4 10,7	Drum	-	-	-	-	-	-	-										
Phantheon FES 150 2T	98/02	S	364	L	S	240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
Phantheon FES 150 4T	03/07	S	364	L	S	240	105	4	4 10,5	101 / 101X	R	S / X	220	105	5	4	10,5										
PS Passion 150 i	06/08	S	451 364K06	L	S KS	220 240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
SH 150 i	00/09	S	451 364K06	L	S KS	220 240	105	4	4 10,5	Drum	-	-	-	-	-	-	-										
SH 150 i DD / SH 150 Sporty	09/11	S	364	L	S	240	105	4	4 10,5	209	R	S	240	105	5	4	10,5										
S-Wing 150	08/09	S	364	L	S	240	105	4	4 10,5	221	R	S	220	105	4,5	4	10,5										
200 c.c.																											
MTX 200 RWF	85	E	237	L	S	240	118	3	4 10,5	Drum	-	-	-	-	-	-	-										
XL 200	85	E	437	R	S	240	62	4	6 6,5	-	-	-	-	-	-	-	-										

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utv / Urv - T: Trial - F: Supermoto / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes
SIDE: L (Izquierdo / Left) - R (Derecho / Right) - LR (Izquierdo y derecho / Left & Right)
DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations
XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





HONDA Japan 3 / 7														HONDA											
230 c.c.														230 c.c.											
CRF Easy Enduro / Motard	04/08	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
CRF 230 Easy Trail	04	U	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-							
CRF 230 F	03/12	M	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-	-							
CRF 230 L / M	07/12	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	043	R	S	220	105	4	4	10,5							
SL 230	97/01	T	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	043	R	S	220	105	4	4	10,5							
250 c.c.														250 c.c.											
CR 250 R	92/94	M	473 / 473X	L	S / X	240	118	3	4	6,5	045 / 045X	R	S / X	220	121	5	4	10,5							
AX-1 250	88	U	198 / 198X	L	S / X	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CBX250	86/98	R	194	R	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-	-							
CBX 250 Twister	06/09	R	1092	R	S	276	144	4	5	10,5	Drum	-	-	-	-	-	-	-							
CB 250 (Two Fifty)	91/06	R	364	L	S	240	105	4	4	10,5	Drum	-	-	-	-	-	-	-							
CB 250 Hornet	96	R	-	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5							
CBF 250	04/08	R	1092	R	S	276	144	4	5	10,5	Drum	-	-	-	-	-	-	-							
CBR 250 MC14	87	R	286	L	S	256	144	5	4	10,5	Drum	-	-	-	-	-	-	-							
CBR 250 MC17	87	R	286	L	S	256	144	5	4	10,5	101 / 101X	R	S / X	220	105	5	4	10,5							
CBR 250 R	11/13	R	1348	R	F17,5	296	74	4,5	6	6,5	1349	R	S	220	102,5	5	4	10,5							
CBR 250 RR MC22	94	R	782	L/R	F16,5	276	58	4	6	6,5	-	-	-	-	-	-	-	-							
CH 250	-	S	1038	L	S	190	72	4	4	10,5	-	-	-	-	-	-	-	-							
CMX C Rebel	96/00	R	194	R	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-	-							
CR 250 E	89/94	M	-	-	-	-	-	-	-	-	045 / 045X	R	S / X	220	121	5	4	10,5							
CR 250 E	95/96	M	066 / 066X	L	S / X	240	101	3	6	6,5	045 / 045X	R	S / X	220	121	5	4	10,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 E	97/01	M	066 / 066X	L	S / X	240	101	3	6	6,5	1049 / 1049X	R	S / X	240	122	4	4	10,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 E	02/03	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 E	04/08	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			1154XK03	L	KFX00,0	270		5																	
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 E	09	M	066X / 066	L	X / S	240	101	3	6	6,5	654X / 654 / 654SP	R	X / S / SP	240	121,5	4	4	6,5							
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 F	04/09	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 R	84/88	M	237	L	S	240	118	3	4	10,5	761	R	S	220	122	4	6	10,5							
CR 250 R	89	M	198 / 198X	L	S / X	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CR 250 R	90	M	199	L	S	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CR 250 R	91	M	237	L	S	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CR 250 R	95/96	M	066 / 066X	L	S / X	240	101	3	6	6,5	045 / 045X	R	S / X	220	121	5	4	10,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 R	97/01	M	066 / 066X	L	S / X	240	101	3	6	6,5	1049 / 1049X	R	S / X	240	122	4	4	10,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 R	02/03	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 R	04/08	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			1154XK03	L	KFX00,0	270		5																	
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 R	09	M	066X / 066	L	X / S	240	101	3	6	6,5	654X / 654 / 654SP	R	X / S / SP	240	121,5	4	4	6,5							
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 E Supermotard	00/01	F	-	-	-	-	-	-	-	-	1049 / 1049X	R	S / X	240	122	4	4	10,5							
CR RS / RT / RV / RW / RX / RY	95/03	M	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 R1 - R4	95/03	M	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-							
			724K15 / 724XK15	L	KF / KFX00,0	320		5																	
			724SPK15		KFSP00,0																				
CR 250 R1 - R4	04/05	M	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-							
			1154XK03	L	KFX00,0	270		5																	
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CR 250 X	04/09	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			724K14 / 724XK14	L	KF / KFX00,0	320		5																	
			724SPK14		KFSP00,0																				
CRE 250 R	84/88	M	237	L	S	240	118	3	4	10,5	761	L	S	220	122	4	6	10,5							
CRE 250 R	89	M	198 / 198X	L	S / X	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 R	90	M	199	L	S	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 R	91	M	237	L	S	240	118	3	4	10,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 R	92/94	M	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 R	95/96	M	066 / 066X	L	S / X	240	101	3	6	6,5	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 R / SM	97/01	M	066 / 066X	L	S / X	240	101	3	6	6,5	375	R	S	240	121	4	4	10,5							
CRE 250 R	02/08	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
CRE 250 SM	89/96	F	066 / 066X	-	-	-	-	-	-	-	045 / 045X	R	S / X	220	121	5	4	10,5							
CRE 250 Supermotard	02/09	F	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
CRE 250 F Enduro	04/09	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
CRE 250 R Enduro	02/04	E	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-							



HONDA Japan 4 / 7														HONDA											
250 c.c.														250 c.c.											
CRE 250 R Supermotard	02	F	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
CRE 250 X	04/09	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5	-	-	-	-	-	-	
CRF 250	00/03	E	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
CRF 250 L	12/13	E	1350X	L	X	256	101	3,5	6	6,5	045X	R	X	220	121	5	4	10,5	-	-	-	-	-	-	
CRF 250 R	04/14	M	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			1154XK03		KFX00,0	270																			
			724K14 / 724XK14		KF / KFX00,0	320																			
			724SPK14		KFSP00,0	320																			
CRF 250 X	04/09	E	066 / 066X	L	S / X	240	101	3	6	6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5							
			1154XK03		KFX00,0	270																			
			724K14 / 724XK14		KF / KFX00,0	320																			
			724SPK14		KFSP00,0	320																			
CRF 250 X	10/14	E	066X / 066	L	X / S	240	101	3	6	6,5	654X / 654 / 654SP	R	X / S / SP	240	121,5	4	4	6,5							
			724K14 / 724XK14		KF / KFX00,0	320																			
			724SPK14		KFSP00,0	320																			
CRM 250 R	98	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	043	R	S	220	105	4	4	10,5	-	-	-	-	-	-	
Foresight FES 250	97/07	S	364	L	S	240	105	4	4	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Forza 250	00/04	S	364	L	S	240	105	4	4	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Forza 250	05/07	S	364	L	S	240	105	4	4	10,5	209	L	S	240	105	5	4	10,5	-	-	-	-	-	-	
Forza 250	08	S	792	L	S	256	144	5	6	10,5	209	L	S	240	105	5	4	10,5	-	-	-	-	-	-	
Helix CN 250	95/99	S	112	L	S	190	72	5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hornet 250	97/01	R	216	R	F17,0	296	58	4	6	6,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Jazz 250	01/04	S	364	L	S	240	105	4	4	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Pantheon 250	98	S	364	L	S	240	105	4	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
NS 250 F / NS 250 R MC11	84/86	R	286	L	S	256	144	5	4	10,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
NS 250 R MC21	95	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
NSS Forza / Jazz 250	01/04	S	364	L	S	240	105	4	4	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
NSS Forza 250	05/06	S	364	L	S	240	105	4	4	10,5	209	R	S	240	105	5	4	10,5	-	-	-	-	-	-	
NX 250 L	87/93	T	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rebel CMX 250C	96/01	C	194	L	S	240	114	4	6	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
Reflex 250	00	S	-	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
RS 250 R	90/97	R	216	L/R	F17,0	296	58	4	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spazio CN 250	95/99	S	112	L	S	190	72	5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
TSR 250	99	R	216	L/R	F17,0	296	58	4	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VF V Twin Magna 250	97/98	C	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
VT 250 C V Twin Magna S	95/97	C	365	L	S	220	58	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
VTR 250	98/02	R	1309	R	F17,0	296	58	4	6	8,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
VTR 250 F	12/13	R	1309	R	F17,0	296	58	4	6	8,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
VTZ 250 Xelvis	97	R	-	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Xelvis 250 V-25	97/98	R	110 / 110X	R	S / X	296	144	5	6	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
XR 250 L	91	R	-	-	-	-	-	-	-	-	043	R	S	220	105	4	4	10,5	-	-	-	-	-	-	
XR 250 Motard	03	F	-	-	-	-	-	-	-	-	043	R	S	220	105	4	4	10,5	-	-	-	-	-	-	
XL 250 R	90	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	656	R	S	220	105	4	4	6,5	-	-	-	-	-	-	
XL 250 R Baja	88/91	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	656	R	S	220	105	4	4	6,5	-	-	-	-	-	-	
XR 250 R	84/87	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
XR 250 R	88/96	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	656	R	S	220	105	4	4	6,5	-	-	-	-	-	-	
XR 250 R	97/04	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	043	R	S	220	105	4	4	10,5	-	-	-	-	-	-	
260 c.c.														260 c.c.											
CRE 260	95/97	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	045 / 045X	R	S / X	220	121	5	4	10,5	-	-	-	-	-	-	
CRE 260	98	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	375	R	S	240	121	4	4	10,5	-	-	-	-	-	-	
300 c.c.														300 c.c.											
SH 300 i	06/13	S	1023	L	S	256	144	4,5	6	10,5	792	R	S	256	144	5	6	10,5	-	-	-	-	-	-	
350 c.c.														350 c.c.											
CB 350 / G / S	86/90	R	046 / 046X	L/R	S / X	256	144	4	4	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	
400 c.c.														400 c.c.											
CB 400	89/91	R	1161	R	F23,0	296	62	5	6	6,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
CB 400 F	89/91	R	-	-	-	-	-	-	-	-	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
CB 400 F NC36	97/98	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5	4	10,5	-	-	-	-	-	-	
CB 400 F Superfour	92/97	R	-	-	-	-	-	-	-	-	209	R	S	240	105	5	4	10,5	-	-	-	-	-	-	
CB 400 N	82/88	R	216	L/R	F17,0	296	58	4	6	6,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
CB 400 V-Tec	11	R	216	L/R	F17,0	296	58	4	6	6,5	209	R	S	240	105	5	4	10,5	-	-	-	-	-	-	
CB 400 Four	97	R	1161	L/R	F23,0	296	62	5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
CBR 400 F	85/87	R	216	R	F17,0	296	58	4	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
CBR 400 F2	85/87	R	216	R	F17,0	296	58	4	6	6,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
CBR 400 R NC23	86	R	204	L/R	S	276	144	5	6	10,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
CBR 400 R NC23	87/89	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
CBR 400 RR NC23	88/89	R	216	L/R	F17,0	296	58	4	6	6,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
CBR 400 RR NC29	90/94	R	216	L/R	F17,0	296	58	4	6	6,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
CBR 400 RR	98	R	-	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Silver Wing 400	06/08	S	792	L	S	256	144	5	6	10,5	209	R	S	240	105	5	4	10,5	-	-	-	-	-	-	
SW-T 400 / ABS	09/13	S	1335	L	S	276	144	6	6	10,5	1336	R	S	240	105	6	4	10,5	-	-	-	-	-	-	
NS 400 R	85/87	R	286	L/R	S	256	144	5	4	10,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
NSR 400	85/88	R	792	L/R	S	256	144	5	6	10,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
NSR 400	06/07	R	-	-	-	-	-	-	-	-	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
NX 4 Dominator 400	99	T	046 / 046X	L	S / X	256	144	4	4	10,5	656	R	S	220	105	4	4	6,5	-	-	-	-	-	-	
NX 4 Falcon 400	03	F	792	L	S	256	144	5	6	10,5	656	R	S	220	105	4	4	6,5	-	-	-	-	-	-	
Steed 400 VSE	92/97	C	109	L	S	296	144	5	5	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
VFR 400	87/88	R	204	L/R	S	276	144	5	6	10,5	312	R	S	220	88	4	3	10,5	-	-	-	-	-	-	
VFR 400 RG NC21	86	R	204	L/R	S	276	144	5	6	10,5	041	R	S	220	88	4,5	3	10,5	-	-	-	-	-	-	
VFR 400 R NC24	87/88	R	216	L/R	F17,0	296	58	4	6	6,5	101 / 101X	R	S / X	220											



HONDA Japan 5 / 7														HONDA											
400 c.c.														400 c.c.											
XR 400 R	96/04	E	119 / 473 / 473X 726K15 / 726XK15 726SPK15	L	S / S / X KF / KFX00,0 KFSP00,0	240 320	118	3,5 / 3 / 3 5	4 6,5	043	R	S	220	105	4	4	10,5								
XR 400 R	04	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	043	R	S	220	105	4	4	10,5								
XR 400 R Supermotard	04/05	F	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	043	R	S	220	105	4	4	10,5								
XR 400 R Supermotard	96/03	F	119 / 473 / 473X 726K15 / 726XK15 726SPK15	L	S / S / X KF / KFX00,0 KFSP00,0	240 320	118	3,5 / 3 / 3 5	4 6,5	043	R	S	220	105	4	4	10,5								
450 c.c.														450 c.c.											
CB 450 S	85/89	R	046 / 046X	L	S / X	256	144	4	4 10,5	Drum	-	-	-	-	-	-	-								
CR 450	00/01	M	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-								
CRE 450 F	02/07	M	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRE 450 F Supermoto	02/03	F	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRF 450 R	02/03	M	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRF 450 R SM	02/03	F	066 / 066X	L	S / X	240	101	3	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRF 450 R	04/14	M	066 / 066X 1154XK03 724K14 / 724XK14 724SPK14	L	S / X KF / KFX00,0 KFSP00,0	240 270 320	101	3 5	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRF 450 SM	04/11	F	066 / 066X 724K14 / 724XK14 724SPK14	L	S / X KF / KFX00,0 KFSP00,0	240 320	101	3 5	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
CRF 450 X	04/14	E	066 / 066X 1154XK03 724K14 / 724XK14 724SPK14	L	S / X KF / KFX00,0 KFSP00,0	240 270 320	101	3 5	6 6,5	654 / 654X / 654SP	R	S / X / SP	240	121,5	4	4	6,5								
500 c.c.														500 c.c.											
CB 500	89/90	R	204	L	S	276	144	5	6 10,5	-	-	-	-	-	-	-	-								
CB 500 / S	93/03	R	110 / 110X	R	S / X	296	144	5	6 10,5	209	R	S	240	105	5	4	10,5								
CB 500 F / CBF 500 X	13	R	-	R	X	320	-	-	6 -	-	R	-	240	-	-	4 -	-								
CBF 500 / ABS	04/08	R	110 / 110X	R	S / X	296	144	5	6 10,5	1095	R	S	240	116	5	4	10,5								
CBR 500	87/90	R	204	L/R	S	276	144	5	6 10,5	041	R	S	220	88	4,5	3	10,5								
CBR 500 R	13	R	-	R	X	320	-	-	6 -	-	R	-	240	-	-	4 -	-								
CR 500 E	89/94	M	-	-	-	-	-	-	-	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 E	95/96	M	066 / 066X	L	S / X	240	101	3	6 6,5	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 E	97/01	M	066 / 066X	L	S / X	240	101	3	6 6,5	375	R	S	240	121	4	4	10,5								
CR 500 R	87/88	M	237	L	S	240	118	3	4 10,5	761	L	S	220	122	4	6	10,5								
CR 500 R	89/90	M	-	-	-	-	-	-	-	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 R	91	M	237	L	S	240	118	3	4 10,5	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 R	92/94	M	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 R	95/96	M	066 / 066X	L	S / X	240	101	3	6 6,5	045 / 045X	R	S / X	220	121	5	4	10,5								
CR 500 R	97/01	M	066 / 066X	L	S / X	240	101	3	6 6,5	375	R	S	240	121	4	4	10,5								
CR RT / RV / RW / RX / RY	95/01	M	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-								
CR 500 R1	95/01	M	066 / 066X	L	S / X	240	101	3	6 6,5	-	-	-	-	-	-	-	-								
CR 500 R / E	87	M	-	-	-	-	-	-	-	761	L	S	220	122	4	6	10,5								
CR 500 R / E	88	M	200	L	S	240	118	3	4 6,5	761	L	S	220	122	4	6	10,5								
Dominator NX 500	88/91	U	223	L/R	S	256	144	4	4 8,5	043	R	S	220	105	4	4	10,5								
Dominator NX 500	92/99	U	223	L/R	S	256	144	4	4 8,5	919	R	S	220	105	5	4	6,5								
Dominator NX 500	84/87	U	792	L/R	S	256	144	5	6 10,5	792	R	S	256	144	5	6	10,5								
VF 500 F Interceptor	84/87	R	792	L/R	S	256	144	5	6 10,5	792	R	S	256	144	5	6	10,5								
VT 500 C / Magna	83/86	C	109	L	S	296	144	5	5 10,5	Drum	-	-	-	-	-	-	-								
VT 500 C Magna V30	84	C	109	L	S	296	144	5	5 10,5	Drum	-	-	-	-	-	-	-								
VT 500 FT Ascot	84	C	109	L	S	296	144	5	5 10,5	Drum	-	-	-	-	-	-	-								
XR 500	84/85	E	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4 6,5	Drum	-	-	-	-	-	-	-								
XR 500	91	E	-	-	-	-	-	-	-	043	R	S	220	105	4	4	10,5								
599 c.c.														599 c.c.											
599 (USA)	00	R	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5								
600 c.c.														600 c.c.											
CB 600 F	04	R	110 / 110X	L	S / X	296	144	5	6 10,5	-	-	-	-	-	-	-	-								
CB 600 Hornet	98/99	R	1161	L/R	F23,0	296	62	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CB 600 F Hornet	00/06	R	693	L/R	F23,0	296	58	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CB 600 F Hornet	07/12	R	1289	L/R	F14,5	296	94	4,5	6 6,5	1095	R	S	240	116	5	4	10,5								
CB 600 S Hornet	00/06	R	693	L/R	F23,0	296	58	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CB 600 F Hornet ABS	07/13	R	1289	L/R	F14,5	296	94	4,5	6 6,5	1095	R	S	240	116	5	4	10,5								
CB 600 F Hornet S	00/03	R	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5								
CBF 600 / CBF 600 N	03/07	R	110 / 110X	R	S / X	296	144	5	6 10,5	1095	R	S	240	116	5	4	10,5								
CBF 600 N	08	R	1149	L/R	F18,5	296	94	4,5	6 6,5	1095	R	S	240	116	5	4	10,5								
CBF 600 S ABS	03/08	R	110 / 110X	L/R	S / X	296	144	5	6 10,5	1095	R	S	240	116	5	4	10,5								
CBR 600 F	87/90	R	204	L/R	S	276	144	5	6 10,5	041	R	S	220	88	4,5	3	10,5								
CBR 600 F	91/94	R	204	L/R	S	276	144	5	6 10,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F	95/98	R	216	L/R	F17,0	296	58	4	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F	99/00	R	752 / 752X	L/R	F17,0 / FX17,0	296	62	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F	01/02	R	643	L/R	F12,5	296	94	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F	03	R	752 / 752X	L/R	F17,0 / FX17,0	296	62	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F	04/07	R	1289	L/R	F14,5	296	94	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F / CBR 600 F ABS	08/10	R	1289	L/R	F14,5	296	94	4,5	6 6,5	-	R	S	-	-	-	-	-								
CBR 600 F / CBR 600 F ABS	11/13	R	1289	L/R	F14,5	296	94	4,5	6 6,5	1095	R	S	240	116	5	4	10,5								
CBR 600 F2	91/94	R	204	L/R	S	276	144	5	6 10,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F3	95	R	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F3	03	R	752 / 752X	L/R	F17,0 / FX17,0	296	62	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F4	99/00	R	752 / 752X	L/R	F17,0 / FX17,0	296	62	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F4	01/07	R	643	L/R	F12,5	296	94	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 F Sport	01/06	R	643	L/R	F12,5	296	94	4,5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
CBR 600 RR / ABS	03/13	R	788 / 788X	L/R	F13,0 / FX13,0	310	94	5	6 6,5	101 / 101X	R	S / X	220	105	5	4	10,5								
Silver Wing 600	01/06	S	792	L	S	256	144	5	6 10,5	209	R	S	240	105	5	4	10,5								

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / UTV / XUV - T: Trial - F: Supermotard / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes
SIDE: L: (Izquierdo/Left) - R: (Derecho/Right) - LR: (Izquierdo y derecho/Left & Right)
DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / M: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations
XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





HONDA Japan 6 / 7											HONDA										
600 c.c.											600 c.c.										
Silver Wing 600 ABS	03/07	S	204	L	S	276	144	5	6	10,5	209	R	S	240	105	5	4	10,5			
Revere NTV 600	88/92	R	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	126	L	S	276	53	4,5	6	8,5			
Shadow CD / VT 600 C	88/95	C	109	L/R	S	296	144	5	5	10,5	Drum	-	-	-	-	-	-	-			
Steed 600	88/90	C	109	R	S	296	144	5	5	10,5	-	-	-	-	-	-	-	-			
SW-T 600	09/13	S	1335	L	S	276	144	6	6	10,5	1336	R	S	240	105	6	4	10,5			
Transalp XL 600 V	87/96	U	208	R	S	276	144	4,5	6	10,5	209	R	S	240	105	5	4	10,5			
Transalp XL 600 V	97/99	U	046 / 046X	L/R	S / X	256	144	4	4	10,5	209	R	S	240	105	5	4	10,5			
Transalp XL 600 V	00/07	U	-	-	-	-	-	-	-	-	209	R	S	240	105	5	4	10,5			
XL 600 LM / XL 600 RM	85/88	U	203	R	S	256	144	5,5	7	10,5	Drum	-	-	-	-	-	-	-			
XL 600 R	83/87	U	200	L	S	240	118	3	4	6,5	Drum	-	-	-	-	-	-	-			
XR 600 R	85/90	U	050	L	S	240	118	4	4	6,5	Drum	-	-	-	-	-	-	-			
XR 600 R	91/00	U	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	043	R	S	220	105	4	4	10,5			
			119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5											
XR 600 R	00	U	726K15 / 726XK15 726SPK15	L	KF / KFX00,0 KFSP00,0	320	118	5	4	6,5	043	R	S	220	105	4	4	10,5			
XR 600 R Dakar	97	U	-	-	-	-	-	-	-	-	221	R	S	220	105	4,5	4	10,5			
XR 600 R Dakar	98/99	U	119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5	221	R	S	220	105	4,5	4	10,5			
VT 600	01/03	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 600 C Shadow VLX	88/08	C	109	L	S	296	144	5	5	10,5	Drum	-	-	-	-	-	-	-			
650 c.c.											650 c.c.										
Africa Twin XRV 650	88/89	U	048	R	S	296	144	4	6	10,5	209	R	S	240	105	5	4	10,5			
Africa Twin XRV 650	93	U	-	-	-	-	-	-	-	-	067	R	S	240	105	4	4	10,5			
CB 650 SC Nighthawk	83/85	R	204	L/R	S	276	144	5	6	10,5	-	-	-	-	-	-	-	-			
Dominator NX 650	88/92	U	046 / 046X	L	S / X	256	144	4	4	10,5	101 / 101X	R	S / X	220	105	5	4	10,5			
Dominator NX 650	93/04	U	046 / 046X	R	S / X	256	144	4	4	10,5	656	R	S	220	105	4	4	6,5			
FMX 650	05/06	U	1024	L	S	296	112	4	4	10,5	919	R	S	220	105	5	4	6,5			
FX 650 Vigor	98/99	U	208	R	S	276	144	4,5	6	10,5	224	R	S	220	105	5	4	8,5			
NT 650 Hawk GT	88/90	R	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	125	L	S	317	144	6	6	10,5			
NTV 650 Deauville	98/10	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	214 / 204	R	S	276	144	6 / 5	6	10,5			
NTV 650 Revere	88/98	R	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	126	L	S	276	53	4,5	6	8,5			
SLR 650 / SX Vigor 650	96/99	U	204	L	S	276	144	5	6	10,5	656	R	S	220	105	4	4	6,5			
Transalp / C - ABS	12	U	046 / 046X	L/R	S / X	256	144	4	4	10,5	209	R	S	240	105	5	4	10,5			
Transalp XLV 650	00/07	U	046 / 046X	L/R	S / X	256	144	4	4	10,5	209	R	S	240	105	5	4	10,5			
XR 650 L	93/12	E	046 / 046X	L	S / X	256	144	4	4	10,5	101 / 101X	R	S / X	220	105	5	4	10,5			
			119 / 473 / 473X	L	S / S / X	240	118	3,5 / 3 / 3	4	6,5											
			726K15 / 726XK15 726SPK15	L	KF / KFX00,0 KFSP00,0	320	118	5	4	6,5	474	R	S	240	105	4	4	6,5			
XR 650 R	93/11	E	-	-	-	-	-	-	-	-	474	R	S	240	105	4	4	6,5			
XR 650 Supermotard	00/06	F	-	-	-	-	-	-	-	-	474	R	S	240	105	4	4	6,5			
670 c.c.											670 c.c.										
Integra 670	12/13	R	1339X	R	X	320	-	5	5	10	1340X	R	X	240	-	4,5	5	10			
680 c.c.											680 c.c.										
NTV 680 Deauville	06/12	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	204	R	S	276	144	5	6	10,5			
700 c.c.											700 c.c.										
CB 700 SC	84/86	R	204	L/R	S	276	144	5	6	10,5	-	-	-	-	-	-	-	-			
CTX 700 / 700N	13	R	1339X	R	X	320	-	5	5	10	1340X	R	X	240	144	6	6	10,5			
NC 700 S / NC 700 X	12/13	R	1339X	R	X	320	-	5	5	10	1340X	R	X	240	-	4,5	5	10			
NT Deauville 700 V ABS	06/13	R	456	L/R	S	296	144	4,5	6	10,5	214 / 1335	R	S	276	144	6	6	10,5			
VF 700 F / VF 700 S	84/85	R	204	L/R	S	276	144	5	6	10,5	-	-	-	-	-	-	-	-			
VT 700 C Shadow	86/87	C	109	L	S	296	144	5	5	10,5	Drum	-	-	-	-	-	-	-			
XL 700 V Transalp / ABS	08/11	R	046 / 046X	L/R	S / X	256	144	4	4	10,5	209	R	S	240	105	5	4	10,5			
750 c.c.											750 c.c.										
Africa Twin XRV 750	90/02	U	207	L/R	S	276	144	4	4	10,5	286	R	S	256	144	5	4	10,5			
CB 750 F	81/95	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	209	R	S	240	105	5	4	10,5			
CB 750 F2 / K	81/86	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	-	-	-	-	-	-	-	-			
CB 750 N	92/95	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	209	R	S	240	105	5	4	10,5			
CB Seven Fifty	92/95	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	209	R	S	240	105	5	4	10,5			
CBX 750 F	83/88	R	204	L/R	S	276	144	5	6	10,5	214 / 1335	R	S	276	144	6	6	10,5			
RC 36	-	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	-	-	-	-	-	-	-	-			
VF C Magna 750	94/04	C	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	Drum	-	-	-	-	-	-	-			
VF 750 C Shadow Magna CD	94/07	C	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	Drum	-	-	-	-	-	-	-			
VF 750 C Magna / Shadow	82/87	C	110 / 110X	L/R	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VF 750 F Interceptor / 750 S	82/85	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VFR 750 F	86/89	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	771	L	S	256	144	5	6	10,5			
VFR 750 F	90/97	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	313	L	S	256	94	6	4	8,5			
VFR 750 FJ	83/85	R	204	L/R	S	276	144	5	6	10,5	-	-	-	-	-	-	-	-			
VFR 750 / FJ	86/87	R	204	L/R	S	276	144	5	6	10,5	792	R	S	256	144	5	6	10,5			
VFR 750 F	91/93	R	110 / 110X	L/R	S / X	296	144	5	6	10,5	313	C	S	256	94	6	4	8,5			
VFR 750 R	88/91	R	1180 / 1180X	L/R	F17,5 / FX17,5	310	58	5	6	6,5	-	-	-	-	-	-	-	-			
VT 750 Shadow	04	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 C2 Black Widow	01/03	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 C/CD/CD2 Shadow	98/02	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT C/CD/CD2 Shadow Deluxe	98/02	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT C2 / C2F Shadow Spirit	07/11	C	110 / 110X	R	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 CDA/CDB/CDC/CDD	02/03	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 CS	12/13	C	-	L	S	296	-	-	-	-	-	-	-	275	-	6	-	-			
VT 750 DC Shadow Spirit	01/02	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT DCA / DCB Shadow Spirit	03/07	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 RS Shadow	10/12	C	110 / 110X	R	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT 750 S	97/05	C	110 / 110X	L	S / X	296	144	5	6	10,5	Drum	-	-	-	-	-	-	-			
VT Shadow Aero / C / CA	08/12	C	110 / 110X	R	S / X																

43

FRONT										REAR									
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
HUSABERG Sweden 2 / 2																			
250 c.c.										250 c.c.									
FE 250 4T	12/13	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
TE 250 Sixlyon	12/13	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	-	R	X	210	-	-	6 6,5			
350 c.c.										350 c.c.									
350 E	91/97	E	134	L	S	230	120	4	6 6,5	135	L	S	220	112	4	6 6,5			
350 FE / MC	90/99	E	755	L	S	260	120	3	6 6,5	135	L	S	220	112	4	6 6,5			
350 FE	12/13	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
390 c.c.										390 c.c.									
390 FE	10	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6 6,5			
390 FE	11/12	E	1254XK17	L	KFX00,0	270	-	3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
400 c.c.										400 c.c.									
400 FE	98/99	E	755	L	S	260	120	3	6 6,5	135	L	S	220	112	4	6 6,5			
400 FE	00/03	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
400 FE E / 400 FS C / FS E	01/03	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
450 c.c.										450 c.c.									
450 FC	93	M	755	L	S	260	120	3	6 6,5	135	L	S	220	112	4	6 6,5			
450 FE	10	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6 6,5			
450 FE	11/13	E	1254XK17	L	KFX00,0	270	-	3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
450 FS C / 450 FS E	03/08	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
450 FX	10	M	1254XK16	L	KFX00,0	270	-	3	6 6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6 6,5			
470 c.c.										470 c.c.									
470 FC	01/02	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	-	-	-	-	-	-	-			
501 c.c.										501 c.c.									
501 FC	99/03	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
501 FE	93/98	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	135	L	S	220	112	4	6 6,5			
501 FE	11/13	E	755	L	S	260	120	3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
501 FE E	99/04	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
501 FE S	99/04	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
501 MC	90/92	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	135	L	S	220	112	4	6 6,5			
550 c.c.										550 c.c.									
550 FC	01/05	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
550 FE E	04/08	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
570 c.c.										570 c.c.									
570 FE	10	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6 6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6 6,5			
570 FE	11/12	E	1254XK17	L	KFX00,0	270	-	3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
600 c.c.										600 c.c.									
600 FC	93/98	M	755	L	S	260	120	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
600 FC / 600 FC 4 CR	99/03	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
600 FE E	99/02	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
600 FE S	99/07	E	725 / 725X / 725SP	L	F / FX00,0 / FSP	320/318	127	5	6 6,5	-	-	-	-	-	-	-			
650 c.c.										650 c.c.									
650 FE E	01/08	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
650 FS C	01/04	M	1254XK16	L	KFX00,0	270	-	3	6 6,5	141 / 141X	L	S / X	220	110	4,2	6 6,5			
650 FS C	05/08	M	725 / 725X / 725SP	L	F / FX00,0 / FSP	320/318	127	5	6 6,5	-	-	-	-	-	-	-			
650 FS E	01/04	E	730	L	F00,0	320	-	4	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
650 FS E	05/08	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
650 FS E	05/08	E	1254XK16	L	KFX00,0	270	-	3	6 6,5	-	-	-	-	-	-	-			
650 FS E	05/08	E	725 / 725X / 725SP	L	F / FX00,0 / FSP	320/318	127	5	6 6,5	-	-	-	-	-	-	-			
650 FS E	05/08	E	730	L	F00,0	320	-	4	6 6,5	-	-	-	-	-	-	-			
650 FX E	01/05	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6 6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6 6,5			
HUSQVARNA Sweden 1 / 4										HUSQVARNA									
50 c.c.										50 c.c.									
CR 50 Pro	05	A	-	-	-	-	-	-	-	705	L	S	175	45	3	5 6,5			
CR 50 Senior	05	A	-	-	-	-	-	-	-	705	L	S	175	45	3	5 6,5			
Huskyboy 50 R	01	A	640	L	S	260	108	3	6 6,5	354	L	S	185	45	3,5	5 6,5			
WRS 50	98	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3 8,5	-	-	-	-	-	-	-			
125 c.c.										125 c.c.									
CR 125	87/91	M	733	L	S	240	120	3	6 6,5	-	-	-	-	-	-	-			
CR 125	92/99	M	755	L	S	260	120	3	6 6,5	135	L	S	220	112	4	6 6,5			
CR 125	00/01	M	910 / 910X / 008	L	S / X / SP	260	120	3	4 6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4 9,5			
CR 125	02/04	M	392 / 1164X	L	S / FX00,0	260	120	3,5 / 3	4 6,5	464 / 706	R	S / SP	220	126	4	4 19			
CR 125	05	M	910 / 910X / 008	L	S / X / SP	260	120	3	4 6,5	464 / 706	R	S / SP	220	126	4	4 19			
CR 125	05	M	392 / 1164X	L	S / FX00,0	260	120	3,5 / 3	4 6,5	464 / 706	R	S / SP	220	126	4	4 19			
CR 125	06/12	M	1325XK16	L	KFX00,0	270	-	3	4 6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4 9,5			
CR 125	06/12	M	910 / 910X / 008	L	S / X / SP	260	120	3	4 6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4 9,5			
CR 125	06/12	M	392 / 1164X	L	S / FX00,0	260	120	3,5 / 3	4 6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4 9,5			
CR 125	06/12	M	1325XK16	L	KFX00,0	270	-	3	4 6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4 9,5			



HUSQVARNA Sweden 2 / 4													HUSQVARNA												
125 c.c.													125 c.c.												
SM 125	98/99	F	755	L	S	260	120	3	6	6,5	135	L	S	220	112	4	6	6,5							
SMR 125	12	F	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
SMS 125	00/01	F	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
SMS125	02/04	F	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
SMS 125	05/12	F	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
TE 125	12/13	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	263X / 263XSP	R	X / XSP	220	112	4	4	9,5							
WR 125	87/91	E	733	L	S	240	120	3	6	6,5	-	-	-	-	-	-	-	-							
WR 125	92/99	E	755	L	S	260	120	3	6	6,5	135	L	S	220	112	4	6	6,5							
WR 125	00/01	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
WR 125	02/05	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
WR 125	07/14	E	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5							
WRE 125	98/99	E	1325XK16	L	KFX00,0	270	120	3			135	L	S	220	112	4	6	6,5							
WRE 125	00/01	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
WRE 125	02/12	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
250 c.c.													250 c.c.												
CR 250	85/87	M	ND / NA	L	S	240	118	3,5	4	6,5	1119	R	S	220	122	4,5	6	10,5							
CR 250	88/91	M	733	L	S	240	120	3	6	6,5	-	-	-	-	-	-	-	-							
CR 250	92/94	M	755	L	S	260	120	3	6	6,5	-	-	-	-	-	-	-	-							
CR 250	94/99	M	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5							
CR 250	00/01	M	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
CR 250 / TC 250	02/04	M	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
CR 250	05/11	M	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5							
SMR 250	05/08	F	1325XK16	L	KFX00,0	270	120	3			1193X	R	X	240	126	4	4	19							
TC 250	04/06	M	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4	9,5							
TC 250 (W/O ventilation holes)			722SK11 / 722XK11 722SPK11	L	KF / KFX00,0 KFSP00,0	320	120	5																	
TC 250 / TC 250 R	07/13	M	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5							
TC 250 / R (W/O vent. holes)			1325XK16	L	KFX00,0	270	120	3																	
TCX 250	08/10	M	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	1193X	R	X	240	126	4	4	19							
TE 250	02/03	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
TE 250 (W/O ventilation holes)			722SK11 / 722XK11 722SPK11	L	KF / KFX00,0 KFSP00,0	320	120	5																	
TE 250	04	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
TE 250 (W/O ventilation holes)			722SK11 / 722XK11 722SPK11	L	KF / KFX00,0 KFSP00,0	320	120	5																	
TE 250	05/06	E	910 / 910X / 008 1164X / 392	L	S / X / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	1193X	R	X	240	126	4	4	19							
TE 250 (W/O ventilation holes)			722SK11 / 722XK11 722SPK11	L	KF / KFX00,0 KFSP00,0	320	120	5																	
TE 250	07/10	E	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5							
TXC 250	11	E	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5							
WR 250	87/91	E	733	L	S	240	120	3	6	6,5	-	-	-	-	-	-	-	-							
WR 250	94/99	E	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5							
WR 250	00/01	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5							
WR 250	02/04	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
WR 250	05/07	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19							
WR 250	08/14	E	910 / 910X / 008 1164X / 392	L	S / X / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	263X / 263 / 263XSP / 009	R	X / S / XSP / SP	220	112	4	4	9,5							
			1325XK16	L	KFX00,0	270	120	3																	
300 c.c.													300 c.c.												
WR 300	09/10	E	910 / 910X / 008 1164X / 392	L	S / X / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	263X / 263 / 263XSP / 009	R	X / S / XSP / SP	220	112	4	4	9,5							
WR 300	12/14	E	910 / 910X / 008 1164X / 392	L	S / X / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	464 / 706	L	S / SP	220	126	4	4	19							
			1325XK16	L	KFX00,0	270	120	3																	



HUSQVARNA Sweden 3 / 4															HUSQVARNA														
310 c.c.															310 c.c.														
TE 310	10/11	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TE 310 R	12/13	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TXC 310	11	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
350 c.c.															350 c.c.														
TE 350	89/91	E	733	L	S	240	120	3	6	6,5	266	L	S	220	112	4	6	9,5											
TE 350	92/96	E	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5											
360 c.c.															360 c.c.														
CR 360	87/91	M	733	L	S	240	120	3	6	6,5	135	L	S	220	112	4	6	6,5											
CR 360	92/99	M	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5											
WR 360	87/91	E	733	L	S	240	120	3	6	6,5	-	-	-	-	-	-	-	-											
WR 360	92/99	E	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5											
WR 360	00/04	E	910 / 910X / 008 392 / 1164X	L	S / X / SP S / FX00,0	260	120	3 3,5 / 3	4	6,5	464 / 706	R	S / SP	220	126	4	4	19											
400 c.c.															400 c.c.														
TE 400	00/01	E	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5											
TE 400	02	E	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	464 / 706	R	S / SP	220	126	4	4	19											
410 c.c.															410 c.c.														
TE 410	95/99	E	755	L	S	260	120	3	6	6,5	266	R	S	220	112	4	6	9,5											
TE 410 / TE 410 E	00/01	E	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	464 / 706	R	S / SP	220	126	4	4	19											
TE 410 E	99	E	755	L	S	260	120	3	6	6,5	266	L	S	220	112	4	6	9,5											
449 / 450 c.c.															449 / 450 c.c.														
SMR 449	11	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TC 449	11/12	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TE 449	11/13	E	910X / 008 / 1164X	L	X / SP / FX00,0	260	120	3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
FSE-C 450	05/08	F	1224X	L	FX00,0	310	127	5	6	6,5	-	-	-	-	-	-	-	-											
450 c.c.															450 c.c.														
SMR 450	03/06	F	722 / 722X / 722SP	L	F / FX / FSP00,0	320	120	5	4	8,5	464 / 706	R	S / SP	220	126	4	4	19											
SMR 450	10	F	722X / 722 / 722SP	L	FX / F / FSP	320	120	5	4	8,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5											
SMR 450 RR	06/08	F	722X / 722 / 722SP	L	FX / F / FSP	320	120	5	4	8,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5											
TC 450	02/04	M	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	464 / 706	R	S / SP	220	126	4	4	19											
TC 450	05/06	M	910 / 910X / 008 1164X / 392 722K11 / 722XK11 722SPK11	L	S / X / SP FX00,0 / S KF / KFX00,0 KFSP00,0	260 320	120	3 3 / 3,5 5	4	6,5	1193X	R	X	240	126	4	4	19											
TC 450	07/10	M	910X / 910 / 008 1164X / 392 1325XK16	L	X / S / SP FX00,0 / S KFX00,0	260 270	120	3 3 / 3,5 3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TC 450	11	M	910X / 008 / 1164X 1325XK17	L	X / SP / FX00,0 KFX00,0	260 270	120	3	4	6,5	648X / 1264X	R	X / X X	240	112	4	4	9,5											
TCX 450	08/10	M	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	1193X	R	X	240	126	4	4	19											
TE 450	02/05	E	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	263 / 263X / 009 / 263XSP	R	S / X / SP / XSP	220	112	4	4	9,5											
TE 450	06	E	910 / 910X / 008 392 / 1164X 1325XK16 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 270 320	120	3 3,5 / 3 5	4	6,5	648 / 648X / 1264X	R	S / X / X	240	112	4	4	9,5											
TE 450	07/10	E	910X / 910 / 008 1164X / 392 1325XK16	L	X / S / SP FX00,0 / S KFX00,0	260 270	120	3 3 / 3,5 3	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5											
TXC 450	11/12	E	910X / 910 / 008 1164X / 392 1325XK17	L	X / S / SP FX00,0 / S KFX00,0	260 270	120	3 3 / 3,5 3	4	6,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5											
510 c.c.															510 c.c.														
SMR 510	05	F	722 / 722X / 722SP	L	F / FX / FSP00,0	320	120	5	4	8,5	1193X	R	X	240	126	4	4	19											
SMR 510	06/10	F	722X / 722 / 722SP	L	FX / F / FSP	320	120	5	4	8,5	648X / 648 / 1264X	R	X / S / X	240	112	4	4	9,5											
TC 510	02/04	M	910 / 910X / 008 392 / 1164X 722K11 / 722XK11 722SPK11	L	S / X / SP S / FX00,0 KF / KFX00,0 KFSP00,0	260 320	120	3 3,5 / 3 5	4	6,5	464 / 706	R	S / SP	220	126	4	4	19											
TC 510	05/06	E	910 / 910X / 008 1164X / 392 722K11 / 722XK11 722SPK11	L	S / X / SP FX00,0 / S KF / KFX00,0 KFSP00,0	260 320	120	3 3 / 3,5 5	4	6,5	1193X	R	X	240	126	4	4	19											
TC 510	07/09	E	910X / 910 / 008 1164X / 392 1325XK16	L	X / S / SP FX00,0 / S KFX00,0	260 270	120	3 3 / 3,5 3	4	6,5	648X / 1264X	R	X / X	240	112	4	4	9,5											
TCX 510	05/10	M	910X / 910 / 008 1164X / 392	L	X / S / SP FX00,0 / S	260	120	3 3 / 3,5	4	6,5	1193X	R	X	240	126	4	4	19											
TE 510	90/91	E	733	L	S	240	120	3	6	6,5	464 / 706	R	S / SP	220	126	4	4	19											

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utv / Urv - T: Trial - F: Supermoto / Supermoto - B: Bicycle

S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes

SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



47



IMR RACING											IMR RACING										
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø		YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
125 c.c.											125 c.c.										
125	- F	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5			
140 c.c.											140 c.c.										
140	- F	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5			
150 c.c.											150 c.c.										
150	- M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5			
160 c.c.											160 c.c.										
160	- M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5			
ITALJET Italy											ITALJET										
50 c.c.											50 c.c.										
Bazooka 50	92 S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
Bazooka 2 50	92/97 S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
Cruise 50	94 S	108	L	S	160	58	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
Dragster 50 L.C.	97/06 S	190	L	S	174	38	4	5	6,5		361	L	S	190	66	4	5	6,5			
Formula 50 Air	99/03 S	190	L	S	174	38	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Formula GT / L.C.W.	97 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Formula DD/DT LC / Williams	97/03 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Formula 50 Race	96/97 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Jackpot 50	01 S	281	R	S	218	42	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-
Jet-Set 50	02/03 S	078	L	S	220	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Ombra Nera 50	97/00 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Pista 2 50	92 S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
Scoop 23 50	93 A	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
Torpedo 2T 50	97/03 S	192	L	S	218	42	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-	-	-
Torpedo 4T 50	00/03 S	192	L	S	218	42	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-	-	-
Torpedo 50 FC Bologna	98 S	192	L	S	218	42	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-	-	-
Yankee 50	94 S	406	L	S	155	40,6	3,8	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-
100 c.c.											100 c.c.										
Millennium 100	00/02 S	281	R	S	218	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
125 c.c.											125 c.c.										
Dragster 125	97 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Dragster 125	98 S	190	L	S	174	38	4	5	6,5		361	L	S	190	66	4	5	6,5			
Dragster 125	99/01 S	190	L	S	174	38	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-
Formula 125	96/99 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Formula 125 L.C.	97/03 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Formula 125 Twin	99/00 S	190	L	S	174	38	4	5	6,5		191	C	S	174	66	4	5	6,5			
Jackpot 125 4T	01 S	281	R	S	218	42	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-
JetSet 125 4T	01/03 S	078	L	S	220	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Jupiter 125	02 S	281	R	S	218	42	4	5	6,5		689	R	S	230	116	5	3	8,5			
JT 125	06 T	1175	L	S	276	124	4	6	10,5		-	-	-	-	-	-	-	-	-	-	-
Millennium 125 4T	00/02 S	281	R	S	218	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Torpedo Aria 4T / 4T LC	98/02 S	192	L	S	218	42	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-	-	-
150 c.c.											150 c.c.										
Jackpot 150 4T	01 S	281	R	S	218	42	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-
JetSet 150 4T	01/03 S	078	L	S	220	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Jupiter 150	02 S	281	R	S	218	42	4	5	6,5		689	R	S	230	116	5	3	8,5			
Millennium 150 4T	00/02 S	281	R	S	218	42	4	5	6,5		Drum	-	-	-	-	-	-	-	-	-	-
Torpedo 150 4T	00/02 S	192	L	S	218	42	3,5	4	8,5		Drum	-	-	-	-	-	-	-	-	-	-
180 c.c.											180 c.c.										
Dragster 180 L.C.	99/00 S	190	L	S	174	38	4	5	6,5		257	C	S	240	125	4	5	6,5			
250 c.c.											250 c.c.										
Dragster 250	03/06 S	190	L	S	174	38	4	5	6,5		361	L	S	190	66	4	5	6,5			
Jupiter 250	01/03 S	028	R	S	245	115	4	6	8,5		689	R	S	230	116	5	3	8,5			
500 c.c.											500 c.c.										
SC 500	01 S	418	R	S	276	141	5	5	8,75		-	-	-	-	-	-	-	-	-	-	-
JM STAR											JM STAR										
125 c.c.											125 c.c.										
Tomahawk II	- S	1201X	R	FX22,0	220	58	4	3	8,5		-	-	-	-	-	-	-	-	-	-	-
JOTAGAS Spain											JOTGAS										
250 c.c.											250 c.c.										
JT 250	11/13 T	715X	L	X	185	-	3	4	15,5		650X	R	X	150	45	3	4	6,5			
280 c.c.											280 c.c.										
JT 280	11/13 T	715X	L	X	185	-	3	4	15,5		650X	R	X	150	45	3	4	6,5			
300 c.c.											300 c.c.										
JT 300	11/13 T	715X	L	X	185	-	3	4	15,5		650X	R	X	150	45	3	4	6,5			
MK 300	11/13 T	1280X	L	X	260	118	3,5	6	6,5		372X	R	X	240	115	4	6	6,5			
KAWASAKI Japan 1 / 4											KAWASAKI										
65 c.c.											65 c.c.										
KX 65	00/14 M	1143 / 1143X	L	S / X	180	79	3	4	9,5		1143 / 1143X	R	S / X	180	79	3	4	9,5			
80 c.c.											80 c.c.										
KX 80	84/99 M	756 / 756X	L	S / X	220	96	3	6	9		1108 / 1108X	R	S / X	184	84	4	4	6,5			
KX 80 R7	97/00 M	756 / 756X	L	S / X	220	96	3	6	9		797 / 797X	R	S / X	184	84	4	4	9,5			



KAWASAKI Japan 2 / 4

125 c.c.

KAWASAKI

125 c.c.

KX 125	06/08	M	1031 / 1031X / 1031XF 1151XK01 732K13 / 732XK13 732SPK13	L	F / FX00,0 / X KF00,0 KF / KFX00,0 KFSP00,0	250 270 320	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
SM 125	06	S	1013	L	F6,5	320	109	5	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
200 c.c.																		
KDX 200	89/92	U	173	L	S	240	130	3	9	10,5	138 / 138X	L	S / X	220	100	4,5	6	6,5
KDX 200	94/96	U	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
KDX 200 SR	-	U	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
KMX 200	89/92	U	173	L	S	240	130	3	9	10,5	-	-	-	-	-	-	-	-
220 c.c.																		
KDX 220	94/96	U	-	-	-	-	-	-	-	-	1353	R	S	220	100	4,5	6	10,5
KDX 220 R	00/03	U	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
250 c.c.																		
EL 250	90	C	151	L	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-
EX 250 R Ninja	86/87	R	151	L/R	S	260	130	5,5	6	10,5	-	-	-	-	-	-	-	-
GPX 250 R	88/95	R	180	R	S	261	150	5	6	10,5	-	-	-	-	-	-	-	-
GPZ 250 R Ninja	90/96	R	-	-	-	-	-	-	-	-	148 / 148X	R	S / X	220	100	5	3	10,5
KDX 250	91/93	E	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	1353	R	S	220	100	4,5	6	10,5
KDX 250 R	93/96	E	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
KDX 250 SR	91	U	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	-	-	-	-	-	-	-	-
KLR 250	84/00	U	173	L	S	240	130	3	9	10,5	Drum	-	-	-	-	-	-	-
KLX 250 R	93/96	U	137 / 137X / 137XF 1150XK01	L	F / FX00,0 / X KF00,0	250 270	100	3	4	6,5	094	R	S	230	100	4,5	6	10,5
KLX 250 R / SE / SR	97/98	U	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	094	R	S	230	100	4,5	6	10,5
KX 250	85/88	M	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	-	-	-	-	-	-	-	-
KX 250	89/93	M	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
KX 250	94/99	M	137 / 137X / 137XF 1150XK01	L	F / FX00,0 / X KF00,0	250 270	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
KX 250	00/02	M	137 / 137X / 137XF 1150XK01	L	F / FX00,0 / X KF00,0	250 270	100	3	4	6,5	094	R	S	230	100	4,5	6	10,5
KX 250	03/05	M	1031 / 1031X / 1031XF 1151XK01	L	F / FX00,0 / X KF00,0	250 270	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 250	06/08	M	1031 / 1031X / 1031XF 1151XK01 732K13 732SPK13 732XK13	L	F / FX00,0 / X KF00,0 KFSP00,0 KF00,0	250 270 320	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 250 F	04/05	M	1031 / 1031X / 1031XF 1151XK01	L	F / FX00,0 / X KF00,0	250 270	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 250 F	06/10	M	1031 / 1031X / 1031XF 1151XK01 732K13 732SPK13 732XK13	L	F / FX00,0 / X KF00,0 KFSP00,0 KF00,0	250 270 320	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 250 F	11/14	M	1031 / 1031X / 1031XF 732K13 732SPK13 732XK13	L	FX / F / X KF00,0 KFSP00,0 KF00,0	250 320	109	3	4	9,5	799X / 799	R	X / S	240	116	4	4	10,5
KXE 250 F	06/07	E	1031 / 1031X / 1031XF	L	F / FX00,0 / X	250	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
Ninja 250 R	08/13	R	1291X	R	X	290	130	5	6	10,5	148X / 148	R	X / S	220	100	5	3	10,5
SC Epsilon 250	02/03	S	196	L	S	260	121	4,5	6	10,5	691	L	S	210	109	5	5	10,5
SM 250 / F	06	F	1013	L	F6,5	320	109	5	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
ZR 250	91/02	R	-	-	-	-	-	-	-	-	256	R	S	230	100	5	3	10,5
ZXR 250 / R	89/90	R	-	-	-	-	-	-	-	-	256	R	S	230	100	5	3	10,5
ZZR 250	92/95	R	765 / 765X	R	F13,5 / FX13,5	300	61	4,5	5	10,5	-	-	-	-	-	-	-	-
ZZR 250	96/03	R	750 / 750X	R	F13,2 / FX13,2	300	61	5	5	10,5	-	-	-	-	-	-	-	-
300 c.c.																		
EX 300 R Ninja	12/13	R	1291X	R	X	290	130	5	6	10,5	148X	R	X	220	100	5	3	10,5
KLX 300 R	97/07	E	137 / 137X / 137XF 1150XK01	L	F / FX00,0 / X KF00,0	250 270	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5
400 c.c.																		
GPZ 400	89	R	170	R	S	271	130	5	6	10,5	151	R	S	260	130	5,5	6	10,5
GPZ 400 F2	91	R	170	R	S	271	130	5	6	10,5	151	R	S	260	130	5,5	6	10,5
GPX 400 R	87	R	-	-	-	-	-	-	-	-	168	R	S	241	130	6	6	10,5
Z Eliminator 400	88/89	R	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-
ZL Eliminator 400	86/87	R	687	L	S	280	130	4,5	6	10,5	Drum	-	-	-	-	-	-	-
ZX 400	88/89	R	170	L/R	S	271	130	5	6	10,5	151	R	S	260	130	5,5	6	10,5
ZXR 400	89/90	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	-	-	-	-	-	-	-	-
ZXR 400	91/02	R	776 / 776X	L/R	F13,2 / FX13,2	310	61	5	5	10,5	637	R	S	240	100	5,5	4	10,5
450 c.c.																		
EN 450	86/89	C	188	L	S	300	170	5	7	10,5	Drum	-	-	-	-	-	-	-
KLX 450 F	07/09	E	1031 / 1031X / 1031XF 1151XK01	L	F / FX00,0 / X KF00,0	250 270	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KLX 450 R	10/12	E	1031 / 1031X / 1031XF	L	F / FX00,0 / X	250	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 450 F	05	M	1031 / 1031X / 1031XF	L	F / FX00,0 / X	250	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 450 F	06	M	1031 / 1031X / 1031XF 1151XK01 732K13 / 732XK13 732SPK13	L	F / FX00,0 / X KF00,0 KF / KFX00,0 KFSP00,0	250 270 320	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KX 450 F	07/14	M	1031 / 1031X / 1031XF 1151XK01 732K13 / 732XK13 732SPK13	L	F / FX00,0 / X KF00,0 KF / KFX00,0 KFSP00,0	250 270 320	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5
KXE 450 F	06/07	M	1031 / 1031X / 1031XF	L	F / FX00,0 / X	250	109	3	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utr / Urv - T: Trial - F: Supermotard / Supermoto - B: Bicycle

S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electrica / Electric - G: Trikes

SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std. / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





KAWASAKI Japan 3 / 4											KAWASAKI										
450 c.c.											450 c.c.										
SM 450 F	06/08	F	1013	L	F6,5	320	109	5	4	9,5	799 / 799X	R	S / X	240	116	4	4	10,5			
500 c.c.											500 c.c.										
EN 500	93	C	1037	L	S	300	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500	94	C	102	L	S	300	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500 Vulcan	-	C	746	-	S	270	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500 Vulcan	90/93	C	103	R	S	270	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500 Vulcan	95/98	C	1037	L	S	300	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500 Vulcan Classic	94/96	C	1037	L	S	300	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
EN 500 Vulcan Classic	97/01	C	102	L	S	300	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
ER-5	96/04	R	687	L	S	280	130	4,5	6	10,5	Drum	-	-	-	-	-	-	-			
ER-5	05/06	R	687	L	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-			
GPZ 500 S	87/88	R	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-			
GPZ 500 S	89	R	170	L/R	S	271	130	5	6	10,5	Drum	-	-	-	-	-	-	-			
GPZ 500 S	90/03	R	170	L/R	S	271	130	5	6	10,5	256	R	S	230	100	5	3	10,5			
KLE 500	91/07	T	090 / 090X	L	S / X	300	130	5	9	10,5	091 / 091X	R	S / X	230	120	5	6	10,5			
KX 500	86/04	M	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5			
550 c.c.											550 c.c.										
GT 550	83/01	R	188	L/R	S	300	170	5	7	10,5	Drum	-	-	-	-	-	-	-			
ZR Zephyr 550	91/93	R	-	-	-	-	-	-	-	-	637	R	S	240	100	5,5	4	10,5			
ZR Zephyr 550	93/01	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	637	R	S	240	100	5,5	4	10,5			
570 c.c.											570 c.c.										
KLR 570	85/91	E	185	L	S	250	130	4	9	10,5	Drum	-	-	-	-	-	-	-			
600 c.c.											600 c.c.										
Eliminator / ZL B2 Eliminator	95/99	C	750 / 750X	R	F13,2 / FX13,2	300	61	5	5	10,5	-	-	-	-	-	-	-	-			
GPX 600 R	88/96	R	167	L/R	S	261	150	5	6	10,5	168	L	S	241	130	6	6	10,5			
GPZ 600 R Ninja	85/88	R	170	L	S	271	130	5	6	10,5	-	-	-	-	-	-	-	-			
KLR 600	84/94	E	185	L	S	250	130	4	9	10,5	Drum	-	-	-	-	-	-	-			
KLR 600 S	90/92	E	185	L	S	250	130	4	9	10,5	Drum	-	-	-	-	-	-	-			
ZL 600	86/94	C	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-			
ZX 600 C1-C10 Ninja R	88/90	R	170	L/R	S	271	130	5	6	10,5	-	-	-	-	-	-	-	-			
ZX 6R 600	05/07	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R 600 Ninja	95/97	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	175 / 175X	R	S / X	230	100	6	4	10,5			
ZX 6R 600 Ninja	98/02	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R 600 Ninja	03/04	R	ND / NA	L/R	F00,0	280	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R Ninja	07/11	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R Ninja	12/13	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6RR 600 Ninja	05/06	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZZR 600 Ninja	90/92	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	175 / 175X	R	S / X	230	100	6	4	10,5			
ZZR 600 Ninja	93/06	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	637	R	S	240	100	5,5	4	10,5			
636 c.c.											636 c.c.										
ZX 6R 636 Ninja	02	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R 636 Ninja	03/04	R	ND / NA	L/R	F00,0	280	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZX 6R 636 Ninja	05/13	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
650 c.c.											650 c.c.										
ER 6f / ER 6n 650 Non ABS	06/13	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ER 6f / ER 6n 650 ABS	12/13	R	1056X	L/R	FX00,0	300	80	5	5	10,5	-	-	-	-	-	-	-	-			
F 650	06	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
KL 650 Tengai	90/91	U	-	-	-	-	-	-	-	-	091 / 091X	R	S / X	230	120	5	6	10,5			
KLR 650	87/89	U	1389	L	S	260	130	4,5	9	10,5	091 / 091X	R	S / X	230	120	5	6	10,5			
KLR 650	90/07	U	694	L	S	280	130	4	9	10,5	091 / 091X	R	S / X	230	120	5	6	10,5			
KLR 650	08/12	U	694	L	S	280	130	4	9	10,5	-	R	X	240	-	-	-	-			
KLR 650 Tengai	-	T	694	L	S	280	130	4	9	10,5	-	-	-	-	-	-	-	-			
KLR 650 Tengai	89/92	T	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	091 / 091X	R	S / X	230	120	5	6	10,5			
KLX 650	93/97	T	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	094	R	S	230	100	4,5	6	10,5			
KLX 650 R	93/95	T	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	-	-	-	-	-	-	-	-			
KLX 650 R	96	T	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	138 / 138X	R	S / X	220	100	4,5	6	6,5			
KLX 650 R	97/01	T	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	6,5	094	R	S	230	100	4,5	6	10,5			
KLX 650 S	93/97	T	093	L	S	290	100	4	4	10,5	094	R	S	230	100	4,5	6	10,5			
Ninja 650 R	06/08	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
Versys 650 Non ABS	07/13	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
Versys 650 ABS	12/13	R	1056X	L/R	FX00,0	300	80	5	5	10,5	-	-	-	-	-	-	-	-			
Versys City / Tourer 650 / ABS	07/11	R	1056 / 1056X	L/R	F00,0 / FX00,0	300	80	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
750c.c.											750c.c.										
GPZ 750 Turbo	83/85	R	687	L/R	S	280	130	4,5	6	10,5	151	R	S	260	130	5,5	6	10,5			
GPZ 750 Turbo	87	R	687	L/R	S	280	130	4,5	6	10,5	-	-	-	-	-	-	-	-			
GPZ 750 Unitrak	83/88	R	170	R	S	271	130	5	6	10,5	151	R	S	260	130	5,5	6	10,5			
GPZ 750 R	85/87	R	170	L/R	S	271	130	5	6	10,5	-	-	-	-	-	-	-	-			
GPX 750 R	86/90	R	-	-	-	-	-	-	-	-	637	R	S	240	100	5,5	4	10,5			
VN 750 Vulcan	98	C	1272	L/R	S	260	130	5	7	10,5	Drum	-	-	-	-	-	-	-			
Z 750	03/06	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
Z 750	07/12	R	1056X / 1056	L/R	FX00,0 / F00,0	300	80	5	5	10,5	1218X	R	X	250	110	5	4	10,5			
Z 750 E1 / E1L / Turbo	84/86	R	687	L/R	S	280	130	4,5	6	10,5	170	R	S	271	130	5	6	10,5			
Z 750 R / ABS	11/12	R	1056X / 1056	L/R	FX00,0 / F00,0	300	80	5	5	10,5	1218X	R	X	250	110	5	4	10,5			
Z 750 S	04/06	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
Z 750 Urban Sport Edition	10/11	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	1218X	R	X	250	110	5	4	10,5			
Zephyr 750	91/94	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	-	-	-	-	-	-	-	-			
Zephyr 750	92/97	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	175 / 175X	R	S / X	230	100	6	4	10,5			
ZR 750	98/03	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	637	R	S	240	100	5,5	4	10,5			
ZR 750	04/06	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	100 / 100X	R	S / X	220	100	4 / 4,3	4	10,5			
ZR 750 S	99/03	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	637	L	S	240	100	5,5	4	10,5			
ZS 750	05/06	R	750 / 750X	L/R	F13,2 / FX13,2	300	61	5	5	10,5	-</										

51

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit



																			
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KTM Austria 1 / 5										KTM									
All models with front down suspension 2007 / 2011										Todos los modelos con suspension invertida 2007 / 2011									
50 c.c.										50 c.c.									
EXC 50	97	A	072	L	S	240	72	3,5	4	6,5	073	R	S	185	70	3,5	6	6,5	
EXC 50	99/00	A	114	L	S	240	72	3,5	6	6,5	127	R	S	185	45	3,5	5	6,5	
Kross 50	94/99	A	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-	-	-	-	-	-	
SX 50	08/11	A	1374X	L	X	160	72	3	4	6,5	1375X	R	X	140	45	3	5	6,5	
SX 50	12/13	A	1374X	L	X	160	72	3	4	6,5	1375X	R	X	140	45	3	5	6,5	
60 c.c.										60 c.c.									
SX 60	99/00	M	178	L	S	198	-	3	3	6,5	-	-	-	-	-	-	-	-	
65 c.c.										65 c.c.									
SX 65	98/13	M	1025 / 1025X	L	S / X	200	89	3	3	6,5	1026 / 1026X	R	S / X	160	45,5	3	4	6,5	
XC 65	08	M	1025 / 1025X	L	S / X	200	89	3	3	6,5	1026 / 1026X	R	S / X	160	45,5	3	4	6,5	
80 c.c.										80 c.c.									
MX 80	00/02	M	178	L	S	198	-	3	3	6,5	1026 / 1026X	R	S / X	160	45,5	3	4	6,5	
85 c.c.										85 c.c.									
XC 85	07/09	M	1029 / 1029X	L	S / X	220	95	3	4	6,5	1030 / 1030X	R	S / X	200	110	3,5	4	6,5	
SX 85	03	M	178	L	S	198	-	3	3	6,5	-	-	-	-	-	-	-	-	
SX 85 - 17/14 & 19/16"	03/10	M	1029 / 1029X	L	S / X	220	95	3	4	6,5	1030 / 1030X	R	S / X	200	110	3,5	4	6,5	
SX 85	11/13	M	1029 / 1029X	L	S / X	220	95	3	4	6,5	1281X	L	X	210	110	4	4	6,5	
SX 85 19/16"	13	M	1324XK20	L	KFX00,0	260	95	3	4	6,5	1281X	R	X	210	110	4	4	6,5	
105 c.c.										105 c.c.									
SX 105	04/08	M	1029 / 1029X	L	S / X	220	95	3	4	6,5	1030 / 1030X	R	S / X	200	110	3,5	4	6,5	
XC 105	08	M	1029 / 1029X	L	S / X	220	95	3	4	6,5	1030 / 1030X	R	S / X	200	110	3,5	4	6,5	
ELECTRIC										ELECTRIC									
Freeride . E	12/13	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	1281X	R	X	210	110	4	4	6,5	
125 c.c.										125 c.c.									
125 Duke	11/13	R	1310	L	S	280	60,5	4	6	8,5	1311	R	S	230	104	4	6	10,5	
EGS 125	93/97	E	139	L	S	240	-	3,7	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 125	90/97	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	-	-	-	-	-	-	-	-	
EXC 125	98/99	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 125	00/09	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 125 Six Days	07/08	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 125 / EXC 125 Six Days	09/14	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
GS 125	90/92	E	139	L	S	240	-	3,7	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
GS 125	93/97	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
MX 125	88/91	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5	
MX 125	92	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5	
SX 125	90/92	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	-	-	-	-	-	-	-	-	
SX 125	93/97	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	-	-	-	-	-	-	-	-	
SX 125	98/99	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SX 125	00/08	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SX 125	09/14	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
SXS 125	00/08	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SXS 125	09/10	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
144 c.c.										144 c.c.									
SX 144	09/10	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
150 c.c.										150 c.c.									
SX 150	07/08	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SX 150	09/14	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
200 c.c.										200 c.c.									
200 Duke	12/13	R	1310	L	S	280	60,5	4	6	8,5	1311	R	S	230	104	4	6	10,5	
EXC 200	98/99	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 200	00/09	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 200	10/14	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
MXC 200	98/03	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SX 200	03/08	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
SX 200	09	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
XC 200 W	06/09	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
250 c.c.										250 c.c.									
EGS 250	88/89	M	-	-	-	-	-	-	-	-	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 250	90/93	E	150	L	S	220	110	4	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
EXC 250	94/99	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice


M/IDE TYPE: R: Tourism/Racing / Street / Sport / Naked - C: Custom/Touring - H: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utility - T: Trial - F: Supermotard / Supermoto - B: Bicycle

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - G:
S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with



53



KTM Austria 3 / 5																	KTM									
All models with front down suspension 2007 / 2011																	Todos los modelos con suspension invertida 2007 / 2011									
			725 / 725X / 725SPK11 730K11	L	KF / KFX / KFSF KF00,0	320/318 320	127	5 4	6	6,5																
380 c.c.																	380 c.c.									
MXC 380	98/01	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SX 380	98/02	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
390 c.c.																	390 c.c.									
390 Duke	13	R	1310	L	S	280	60,5	4	6	8,5	1311	R	S	230	104	4	6	10,5								
400 c.c.																	400 c.c.									
EGS 400	96/99	T	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC 400	94/06	E	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC 400	07/09	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC 400	10/11	E	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
EXC G 400	04/06	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC 400 Six Days	07/09	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC LC4 400	94/03	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
LC4 400 EGS	96/02	E	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	-	-	-	-	-	-	-	-								
SC 400 4T	98/00	M	-	-	-	-	-	-	-	-	141 / 141X	L	S / X	220	110	4,2	6	6,5								
SX 400 4T	00/02	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5								
XC 400 W	07/09	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
450 c.c.																	450 c.c.									
EXC 450	03/09	E	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
EXC 450	10/13	E	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
EXC 450 R	08/09	E	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
EXC 450 Six Days	08/13	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
MXC 450	03/06	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SMR 450	05/08	F	1224X	L	FX00,0	310	127	5	6	6,5	-	-	-	-	-	-	-	-								
SX 450 F	03/07	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SX 450 F	08/10	M	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
SX-F 450	11/14	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
SXS 450	03/08	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SXS 450	09/10	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
SXS 450 F	03/08	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SXS 450 F	09/10	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
XC 450	07/09	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
XC 450 F	07/09	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
XC 450 G	06	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
XC 450 W	07/09	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
499 c.c.																	499 c.c.									
EXC 499 / EXC 499 Six Days	08/09	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
500 c.c.																	500 c.c.									
EXC 500 F	11/13	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
EXC 500 Six Days	11/13	E	140X / 140 / 140FX	L	X / S / FX00,0	260	-	3 / 3,5 / 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
MX 500	83/91	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
MX 500	92/11	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
SX 500	93/11	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
505 c.c.																	505 c.c.									
SX 505 F	07/08	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SX 505 F	09	M	140X / 140 / 140FX	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5 / 3 3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5								
XC 505 F	07/09	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
520 c.c.																	520 c.c.									
SC 520 4T	98/00	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5								
MXC 520 4T	01/02	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SX 520 4T	00/02	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
SX 520 4M	01/02	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3 / 3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5								
525 c.c.																	525 c.c.									
EXC 525	03/08	E	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								
MXC 525 4T	03/05	M	140 / 140X / 140FX	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3 / 3 3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5								



KTM Austria 4 / 5										KTM									
All models with front down suspension 2007 / 2011										Todos los modelos con suspension invertida 2007 / 2011									
525 c.c.										525 c.c.									
SMR 525	05	F	1224X	L	FX00,0	310	127	5	6	6,5	-	-	-	-	-	-	-	-	
SX 525	03/06	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5
XC 525 G	06/08	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
XC 525 W	06/08	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
530 c.c.										530 c.c.									
EXC 530	10/11	E	140X / 140 / 140FX 1254XK17	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5	3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5
EXC 530 Sixdays	09	E	140X / 140 / 140FX 1254XK17	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5	3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5
EXC 530 R	08/09	E	140X / 140 / 140FX 1254XK16	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5	3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5
540 c.c.										540 c.c.									
SX 540	99/00	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
SXC 540	99/00	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
SXS 540	01/06	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
560 c.c.										560 c.c.									
SMR 560	06/08	F	1224X	L	FX00,0	310	127	5	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5	
600 c.c.										600 c.c.									
GS 600 4T	93/11	E	140X / 140 / 140FX 1254XK16	L	X / S / FX00,0 KFX00,0	260 270	-	3 / 3,5	3	6	6,5	129X / 129 / 129SP	R	X / S / SP	220	110	4,2	6	6,5
LC4 600 Enduro	91/92	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
MX 600	92	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
620 c.c.										620 c.c.									
Adventure 620	97/98	E	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
LC4 620	94/96	E	139	L	S	240	-	3,7	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
LC4 620 Adventure	97/00	E	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	-	-	-	-	-	-	-	-	
LC4 620 EGS	96/02	E	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	-	-	-	-	-	-	-	-	
LC4 4T Super Competicion	98/01	E	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
LC4 SXC 4T Super Moto	00/01	F	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5
SX LC 4 620	90/94	M	140 / 140X / 140FX	L	S / X / FX00,0	260	-	3,5 / 3	3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5
625 c.c.										625 c.c.									
LC4 625 Super Competicion	02	E	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	129 / 129X / 129SP	L	S / X / SP	220	110	4,2	6	6,5
SXC 625	03/08	M	140 / 140X / 140FX 1254XK16	L	S / X / FX00,0 KFX00,0	260 270	-	3,5 / 3	3	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5
640 c.c.										640 c.c.									
Duke 2	99/06	U	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	129 / 129X / 129SP	L	S / X / SP	220	110	4,2	6	6,5	
LC4 Adventure 640	98/07	U	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
LC4 EGS 4T Enduro	99/07	E	725 / 725X / 725SP 730	L	F / FX00,0 / FSP F00,0	320/318 320	127	5 4	6	6,5	-	-	-	-	-	-	-	-	
LC4 EGS 4T Supermotard	98/03	F	-	-	-	-	-	-	-	-	141 / 141X	L	S / X	220	110	4,2	6	6,5	
LC4 EGS 4T	04/06	E	-	-	-	-	-	-	-	-	129 / 129X / 129SP	R	S / X / SP	220	110	4,2	6	6,5	
LC4 SMC 4T Supermoto	03/06	F	725 / 725X / 725SP 730	L	F / FX00,0 / FSP F00,0	320/318 320	127	5 4	6	6,5	141 / 141X	L	S / X	220	110	4,2	6	6,5	
660 c.c.										660 c.c.									
660 Rally	99/03	T	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	-	L	-	-	-	-	-	-	
Duke 690 / ABS	08/11	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
690 c.c.										690 c.c.									
Duke 690 / ABS	08/13	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Duke 690 EJC	12/13	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Duke 690 R	11	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Enduro 690 R	08/13	E	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	1172X	R	X	240	111	4	6	6,5	
Superduke 690	07/08	U	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
SM 690	07	F	725 / 725X / 725SP 730	L	F / FX00,0 / FSP F00,0	320/318 320	127	5 4	6	6,5	1337	R	S	240	111	5	6	6,5	
SMC 690	09/11	F	1060X / 1060	L/R	FX10,5 / F10,5	320	64	5	6	8,5	1337	R	S	240	111	5	6	6,5	
SMC 690 R	12/13	F	725 / 725X / 725SP 730	L	F / FX00,0 / FSP F00,0	320/318 320	127	5 4	6	6,5	1337	R	S	240	111	5	6	6,5	
Supermoto 690	07/08	F	-	-	-	-	-	-	-	-	1172X	R	X	240	111	4	6	6,5	
Supermoto 690 R	08	F	1060X / 1060	L	F10,5 / FX10,5	320	64	5	6	8,5	1172X	R	X	240	111	4	6	6,5	
Supermoto Prestige 690	07/08	F	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1172X	R	X	240	111	4	6	6,5	
950 c.c.										950 c.c.									
LC8 Adventure 950	02/07	U	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	1172X	R	X	240	111	4	6	6,5	
Super Enduro 950 R	06/08	E	1043 / 1043FX	L	S / FX00,0	300	127	4	6	6,5	1172X	R	X	240	111	4	6	6,5	
Supermoto 950	05/07	F	1369	L/R	F10,0	305	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
990 c.c.										990 c.c.									
Adventure 990 ABS	12	U	1043FX	L	FX00,0	300	127	5	6	6,5	-	-	-	-	-	-	-	-	
LC8 Adventure 990 ABS	06/08	U	-	-	-	-	-	-	-	-	1172X	R	X	240	111	4	6	6,5	
LC8 Adventure 990 S	06/11	U	1043 / 1043FX	L	S / FX00,0	300	127	4 / 5	6	6,5	1172X	R	X	240	111	4	6	6,5	
LC8 Supermoto 990	07/08	F	-	-	-	-	-	-	-	-	1171X	R	X	240	107,5	5	5	8,5	
SM R 990	08/12	F	1369	L/R	F10,0	305	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
SM T 990	09/12	F	1369	L/R	F10,0	305	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Superduke 990 / R	05/13	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Supermoto 990	07/11	F	1369	L/R	F10,0	305	64	5	6	8,5	1171X	R	X	240	107,5	5	5	8,5	
Supermoto 990 R	12/13	F	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	

FRONT										REAR													
NG		YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	NG		YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
KTM Austria 5 / 5										KTM													
All models with front down suspension 2007 / 2011										Todos los modelos con suspension invertida 2007 / 2011													
1190 c.c.										1190 c.c.													
Adventure 1190 / R 12/13 U 725 / 725X / 725SP 730 L/R F / FX00,0 / FSP F00,0 320/318 127 5 6 6,5										- R S - - - - -													
RC8 / RC8R 1190 07/13 R 1060 / 1060X L/R F10,5 / FX10,5 320 64 5 6 8,5										1368 R S 220 88,9 5 5 9,5													
KYMCO Taiwan 1 / 2										KYMCO													
50 c.c.										50 c.c.													
Agility One 50 08/09 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Agility 50 2T 05/12 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Agility Carry 50 12/13 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Agility City 50 08/12 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										Drum - - - - -													
Agility 2T / 4T R16 50 08/12 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										Drum - - - - -													
Agility 50 RS 09/12 S 1390X L X / S 200 58 4 3 10,5										Drum - - - - -													
Bet & Win 50 01/02 S 612 L S 220 58 4 5 6,5										Drum - - - - -													
Bet & Win 50 03/04 S 086 / 086X R S / X 220 58 4 5 10,5										Drum - - - - -													
CX 50 93 S 108 L S 160 58 4 3 10,5										- - - - -													
CX Super 50 94 S 108 L S 160 58 4 3 10,5										Drum - - - - -													
CX 50 Curio Super 94/98 S 108 L S 160 58 4 3 10,5										- - - - -													
Dink 50 98/01 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Dink 50 LC 99/02 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
Dink 50 Classic Euro 03 S 086 / 086X R S / X 220 58 4 5 10,5										- - - - -													
DJS 50 12/13 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Fever 50 ZX 99 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
Filly LX Scooter 01 S 108 L S 160 58 4 3 10,5										- - - - -													
Heroism 50 95/99 S 108 L S 160 58 4 3 10,5										Drum - - - - -													
K12 50 95/99 S 108 L S 160 58 4 3 10,5										- - - - -													
KB 50 95/00 S 108 L S 160 58 4 3 10,5										Drum - - - - -													
Like 50 2T / 4T 09/13 S 1345 L S 220 89,5 4 5 10,5										Drum - - - - -													
People 50 99 S 285 L S 226 60 3,5 3 9										Drum - - - - -													
People 50 00/03 S 158 L S 226 60 3,5 3 10,5										Drum - - - - -													
People S 50 05/08 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										Drum - - - - -													
People S 50 4T 06/08 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										Drum - - - - -													
Scout 50 98 S 108 L S 160 58 4 3 10,5										Drum - - - - -													
Sniper 50 DT/DD 94/98 S 108 L S 160 58 4 3 10,5										183 L S 160 60 3,5 4 6,5													
Super 9 50 00 S - - - - -										1010X / 1011 R X / S 180 58 4 3 10,5													
Super 9 50 06/07 S 1072 R S 210 58 4 3 10,5										1010X / 1011 R X / S 180 58 4 3 10,5													
Super 9 50 AC Sports 08/09 S 1072 R S 210 58 4 3 10,5										Drum - - - - -													
Top Boy 50 97/00 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
Vitality 50 08 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
Yup 50 00/09 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
90 c.c.										90 c.c.													
Yup 90 00 S 1009X / 1011 L X / S 180 58 4 3 10,5										- - - - -													
125 c.c.										125 c.c.													
Agility 125 06/08 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Agility Carry 125 12 S 1009X / 1011 L X / S 180 58 4 3 10,5										Drum - - - - -													
Agility City 125 09/12 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										1238 / 1238X R S / X 240 87,5 3,8 5 10,5													
Agility R16 125 08/12 S 1009X / 1011 L X / S 180 58 4 3 10,5										240 / 240X R S / X 240 89 5 5 10,5													
Agility 125 RS 09/12 S 1390X L X / S 200 58 4 3 10,5										Drum - - - - -													
Bet & Win 125 00/02 S 086 / 086X R S / X 220 58 4 5 10,5										095 / 095X R S / X 200 58 4 5 10,5													
Bet & Win 125 03/05 S - - - - -										095 / 095X R S / X 200 58 4 5 10,5													
Dink 125 96/01 S 1010X / 1011 R X / S 180 58 4 3 10,5										1009X / 1011 L X / S 180 58 4 3 10,5													
Downtown 125 i 09/12 S 1222X R FX00,0 260 58 4 5 10,5										240 / 240X R S / X 240 89 5 5 10,5													
Grand Dink 125 02/13 S 086 / 086X R S / X 220 58 4 5 10,5										095 / 095X R S / X 200 58 4 5 10,5													
Heroism 125 95/97 S 108 L S 160 58 4 3 10,5										Drum - - - - -													
KTR 125 - R 1221 R S 276 58 4 5 6,5										- - - - -													
Like 125 09/13 S 1345 L S 220 89,5 4 5 10,5										1346 R S 200 89,5 4 5 10,5													
Movie 125 XL 01/02 S 086 / 086X R S / X 220 58 4 5 10,5										Drum - - - - -													
NSR 125 - R 1221 R S 276 58 4 5 6,5										- - - - -													
People 125 99/00 S 158 L S 226 60 3,5 3 10,5										Drum - - - - -													
People GTI 125 10/11 S 1093 / 1093X R S / X 260 87,5 4 5 10,5										- - - - -													
People GTI 125 12/13 S 1317 R S 260 120 5 5 10,5										1317 R S 260 120 5 5 10,5													
People S 125 07/11 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										1093 / 1093X R S / X 260 87,5 4 5 10,5													
Quannon 125 06/11 R 1221 R S 276 58 4 5 6,5										- - - - -													
Super Dink 125 i / ABS 09/12 S 1222X R FX00,0 260 58 4 5 10,5										240X / 240 R X / S 240 89 5 5 10,5													
150 c.c.										150 c.c.													
Agility 150 R16 08/12 S 1093 / 1093X R S / X 260 87,5 4 5 10,5										240 / 240X R S / X 240 89 5 5 10,5													
Bet & Win 150 00/02 S 086 / 086X R S / X 220 58 4 5 10,5										095 / 095X R S / X 200 58 4 5 10,5													
Dink 150 Classic 02 S 086 / 086X R S / X 220 58 4 5 10,5										095 / 095X R S / X 200 58 4 5 10,5													
Dink 150 97/01 S 1010X / 1011 R X / S 180 58 4 3 10,5										1009X / 1011 L X / S 180 58 4 3 10,5													
Grand Dink 150 01/02 S 086 / 086X R S / X 220 58 4 5 10,5										- - - - -													
Heroism 150 95/97 S 108 L S 160 58 4 3 10,5										183 L S 160 60 3,5 4 6,5													
KTR 150 - R 1221 R S 276 58 4 5 6,5										- - - - -													
Movie 150 XL 01/02 S 086 / 086X R S / X 220 58 4 5 10,5										Drum - - - - -													
NSR 150 - R 1221 R S 276 58 4 5 6,5										- - - - -													
People 150 99/00 S 158 L S 226 60 3,5 3 10,5										Drum - - - - -													
Quannon 150 10/11 R 1221 R S 276 58 4 5 6,5										- - - - -													
200 c.c.										200 c.c.													
Agility City 200 i 12 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										1238 / 1238X R S / X 240 87,5 3,8 5 10,5													
Dink Classic 200 03/08 S 086 / 086X R S / X 220 58 4 5 10,5										1010X / 1011 R X / S 180 58 4 3 10,5													
Downtown 200 i 10/11 S 1222X R FX00,0 260 58 4 5 10,5										240 / 240X R S / X 240 89 5 5 10,5													
Like 200 09/13 S 1345 L S 220 89,5 4 5 10,5										1346 R S 200 89,5 4 5 10,5													
People GTI 200 10/11 S 1093 / 1093X R S / X 260 87,5 4 5 10,5										- - - - -													
People S 200 / S 200 i 05/11 S 1093 / 1093X L S / X 260 87,5 4 5 10,5										1093 / 1093X R S / X 260 87,5 4 5 10,5													
250 c.c.										250 c.c.													
Bet & Win 250 00/02 S 086 / 086X R S / X 220 58 4 5 10,5										095 / 095X R S / X 200 58 4 5 10,5													

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

M/IDE TYPE: R: Tourism/Racing / Street / Sport / Naked - C: Custom/Touring - H: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utility - T: Trial - F: Supermotard / Supermoto - B: Bicycle

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - G:
S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit





KYMCO Taiwan 2 / 2													KYMCO												
250 c.c.													250 c.c.												
Grand Dink 250	01→	S	086 / 086X	R	S / X	220	58	4	5	10,5			095 / 095X	R	S / X	200	58	4	5	10,5					
People LC 250	03/04	S	1093 / 1093X	L	S / X	260	87,5	4	5	10,5			1093 / 1093X	R	S / X	260	87,5	4	5	10,5					
People S 250 i	06/10	S	1093 / 1093X	L/R	S / X	260	87,5	4	5	10,5			1093 / 1093X	R	S / X	260	87,5	4	5	10,5					
Xciting 250 / Xciting 250 i	04/08	S	1066 / 1066X	L/R	S / X	260	105	5	5	10,5			1067 / 1067X	R	S / X	240	124	5	5	10,5					
Venox 250	03/08	S	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Yup 250	03	S	086 / 086X	R	S / X	220	58	4	5	10,5			095 / 095X	R	S / X	200	58	4	5	10,5					
300 c.c.													300 c.c.												
Downtown 300 i / ABS	09/13	S	1222X	R	FX00,0	260	58	4	5	10,5			240 / 240X	R	S / X	240	89	5	5	10,5					
People S 300 i	08/10	S	1093 / 1093X	L/R	S / X	260	87,5	4	5	10,5			1093 / 1093X	R	S / X	260	87,5	4	5	10,5					
K-XCT 300 i	13	S	1066X / 1066	L/R	X / S	260	105	5	5	10,5			1067 / 1067X	R	S / X	240	124	5	5	10,5					
Super Dink 300 i / ABS	09/13	S	1222X	R	FX00,0	260	58	4	5	10,5			240 / 240X	R	S / X	240	89	5	5	10,5					
Xciting 300 i R	08/11	S	1066X / 1066	L/R	X / S	260	105	5	5	10,5			1067X / 1067	R	X / S	240	124	5	5	10,5					
500 c.c.													500 c.c.												
Xciting 500	04/09	S	1066 / 1066X	L/R	S / X	260	105	5	5	10,5			1067 / 1067X	R	S / X	240	124	5	5	10,5					
Xciting 500 i R ABS	07/13	S	1066X / 1066	L/R	X / S	260	105	5	5	10,5			1067X / 1067	R	X / S	240	124	5	5	10,5					
LAVERDA Italy													LAVERDA												
650 c.c.													650 c.c.												
Formula 650	95/96	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			-	-	-	-	-	-	-	-	-	-	-	-	
Formula 650	97/01	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			416	R	S	245	115	6	6	8,5					
Ghost / Gost Legend / Ghost Strike	96/99	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Sport 650	95/96	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			-	-	-	-	-	-	-	-	-	-	-	-	
Sport 650	97/01	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			416	R	S	245	115	6	6	8,5					
Ghost / Sport 650	96/97	R	-	-	-	-	-	-	-	-			636 / 636X	R	S / X	245	115	5	6	8,5					
668 c.c.													668 c.c.												
Diamante 668	96/98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Ghost / Gost Legend / Ghost Strike	96/99	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
750 c.c.													750 c.c.												
Black Strike 750	00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Carenata 750 S	98/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Diamante 750	98/99	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Mono Legend 750	98/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
S Formula 750	97	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
S Formula 750	98/01	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			636 / 636X	R	S / X	245	115	5	6	8,5					
Sport 750	97/98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Strike 750	98/01	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			636 / 636X	R	S / X	245	115	5	6	8,5					
Strike Bifaro 750	98/00	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
Super Sport 750	99/00	R	-	-	-	-	-	-	-	-			028	R	S	245	115	4	6	8,5					
800 c.c.													800 c.c.												
T-8	98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
TSS 800	99	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5			028	R	S	245	115	4	6	8,5					
LIFAN China													LIFAN												
125 c.c.													125 c.c.												
JD Star 125	-	S	1201X	R	FX22,0	220	58	4	3	8,5			1312X	-	X17,0	190	58	4	3	8,5					
150 c.c.													150 c.c.												
LF 150 T-6	-	S	1201X	R	FX22,0	220	58	4	3	8,5			1312X	-	X17,0	190	58	4	3	8,5					
260 c.c.													260 c.c.												
VOG 260	-	S	1266X	R	X	243	115	4	6	8,5			1393X	R	X	230	116	5	3	8,5					
300 c.c.													300 c.c.												
Mainstreet 300	-	S	1266X	R	X	243	115	4	6	8,5			1393X	R	X	230	116	5	3	8,5					
AG Elegance 300	-	S	1266X	R	X	243	115	4	6	8,5			-	-	-	-	-	-	-	-	-	-	-	-	
AG DD 300	-	S	1266X	R	X	243	115	4	6	8,5			-	-	-	-	-	-	-	-	-	-	-	-	
MACAL Portugal													MACAL												
50 c.c.													50 c.c.												
Big Warrior	95/96	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			-	-	-	-	-	-	-	-	-	-	-	-	
Flash	95/97	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			-	-	-	-	-	-	-	-	-	-	-	-	
Thunder	95/96	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5			-	-	-	-	-	-	-	-	-	-	-	-	
Trofeu RVE 50	96	H	-	-	-	-	-	-	-	-			376	R	S	185	45	4	4	8,5					
MACBOR Spain													MACBOR												
50 c.c.													50 c.c.												
XC 510 Racing	06/11	M	668	L	S	184	46	3	5	6,5			426	R	S	150	45	3	5	6,5					
XC 512 Pro	06/11	M	668	L	S	184	46	3	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
XC 515 R6V	06/11	M	700	L	S	184	-	3	4	6,5			389	R	S	150	45	3	4	6,5					
MALAGUTI Italy 1 / 2													MALAGUTI												
50 c.c.													50 c.c.												
Centro SL / Centro SL Cat	97/00	S	130	R	S	200	97	4	5	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Ciak Master 2T / 4T	07/08	S	1100	L	S	230	105	4	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Ciak 50 Twin Disc	99/01	S	1100	L	S	230	105	4	6	6,5			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					
Ciak 50 Electric Power	00	S	339	L	S	200	58	4	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Crosser CR1	97/98	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			Drum	-	-	-	-	-	-	-	-	-	-	-	
Crosser EL	99/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			Drum	-	-	-	-	-	-	-	-	-	-	-	
Drakon 50	05/06	S	024	R	F00,0	280	108	4	7	6,5			610	R	S	200	96,5	4	5	6,5					
Drakon 50	07	S	-	-	-	-	-	-	-	-			042	R	S	220	57	4	5	6,5					
F12 Phantom 50	00	S	339	L	S	200	58	4	3	8,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
F12 Phantom / Phantom LC	94/97	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			Drum	-	-	-	-	-	-	-	-	-	-	-	
F12 Digit / Foggy Replica	00	S	339	L	S	200	58	4	3	8,5			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					
F12 Spectrum 50	00	S	339	L	S	200	58	4	3	8,5			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					
F12 Fire Fox 50 TDS	99	S	339	L	S	200	58	4	3	8,5			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9,5					
F15 Fierefox	96/97	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			Drum	-	-	-	-	-	-	-	-	-	-	-	
F15 Fierefox	98/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					
Fifty Elly Star 50	89	S	310	R	S	220	105	3,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Fifty Evolution 50	91	S	310	R	S	220	105	3,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Fifty Full CX 50	87	S	310	R	S	220	105	3,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Fifty Mistral 50 / Top 50	87	S	310	R	S	220	105	3,5	6	6,5			Drum	-	-	-	-	-	-	-	-	-	-	-	
Firefox 50 F15 DT	96/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					
Phantom LC	94/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9			665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9					



MALAGUTI Italy 2 / 2													MALAGUTI												
50 c.c.													50 c.c.												
Phantom KAT / F12 KAT LC	94/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9							
Phantom 50 F12 R	08/09	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9							
Phantom 50 TD	94/03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9							
RST 50 Sport	88	H	310	R	S	220	105	3,5	6	6,5	-	-	-	-	-	-	-	-							
X3M Enduro	07/08	A	837	L	T	240	108	3,5	6	6,5	-	-	-	-	-	-	-	-							
X3 Motard Extreme	07/08	A	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	-	-	-	-	-	-	-	-							
XSM Supermotard 50	04	A	119	L	S	240	118	3,5	4	6,5	836	R	T	218	62	3,5	3	8,5							
XSM Supermotard 50	05/09	A	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	836	R	T	218	62	3,5	3	8,5							
XTM Enduro 50	04/09	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5							
100 c.c.													100 c.c.												
Ciak 100 TD	99/00	S	1100	L	S	230	105	4	6	6,5	665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9							
Phantom F12 100 TDS	99/03	S	339	L	S	200	58	4	3	8,5	665 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9							
125 c.c.													125 c.c.												
Centro 125 ie	07/10	S	686	L	S	270	90	4	6	6,5	451	L	S	220	105	4	4	10,5							
Ciak 125	04	S	1100	L	S	230	105	4	6	6,5	Drum	-	-	-	-	-	-	-							
Madison 125 / Madison R 125	99/03	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
Madison 3 125	08/09	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
F18 Warrior 125	00	S	1098	L	S	220	60	4	3	8,5	339	R	S	200	58	4	3	8,5							
Phantom MAX 125	99/06	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
Ciak 150	00	S	1100	L	S	230	105	4	6	6,5	Drum	-	-	-	-	-	-	-							
F18 Warrior 150	00	S	1098	L	S	220	60	4	3	8,5	339	R	S	200	58	4	3	8,5							
Madison 150 T	99/03	S	717	L/R	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
160 c.c.													160 c.c.												
Centro 160 ie	07/08	S	686	L	S	270	90	4	6	6,5	451	L	S	220	105	4	4	10,5							
180 c.c.													180 c.c.												
Madison 180 R	01/02	S	717	L/R	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
200 c.c.													200 c.c.												
Madison 200 S	03	S	717	L/R	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
Phantom MAX 200	04/05	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
250 c.c.													250 c.c.												
Madison 250 S	99/02	S	707	L	S	240	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
Madison RS 250	04/05	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
Password CK 250	05/09	S	686	L	S	270	90	4	6	6,5	1034	R	S	240	105	4	5	6,5							
Phantom MAX 250	06	S	717	L	S	220	89,6	4	6	6,5	717	R	S	220	89,6	4	6	6,5							
400 c.c.													400 c.c.												
Madison 400	01	S	707	R	S	240	89,6	4	6	6,5	707	R	S	240	89,6	4	6	6,5							
Madison K400	02/03	S	686	L	S	270	90	4	6	6,5	707	R	S	240	89,6	4	6	6,5							
Madison 400 Black Rider	02	S	686	L	S	270	90	4	6	6,5	707	R	S	240	89,6	4	6	6,5							
500 c.c.													500 c.c.												
Spider MAX 500 GT /RS	05/08	S	686	L/R	S	270	90	4	6	6,5	1087	L	S	260	120	4	6	6,5							
MBK France 1 / 2													MBK												
50 c.c.													50 c.c.												
Booster Next Generation 50	96/97	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster Next Generation 50	01/04	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							
Booster Road 50 / Spirit 50	93/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-							
Booster Spirit 50	99	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster NaKed 50-12" wheels	08/09	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster NG 50	95/03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							
Booster Rocket 50	96	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster Rocket 50	97/98	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster Rocket / Track 50	99/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							
Booster Spirit 50	96/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-							
Booster Spirit 50	99/04	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster Track 50	96	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Booster Track 50	97/98	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
CW RS Booster Next Generation	01/06	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							
Evolis 50	92/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-							
F1 50 Assistance	01	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							
Fizz 50	94/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-							
Flipper Kat 50	98/03	S	084	L	S	220	88	4	3	8,5	Drum	-	-	-	-	-	-	-							
Forte 50	94/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-							
Match G 50	02/03	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-							
New Generation 50	95	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-							
Nitro 50	97/04	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Nitro 50	04/06	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Nitro EU2 50	03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Nitro F1 Assistance 50	01	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Nitro 50 Jaguar Racing	04	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Nitro 50 Naked	00	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	10,5							
Ovetto 50	97/10	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-							
Slider 50	-	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	-	-	-	-	-	-	-	-							
Stunt 50	00/06	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-							



MBK France 2 / 2														MBK			
50 c.c.														50 c.c.			
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
Stunt Naked 50	05/10	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-
Targhet 50	91/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
Track 50	95	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-
X Power 50	00/01	S	401	R	S	282	132	4	6	8,5	388	R	S	203	84	4,5	4 8,5
X Limit 50	00/02	A	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-
X Limit 50 / X Limit Enduro 50	03/05	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3 8,5
X Limit SM 50	03	A	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	836	R	T	218	62	3,5	3 8,5
X Power 50	03/05	S	289	L	S	280	155	4	5	6,5	609	R	S	220	102	4	5 6,5
80 c.c.														80 c.c.			
Evolis 80	94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-
100 c.c.														100 c.c.			
Nitro 100	00/03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3 10,5
Ovetto 100	99/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7 / 3,7	3	8,5	Drum	-	-	-	-	-	-
Booster 100	99/02	S	-	-	-	-	-	-	-	-	Drum	-	-	-	-	-	-
125 c.c.														125 c.c.			
Doodo 125	00/02	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-
Skyliner 125 DT	98	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-
Skyliner 125 DD	99/03	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3 8,5
Thunder 125	01	S	1099	L	S	245	80	4	6	8,5	774	R	S	220	102	5	5 8,5
150 c.c.														150 c.c.			
Doodo 150	00/02	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-
Skyliner 150	98/99	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-
Skyliner 150	00/03	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3 8,5
Skyliner 150 R	01	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3 8,5
Thunder 150	01	S	1099	L	S	245	80	4	6	8,5	774	R	S	220	102	5	5 8,5
180 c.c.														180 c.c.			
Skyliner 180	03	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3 8,5
250 c.c.														250 c.c.			
Skyliner 250	00/03	S	028	R	S	245	115	4	6	8,5	689	R	S	230	116	5	3 8,5
300 c.c.														300 c.c.			
Kilbre 300	03/04	S	1359	R	S	270	129	5	5	8,5	1124	R	S	240	92	5	4 8,5
MECATECNO Spain														MECATECNO			
50 c.c.														50 c.c.			
School Boy	-	U	035 / 332	L	SP / S	185	103	3,5	-	-	-	-	-	-	-	-	-
MEGELLI Italy														MEGELLI			
125 c.c.														125 c.c.			
125 R	05/09	R	801 / 1103 / 1068	L	T / F / FSP00,0	300	90	4	6	6,5	802	R	T	180	57	4	6 6,5
MH Spain 1 / 2														MH			
50 c.c.														50 c.c.			
City 50	03	H	728	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6 6,5
Furia 50	96	A	336	L	S	220	108	3,5	6	6,5	020	R	S	180	60	3,5	6 6,5
Furia 50	97/01	A	336	L	S	220	108	3,5	6	6,5	077	R	S	180	103	3,5	-
Furia 50	02	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3 10,5
Furia 50	03/05	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3 10,5
Furia Euro 1	02	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3 10,5
Furia Max 50	05	A	-	-	-	-	-	-	-	-	079	R	S	180	62	3,5	3 10,5
Furia Max 50	06	A	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6 6,5
Furia Max 50	07/08	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3 10,5
Furia Max 50	09/11	A	8024	L	T	240	90	3,5	6	6,5	-	-	-	-	-	-	-
Furia Max 50 SM	07/08	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3 10,5
Furia 50 Supermotard	97/01	A	336	L	S	220	108	3,5	6	6,5	077	R	S	180	103	3,5	-
Furia 50 Supermotard	02	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3 10,5
Furia 50 SM "Integral wheel"	05	A	728	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6 6,5
Furia 50 SM "Spokes wheel"	03/05	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3 10,5
Kn2 50 LC	12/13	R	8023	L	T	300	90	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6 6,5
KR Cross 50	95	A	336	L	S	220	108	3,5	6	6,5	020	R	S	180	60	3,5	6 6,5
MH10 50 LC	12/13	A	8019 / 1327	L	T / S	280	108	4	6	6,5	213	R	S	220	62	3,5	3 10,5
MH10 50 LC Supermotard	12/13	A	8019 / 1327	L	T / S	280	108	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6 6,5
Rolling Bull 50	97	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6 15,5
RX 50 Super Racing	00/06	H	342	L	S	260	90	3,5	6	6,5	343 / 8022	R	S / T	220	57	3,5 / 4	6 6,5
RX 50 R	07/13	H	8023	L	T	300	90	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6 6,5
RYZ 50 Enduro	05/13	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
RYZ 50 Supermotard	05/13	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
RYZ 50 Urban Bike	06	A	342	L	S	260	90	3,5	6	6,5	729	R	S	200	57	3,5	6 6,5
RYZ 50 Urban Bike	07/08	A	8019 / 1327	L	T / S	280	108	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6 6,5
RYZ 50 Pro Enduro	12/13	A	8019 / 1327	L	T / S	280	108	4	6	6,5	916	R	T	200	58	4	6 6,5
RYZ 50 Pro Racing	06	A	342	L	S	260	90	3,5	6	6,5	343 / 8022	R	S / T	220	57	3,5 / 4	6 6,5
RYZ 50 Pro Racing	07/08	A	8019 / 1327	L	T / S	280	108	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6 6,5
RYZ 50 Pro Super motard	12/13	A	8019 / 1327	L	T / S	280	108	4	6	6,5	916	R	T	200	58	4	6 6,5
Sport 6 50	99	H	342	L	S	260	90	3,5	6	6,5	343 / 8022	R	S / T	220	57	3,5 / 4	6 6,5
XP6 50	06	A	-	-	-	-	-	-	-	-	8025	R	T	180	58	3,5	6 6,5
XP6 50 P UP	10/11	A	8024	L	T	240	90	3,5	6	6,5	-	-	-	-	-	-	-
XPS Track 50	06/07	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
XP7	11	A	8024	L	T	240	90	3,5	6	6,5	916	R	T	200	58	4	6 6,5
YR11	11	A	8024	L	T	240	90	3,5	6	6,5	916	R	T	200	58	4	6 6,5
125 c.c.														125 c.c.			
Arena 125 Enduro	05	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
Arena 125 Supermoto	05	F	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
Duna 125	12/13	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
Duna 125 Hard Road Eco	10	E	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
Duna 125 Revolution	07/09	E	728	L	S	260	90	3,5	6	6,5	8022 / 343	R	T / S	220	57	3,5 / 4	6 6,5
Duna 125 Revolution	12/13	E	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5
Duna Revolution Dual Plus	08	E	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3 10,5

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected

FRONT												REAR											
NG		YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø				
MH Spain 2 / 2												MH											
125 c.c.												125 c.c.											
Duna Revolution Sport City	08	E		275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5				
Kn2 125 LC	12/13	R		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	4 / 3,5	6	6,5				
MH7 LC 125	12/13	R		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	4 / 3,5	6	6,5				
MH7 125 Naked	07/13	R		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	4 / 3,5	6	6,5				
MH10 Pro 125 LC Enduro	12/13	E		8019 / 1327	L	T/S	280	108	4	6	6,5	213	R	S	220	62	3,5	3	10,5				
MH10 Pro 125 LC SM	12/13	F		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	3,5 / 4	6	6,5				
RX 125 R	07/13	R		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	4 / 3,5	6	6,5				
RYZ 125	02	R		275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5				
RYZ 125 Pro Racing	07/08	R		729	L	S	200	57	3,5	6	6,5	213	R	S	220	62	3,5	3	10,5				
250 c.c.												250 c.c.											
MH7 250 LC	12/13	R		8023	L	T	300	90	4	6	6,5	8022 / 343	R	T/S	220	57	4 / 3,5	6	6,5				
MONDIAL Italy												MONDIAL											
50 c.c.												50 c.c.											
XR7 50	99	H		023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-				
MONSTER PRO Australia												MONSTER PRO											
150 c.c.												150 c.c.											
150	-	A		1307X	-	X	220	76	4	4	11	1308X	-	X	190	76	4	4	8,5				
160 c.c.												160 c.c.											
160	-	A		1307X	-	X	220	76	4	4	11	1308X	-	X	190	76	4	4	8,5				
MONTESA Spain												MONTESA											
250 c.c.												250 c.c.											
Cota 4RT	05/06	T		627	L	S	184	-	3,5	4	15,5	607	R	S	150	46	2,5	4	6,5				
Cota 4RT / Repsol Race	07/11	T		627	L	S	184	-	3,5	4	15,5	905	R	S	150	45	2,5	4	6,5				
Cota 4RT	12/13	T		627	L	S	184	-	3,5	4	15,5	905	R	S	150	45	2,5	4	6,5				
Cota Evasión 250	95/96	T		062	L	S	185	72	4	6	15,5	061	R	S	185	45	3,5	5	6,5				
307 c.c.												307 c.c.											
Cota 307	87	T		247	L	S	185	60	4	6	14,5	242	R	S	175	45	4	6	6,5				
Cota	88	T		-	-	-	-	-	-	-	-	245	-	S	150	45	4	6	6,5				
Cota	89	T		-	-	-	-	-	-	-	-	244	-	S	150	45	4	5	6,5				
Cota	90	T		246	L	S	185	45	4	5	6,5	252	-	S	150	45	3,5	5	6,5				
310 c.c.												310 c.c.											
Cota 310	90/91	T		062	L	S	185	72	4	6	15,5	062	R	S	185	72	4	6	15,5				
Cota 310 / 311	95/96	T		062	L	S	185	72	4	6	15,5	063	R	S	150	45	3	5	6,5				
Cota 311	92	T		-	-	-	-	-	-	-	-	252	R	S	150	45	3,5	5	6,5				
315 / 335 c.c.												315 / 335 c.c.											
Cota 314 R	95/96	T		062	L	S	185	72	4	6	15,5	063	R	S	150	45	3	5	6,5				
Cota 315 R	97/00	T		260	L	S	185	72	4	6	15,8	261	R	S	150	46	3	5	10,5				
Cota 315 R	00/03	T		355	L	S	184	72	4	6	15,5	356	R	S	150	46	3	5	10,5				
Cota 315 R	04	T		627	L	S	184	-	3,5	4	15,5	607	R	S	150	46	2,5	4	6,5				
Cota 335	86/87	T		-	-	-	-	-	-	-	-	242	R	S	175	45	4	6	6,5				
MOTO GUZZI Italy												MOTO GUZZI											
750 c.c.												750 c.c.											
Breva 750 IE / Classic	03	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Nevada 750	12/13	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
V7 / V7 Stone / V7 Special / V7 Racer	12/13	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
850 c.c.												850 c.c.											
Breva 850	06	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Griso 850	06/08	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Norge T GTL 850	07/08	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
936 c.c.												936 c.c.											
Bellagio Deluxe	12/13	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
1000 c.c.												1000 c.c.											
Centaurio 1000 V10	96	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Centaurio GT V10 / SV10	99/00	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Daytona 1000 I.E.	91/94	R		404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	-	-	-	-	-	-	-	-				
Daytona 1000 I.E.	95	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Daytona 1000 RS	94/00	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
1100 c.c.												1100 c.c.											
Breva 1100 IE	05/07	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
California 1100 EV	96/00	C		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
California EV Special	97/03	C		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
California Jackal	01/06	C		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Griso 1100	05/08	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Sport 1100 IE	96	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Sport Corsa 1100	98/99	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
V10 Centaurio 1100 Sport	99	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
V11 GT / Sport / Le Mans	97/05	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
1151 c.c.												1151 c.c.											
Norge 1151 GT 8V	12/13	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
1200 c.c.												1200 c.c.											
Breva 1200 ABS	08/09	R		1290 / 1290X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Griso 1200 8V / SE	07/13	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Norge 1200 T-GTL	06/09	R		1290 / 1290X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Sport 1200	06/07	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Sport 1200 8V	08/13	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Sport 1200 ABS	06/07	R		1290 / 1290X	L	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
Stelvio 1200 / 8V / 8V NTX	08/13	R		1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-				
MOTO MARTIN France												MOTO MARTIN											
50 c.c.												50 c.c.											
Tir 50	07/08	S		023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-				
MOTO MORINI Italy 1 / 2												MOTO MORINI											
1060 c.c.												1060 c.c.											
Corsaro 9 1/2 / 1060	07/08	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1007	R	S	220	87	5	4	8,5				
1200 c.c.												1200 c.c.											
Corsaro 1200 / 1200 Veloce	05/13	R		1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	1007	R	S	220	87	5	4	8,5				

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

M/IDE TYPE: R: Tourism / Racing / Street / Sport / Naked - C: Custom / Touring - H: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utility / UTV - T: Trial - F: Supermotard / Supermoto - B: Bicycle

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit





MOTO MORINI Italy 2 / 2											MOTO MORINI										
1200 c.c.											1200 c.c.										
Granpasso 1200	08	U	ND / NA	L/R	-	298	223	5	6	8,5	1106	R	S	255	87	5	4	8,5			
Scrambler 1200	09/10	R	-	-	-	-	-	-	-	-	1173	R	S	255	87	5	5	8,5			
MOTOR UNION											MOTOR UNION										
125 c.c.											125 c.c.										
Maxi 125	99	-	1011 / 1011X	-	S / X	180	58	4	3	10,5	-	-	-	-	-	-	-	-			
150 c.c.											150 c.c.										
Maxi / Midi 150	99	-	1011 / 1011X	-	S / X	180	58	4	3	10,5	-	-	-	-	-	-	-	-			
MOTRON											MOTRON										
50 c.c.											50 c.c.										
RZ1 50 ES	89/94	H	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
Spike 50 S	98	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
Synco 50	99	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
ZR Thunder 50	95	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
MTR											MTR										
125 c.c.											125 c.c.										
ZB 125 T-7	05/07	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-			
MZ Germany											MZ										
50 c.c.											50 c.c.										
Moskito FB 50	97/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
Moskito SX 50	00/03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
125 c.c.											125 c.c.										
RT 125	99/02	R	149	R	S	280	105	4	6	6,5	150	R	S	220	110	4	6	6,5			
1000 c.c.											1000 c.c.										
1000 S	01/03	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-			
OSSA Spain											OSSA										
280 c.c.											280 c.c.										
TR 280 i	09/11	T	649	L	S	185	-	3	4	6,5	650 / 650X	R	S / X	150	45	3	4	6,5			
TR 280 i	11/13	T	1244	L	S	185	-	2,5	4	8,0	1245	R	S	150	45	2,5	4	8,0			
Explorer 280 i	12/13	U	649	L	S	185	-	3	4	6,5	1314	-	S	180	45	3	4	6,5			
PEUGEOT France 1 / 2											PEUGEOT										
50 c.c.											50 c.c.										
Buxy 50 / RS 50	95/97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Elyseo 50	99/02	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Elyseo 50	03	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	176	C	S	180	58	3,5	3	8,5			
Elystar 50	-	S	367	L	S	180	58	3,5	3	11,7	176	C	S	180	58	3,5	3	8,5			
Elystar 50	01	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-			
Elystar 50 / Elystar 50 i	02/03	S	306	L	S	226	58	4	3	11,5	1145	C	S	210	58	4	3	8,5			
Elystar 50 TSDI	03	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-			
Jet C - Tech 50	06	S	306	L	S	226	58	4	3	11,5	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	9			
Jet C - Tech 50	-	S	-	-	-	-	-	-	-	-	1234 / 1234X	L	S / X	226	70	4	5	8,5			
Jet C - Tech 50	12/13	S	1234X	L	X	226	70	4	5	8,5	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	9			
Jet Force 50	02	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-			
Kisbee 50 / Kisbee 50 RS	07/11	S	1140X	L	X	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Kisbee 50 / Kisbee 50 RS Zone	12/13	S	1363	L	S	170	46	4	3	8,5	Drum	-	-	-	-	-	-	-			
Looxor 50 2T	01/02	S	1078	L	S	226	105	4	5	6,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5			
Looxor 50 2T	03/07	S	1078	L	S	226	105	4	5	6,5	-	-	-	-	-	-	-	-			
Looxor 50 TSDI 2T	01/06	S	1078	L	S	226	105	4	5	6,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5			
Ludix 50	05/07	S	1188X	L	X	155	42	3	3	8,5	Drum	-	-	-	-	-	-	-			
Ludix Blaster / Blaster R-Cup	08/09	S	1140X	L	X	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Elegance	08/09	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	9	Drum	-	-	-	-	-	-	-			
Ludix 50 One 2 Sitzler	08/09	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Pro / EP	12/13	S	1140X	L	X	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Snake	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Snake	-	S	1188X	L	X	155	42	3	3	8,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Snake	08/09	S	1120X	L	X	155	42	3	3	6,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Trend	08/09	S	1140X	L	X	170	42	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Ludix 50 Trend	03	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
Metal X 50	02/03	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Speedake 50	95/01	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Speedfight 50 Air Kat / H2o	97/99	S	176	C	S	180	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Speedfight 2 50 L / 2 50 N	01/02	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5			
Speedfight X Team Air / LC	99/00	S	176	C	S	180	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Speedfight 50 X Pro	99/00	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5			
Speedfight 50 Prost	99/00	S	176	C	S	180	58	3,5	3	8,5	-	-	-	-	-	-	-	-			
Speedfight 2 50	08	S	1122X	L	X	180	58	3,7	3	9	-	-	-	-	-	-	-	-			
Speedfight 2 50 L	01/07	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5			
Speedfight 2 50 N / 2 50 ND	01/02	S	176	C	S	180	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Speedfight 2 R-Cup 50	08	S	1122X	L	X	180	58	3,7	3	9	-	-	-	-	-	-	-	-			
Speedfight 2 Ultimate Edition	08	S	1122X	L	X	180	58	3,7	3	9	-	-	-	-	-	-	-	-			
Speedfight 2 X Race L/N/ND	01/02	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5			
Speedfight 3 2T/ Dark side AC/LC	09/13	S	1356X	L	X	215	74	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Squab 50 / Squab 50 Junior	95/01	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
SV 50 Geo / SV 50 Executive	91/99	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
SV 50T	92	S	ND / NA	L	S	155	39	4	5	6,5	Drum	-	-	-	-	-	-	-			
SVM 50	97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
Trekker Off Road / Street Board	98/02	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Trekker 50 Urban Black	00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
TKR 10 50	12	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
TKR 50	08/09	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Vivacity 50	99/02	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-			
Vivacity 50 2T	05/13	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
Vivacity 50 4T / 4T Sixties	10/13	S	1392	L	S	200	58	3,5	3	8,5	Drum	-	-	-	-	-	-	-			
V-Clic 50	08/13	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-			
X-Fight 50 Air / H2o / LC	00	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5			
XP-6 Aluminium hub	02	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5			



PEUGEOT France 2 / 2													PEUGEOT												
50 c.c.													50 c.c.												
XP-6 Supermotard	97/01	A	336	L	S	220	108	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
XP-6 Supermotard	05	A	080	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5	-	-	-	-	-		
XP-6 SM - Steel hub	02	A	336	L	S	220	108	3,5	6	6,5	098	R	S	180	62	3,5	3	10,5	-	-	-	-	-		
XP-6 SM - Aluminium hub	02	A	336	L	S	220	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-		
XP-6 50 Top Road	08/09	A	152	L	S	240	108	3,5	6	6,5	351	R	S	180	62	3,5	3	10,5	-	-	-	-	-		
XPS 50 Enduro	05/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	-	-	-	-	-		
XPS 50 Street	05	A	342	L	S	260	90	3,5	6	6,5	343 / 8022	R	S / T	220	57	3,5 / 4	6	6,5	-	-	-	-	-		
XPS 50 Supermotard	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	-	-	-	-	-		
XPS 50 Top Road Power-up	05	A	275	L	S	260	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	-	-	-	-	-		
XPS 50 Track	08/09	A	152	L	S	240	108	3,5	6	6,5	115	R	S	200	62	3,5	3	10,5	-	-	-	-	-		
XR-6	00	H	342	L	S	260	90	3,5	6	6,5	343 / 8022	R	S / T	220	57	3,5 / 4	6	6,5	-	-	-	-	-		
X-Fight 50	00/01	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5	-	-	-	-	-		
XR-7	08/12	A	8023	L	T	300	90	4	6	6,5	8022 / 343	R	T / S	220	57	4 / 3,5	6	6,5	-	-	-	-	-		
X-Race 50	02/05	S	-	-	-	-	-	-	-	-	1010X / 1011	C	X / S	180	58	4	3	10,5	-	-	-	-	-		
Zenith 50	92	S	ND / NA	L	-	155	39	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Zenith LM 50	95	S	ND / NA	L	-	155	39	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Zenith luxe 50	94	S	ND / NA	L	-	155	39	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
80 c.c.													80 c.c.												
SV 80L	95/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
100 c.c.													100 c.c.												
Elyseo 100	98/02	S	306	L	S	226	58	4	3	11,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Elyseo 100	03	S	306	L	S	226	58	4	3	11,5	176	C	S	180	58	3,5	3	8,5	-	-	-	-	-		
Looxor 100 SBC 2T	01/02	S	1078	L	S	226	105	4	5	6,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-		
Looxor 100 SBC 2T	03/07	S	1078	L	S	226	105	4	5	6,5	-	-	-	-	-	-	-	-	-	-	-	-			
Speedfight 100 / Prost	97/02	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5	-	-	-	-	-		
Speedfight 2 100 NT	97/02	S	176	C	S	180	58	3,5	3	8,5	176	C	S	180	58	3,5	3	8,5	-	-	-	-	-		
SV 100 Executive	97/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
SV Geo	98	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5	-	-	-	-	-	-	-	-	-	-	-	-			
SV 100 L	97/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Trekker 100 On Road	98	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Vivacity 100	99/00	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	9	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9	-	-	-	-	-		
125 c.c.													125 c.c.												
Elyseo 125	98/99	S	306	L	S	226	58	4	3	11,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Elyseo 125 T / RGT	98/04	S	306	L	S	226	58	4	3	11,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Elystar/ABS/Elystar Advantage	01/03	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
Geopolis 125 / RS	08/13	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
Geopolis City / Executive	06/07	S	1121	L	S	263	101	5	5	8,5	1177	L	S	226	126	4,5	5	6,5	-	-	-	-	-		
Geopolis City / Executive	08/09	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
Geopolis 125 Premium	06/07	S	1121	L	S	263	101	5	5	8,5	1177	L	S	226	126	4,5	5	6,5	-	-	-	-	-		
Geopolis 125 Premium	08	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
Jet Force 125 / Compressor	03	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
Jet Force 125	07	S	-	-	-	-	-	-	-	-	1145	L	S	210	58	4	3	8,5	-	-	-	-	-		
Looxor 125 SBC 4T	03/07	S	1078	L	S	226	105	4	5	6,5	-	-	-	-	-	-	-	-	-	-	-	-			
Satelis 125 / i / Avenue / RS	04/13	S	1121	L	S	263	101	5	5	8,5	1145	C	S	210	58	4	3	8,5	-	-	-	-	-		
Satelis 125 Compressor	06/13	S	1121	L	S	263	101	5	5	8,5	1145	R	S	210	58	4	3	8,5	-	-	-	-	-		
Satelis 125 K Blacksat	08/11	S	1121	L	S	263	101	5	5	8,5	1145	R	S	210	58	4	3	8,5	-	-	-	-	-		
Satelis 125 K Whitesat	10/11	S	1121	L	S	263	101	5	5	8,5	1145	R	S	210	58	4	3	8,5	-	-	-	-	-		
Sum up 125	09/12	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
SV 125 Executive	95/98	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9	Drum	-	-	-	-	-	-	-	-	-	-	-			
Tweet 125	12/13	S	1313X	L	X	226	58	4	5	10,5	1313X	L	X	226	70	4	5	8,5	-	-	-	-	-		
150 c.c.													150 c.c.												
Elystar/ABS/Elystar advantage	01/03	S	1234 / 1234X	L	S / X	226	70	4	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
Looxor 150 SBC 4T	03/07	S	1078	L	S	226	105	4	5	6,5	-	-	-	-	-	-	-	-	-	-	-	-			
250 c.c.													250 c.c.												
Geopolis 250	08/09	S	1121	L	S	263	101	5	5	8,5	1177	L	S	226	126	4,5	5	6,5	-	-	-	-	-		
Geopolis City / Executive	06/09	S	1121	L	S	263	101	5	5	8,5	1200	L	S	240	126	6	5	6,5	-	-	-	-	-		
Geopolis 250 Premium / RS	06/09	S	1121	L	S	263	101	5	5	8,5	1200	L	S	240	126	6	5	6,5	-	-	-	-	-		
Satelis 250	06/13	S	1121	L	S	263	101	5	5	8,5	1177	L	S	226	126	4,5	5	6,5	-	-	-	-	-		
Satelis 250 Premium	08/09	S	1121	L	S	263	101	5	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
Satelis 250 RS	06/09	S	1121	L	S	263	101	5	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
SV 250	01/07	S	364	L	S	240	105	4	4	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-		
300 c.c.													300 c.c.												
Geopolis / Geopolis RS / Satelis	12/13	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
Geostyle 300	12	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
400 c.c.													400 c.c.												
Geopolis 400	08/13	S	1121	L	S	263	101	5	5	8,5	1275	L	S	226	113	4,5	5	6,5	-	-	-	-	-		
Geopolis 400 Premium / RS	07/09	S	1121	L	S	263	101	5	5	8,5	1200	L	S	240	126	6	5	6,5	-	-	-	-	-		
Satelis 400 / RS	07/13	S	1121	L/R	S	263	101	5	5	8,5	1200	L	S	240	126	6	5	6,5	-	-	-	-	-		
500 c.c.													500 c.c.												
Geopolis 500	08	S	1121	L	S	263	101	5	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-			
Satelis 500 / Satelis 500 RS	07/13	S	1121	L/R	S	263	101	5	5	8,5	1200	L	S	240	126	6	5	6,5	-	-	-	-	-		
PGO Taiwan 1 / 2													PGO												
50 c.c.													50 c.c.												
Big Max 50	94/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Ligero 50 2T	06	S	340	L	S	190	40,6	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
Mega Fifty 50	99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
PMS 50	99	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-			
PMS 50	00/02	S	340	L	S	190	40,6	4	3	8,5</															



PGO Taiwan 2 / 2													PGO
50 c.c.													50 c.c.
Fly 4T 50	06	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Free 50	95/02	S	610	R	S	200	96,5	4	5	6,5	Drum	-	-
80 c.c.													80 c.c.
Big Max 80	95/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
110 c.c.													110 c.c.
PMS 110 / PMX 110	99/01	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	Drum	-	-
T-Rex 110	99/01	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	Drum	-	-
125 c.c.													125 c.c.
Charge 125	00/02	S	340	L	S	190	40,6	4	3	8,5	Drum	-	-
Ligero 125 4T	06	S	340	L	S	190	40,6	4	3	8,5	Drum	-	-
T-Rex 125	99/02	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	Drum	-	-
150 c.c.													150 c.c.
T-Rex 150	99/02	S	340	L	S	190	40,6	4	3	8,5	Drum	-	-
PIAGGIO 1 / 3													PIAGGIO
ELECTRIC													ELECTRIC
Liberty e-mail	12	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
50 c.c.													50 c.c.
Fly 50 2T / 4T	05/08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Fly 50 4T (China engine)	06/07	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Free 50 FL	95/02	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Free 50 Delivery	99/01	S	610	R	S	200	96,5	4	5	6,5	Drum	-	-
Liberty 50 2T	97/09	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 2T Sport	07/08	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 4T	00/09	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 2T / 4T	10/12	S	1090 / 1090X	L	S / X	240	105	4,5	6	6,5	Drum	-	-
Liberty 50 4T Delivery TNT	09	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 4T Sport	07/08	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 e-mail	12	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
Liberty 50 LE	97/02	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-
NTT 50	94/96	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-
NRG 50	93/01	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	-	-	-
NRG 50 DD	05/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-
NRG 50 DD	12	S	113 / 113X	L	S / X	220	105	4	6	6,5	233	L	S
NRG 50 DD / DT	94/96	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
NRG 50 DT	05/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-
NRG Extreme MC 2 DD/DT	96/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	233	L	S
NRG 50 Jet	03	S	-	-	-	-	-	-	-	-	233	L	S
NRG 50 Ferrari	97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
NRG 50 MC 3	94/99	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
NRG 50 MC 3 DD	01/03	S	365	L	S	220	58	4	5	6,5	233	L	S
NRG MC 3 DT AIR	01/02	S	365	L	S	220	58	4	5	6,5	233	L	S
NRG 50 Power Purejet	02/03	S	365	L	S	220	58	4	5	6,5	233	L	S
NRG 50 Power Purejet	04/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-
NRG 50 Purejet	04/10	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-
NRG 50 RSTMC2	96/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	233	L	S
NRG 50 Silver Bullet	10	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-
NTT 50	95/98	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
Quartz 50	96	S	130	L	S	200	97	4	5	6,5	Drum	-	-
Sfera 50 FL Rst	95/97	S	130	L	S	200	97	4	5	6,5	Drum	-	-
Sfera 50 FL Rst	98/99	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Stealth 50	98	S	612	L	S	220	58	4	5	6,5	-	-	-
Storm 50	94/97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
Typhoon 50	93/97	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-
Typhoon 50 2T 10" wheels	98/09	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-
Typhoon Benetton / Martini 50	97	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-
Typhoon X 50	98/99	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-
Typhoon XR 50	00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-
Vespa ET 2 50 / ET 2 i.e. 50	97/05	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa ET 4 50	96/05	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa LX 50 2T / 4T	05/11	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa LX 50 4T Touring	12/13	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa LXV 50 2T	07/09	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa LXV 50 2T Navy	08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa 50 S 2T	07/11	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Vespa S 50 2T Sport	12/13	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
Zip 50	95/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50	01/08	S	366	L	S	175	73	4	5	6,5	Drum	-	-
Zip 50 2T	00	S	233	L	S	175	73	4	5	6,5	Drum	-	-
Zip 50 4T	00/12	S	233	L	S	175	73	4	5	6,5	Drum	-	-
Zip 50 Base FD / Base TT	95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50 Catalyzed	00/02	S	233	L	S	175	73	4	5	6,5	Drum	-	-
Zip 50 Disco	96/99	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50 Electrico	00	S	233	L	S	175	73	4	5	6,5	Drum	-	-
Zip 50 Fast Rider	93/00	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50 Sport Fast Rider	93	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50 RST	96/97	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-
Zip 50 SP	96/08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
75 c.c.													75 c.c.
Sfera 75	96/99	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-
80 c.c.													80 c.c.
Skipper 80	96	S	130	L	S	200	97	4	5	6,5	Drum	-	-
Typhoon 80	97/98	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-
100 c.c.													100 c.c.
Diesis 100	03	S	087	L	S	190	62	3,5	3	10,5	Drum	-	-
Fly 100	06/08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utv / Urv - T: Trial - F: Supercross / Supersport - B: Bicycle
 S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electrica / Electric - G: Trikes
 SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)
 DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations
 XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



PIAGGIO 2/3											PIAGGIO										
100 c.c.											100 c.c.										
Free 100 4T	01/02	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
Zip 100	06/07	S	366	L	S	175	73	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
125 c.c.											125 c.c.										
Beverly 125	01/02	S	071	L	S	260	125	4	5	6,5	071	L	S	260	125	4	5	6,5	-	-	
Beverly 125	03/07	S	1001	L	S	260	125	5	5	6,5	1001	L	S	260	125	5	5	6,5	-	-	
New Beverly 125	12/13	S	-	L	S	300	-	-	-	-	-	-	-	240	-	-	-	-	-	-	
Carnaby 125 ES	07/08	S	1001	L	S	260	125	5	5	6,5	1001	R	S	260	125	5	5	6,5	-	-	
Fly 125	04/11	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Hexagon 125	94/97	S	1237	L	F6,0	175	73	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Hexagon GTX 125	00	S	610	L	S	200	96,5	4	5	6,5	610	L	S	200	96,5	4	5	6,5	-	-	
Hexagon LX 125 / LX4 125	98/99	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Liberty 125 2T	97/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
Liberty 125 4T	07/08	S	113 / 113X	L	S / X	220	105	4	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
Liberty 125 4T Delivery	08	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-	-	-	-	-	-	-	-	
Liberty 125 4T Sport	06/08	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-	-	-	-	-	-	-	-	
Liberty 4T / Liberty RST 4T	10/12	S	1090 / 1090X	L	S / X	240	105	4,5	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
MP3 125 Hibrido	09/10	S	1090 / 1090X	L/R	S / X	240	105	4,5	6	6,5	638	R	S	240	125	4,5	5	6,5	-	-	
MP3 125 / i.e.	06/09	S	1090 / 1090X	L/R	S / X	240	105	4,5	6	6,5	638	R	S	240	125	4,5	5	6,5	-	-	
MP3 125 RL	06/07	S	1090 / 1090X	L/R	S / X	240	105	4,5	6	6,5	638	R	S	240	125	4,5	5	6,5	-	-	
New Typhoon 125	12/13	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sfera 4T 125	95/97	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Skipper 125	93/97	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Skipper 125 LX	98/02	S	365	L	S	220	58	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Skipper 125 ST4T	00	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
SKR 125	96	S	612	L	S	220	58	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
SKR ST 125 4T	01/02	S	365	L	S	220	58	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Stealth 125	96	S	612	L	S	220	58	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
Super Hexagon GTX	01	S	638	L	S	240	125	4,5	5	6,5	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	
Super Hexagon GTX 11"/12"	00	S	130	L	S	200	97	4	5	6,5	130	L	S	200	97	4	5	6,5	-	-	
Typhoon 125	95/00	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Typhoon X-R 125	00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa ET 4 125	96/02	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa Granturismo 125 4T	03/07	S	113 / 113X	L	S / X	220	105	4	6	6,5	113 / 113X	R	S / X	220	105	4	6	6,5	-	-	
Vespa Granturismo 125 L	01/03	S	612	L	S	220	58	4	5	6,5	366	L	S	175	73	4	5	6,5	-	-	
Vespa GTS 125	07/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	113 / 113X	R	S / X	220	105	4	6	6,5	-	-	
Vespa GTS 4T Super 125	07/11	S	113 / 113X	L	S / X	220	105	4	6	6,5	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	
Vespa GTV 4T Navy	08	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-	-	-	-	-	-	-	-	
Vespa LX 125 i.e. 3 speed	05/13	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa LXV 4T 125	07/12	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa LXV 4T 125 Navy	08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa PX 125	96/11	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa PX 125	98/08	S	610	R	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa S 125 4T	07/08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
X7 125 / X7 Evo 125 ie	08/13	S	1001	L	S	260	125	5	5	6,5	638	R	S	240	125	4,5	5	6,5	-	-	
X8 125	04/09	S	1001	L	S	260	125	5	5	6,5	638	R	S	240	125	4,5	5	6,5	-	-	
X-Evo 125	07/11	S	1001	R	S	260	125	5	5	6,5	638	L	S	240	125	4,5	5	6,5	-	-	
X8 Street 125	06	S	1001	L	S	260	125	5	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
X9 125 4T	01/08	S	638	L/R	S	240	125	4,5	5	6,5	638	L	S	240	125	4,5	5	6,5	-	-	
X10 125 i.e. / X10 Executive	12/13	S	1344 (ND / NA)	L/R	S	280	-	-	-	-	1367 (ND / NA)	C	S	240	-	-	-	-	-	-	
Zip 125 4T	00/01	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
150 c.c.											150 c.c.										
Fly 150	04/08	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Hexagon 150	94/97	S	1237	L	F6,0	175	73	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Hexagon GTX 150	00	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Liberty 150 / Liberty 150 4T	00/03	S	113 / 113X	L	S / X	220	105	4	6	6,5	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	
Liberty 4T / Liberty RST 4T / Sport	08	S	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	-	-	-	-	-	-	-	-	
Skipper 150	93/97	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Skipper LXT 150	98/06	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Skipper ST 150 4T	00	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
SKR 150	01/02	S	612	L	S	220	58	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
Steakh 150	96	S	612	L	S	220	58	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
Vespa ET 4 150	96/02	S	130	L	S	200	97	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
Vespa Granturismo 150 4T	03/04	S	113 / 113X	L	S / X	220	105	4	6	6,5	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	
Vespa LX 150	05/08	S	130	L	S	200	97	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Vespa PX 150	96/11	S	610	L	S	200	96,5	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
X8 150 Street	06	S	1001	L	S	260	125	5	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
180 c.c.											180 c.c.										
Hexagon 180	94/96	S	1237	L	F6,0	175	73	4	5	6,5	Drum	-	-	-	-	-	-	-	-	-	
Hexagon LXT 180	98/01	S	610	L	S	200	96,5	4	5	6,5	-	-	-	-	-	-	-	-	-	-	
Super Hexagon GTX-11"	00	S	610	L	S	200	96,5	4	5	6,5	610	L	S	200	96,5	4	5	6,5	-	-	
Super Hexagon GTX-12"	01/03	S	638	L	S	240	125	4,5	5	6,5	113 / 113X	L	S / X	220	105	4	6	6,5	-	-	
X9 180 Amalfi 4T	00/03	S	638	L/R	S	240	125	4,5	5	6,5	638	L	S	240	125	4,5	5	6,5	-	-	
200 c.c.											200 c.c.										
Beverly 200	01	S	071	L	S	260	125	4	5	6,5	071	L	S	260	125	4	5	6,5	-	-	
Beverly 200	02/06	S	1001	L	S	260	125	5	5	6,5	1001	L	S	260	125	5	5	6,5	-		

59



RAV 150 c.c.												RAV 150 c.c.											
150	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
160 c.c.												160 c.c.											
160	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
RENAULT France 50 c.c.												RENAULT 50 c.c.											
Campus 50	03	S	665 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7 / 3,7	3	9		Drum	-	-	-	-	-	-	-	-	-	-	
125 c.c.												125 c.c.											
Fulltime 125 / Kouranos 125	03	S	291	L	S	220	60	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-	
Fulltime 150	03	S	291	L	S	220	60	4	5	6,5		-	-	-	-	-	-	-	-	-	-	-	
250 c.c.												250 c.c.											
Kouranos 250	03	S	290	L	S	220	102	4	5	8,5		717	-	S	220	89,6	4	6	6,5				
REBEL MASTER 125 c.c.												REBEL MASTER 125 c.c.											
RV 125	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
140 c.c.												140 c.c.											
RM 140	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
160 c.c.												160 c.c.											
160 Pole	-	R	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
RM 160	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
RX 160	-	M	1307X	-	X	220	76	4	4	11		1308X	-	X	190	76	4	4	8,5				
RIEJU Spain 1 / 2 50 c.c.												RIEJU 50 c.c.											
Crosser 50 CR 1	95/98	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5		Drum	-	-	-	-	-	-	-	-	-	-	
Drac 50	92/96	A	336	L	S	220	108	3,5	6	6,5		Drum	-	-	-	-	-	-	-	-	-	-	
Drac 50 DL / Drac 50 Trail	93/94	A	336	L	S	220	108	3,5	6	6,5		-	-	-	-	-	-	-	-	-	-	-	
Drac 50 RR	94/96	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
Drac 50 AM	98/99	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
First 50	96	S	074	L	S	180	34	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	
First 50 H ₂ O	97/99	S	007 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	9,5		Drum	-	-	-	-	-	-	-	-	-	-	
MRT / MRT Supermotard 50	09/11	A	1242	L	S	220	108	3,5	6	7,5		351	R	S	180	62	3,5	3	10,5				
MRT 50	12/13	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRT 50 / MRT 50 Supermotard	12	H	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRT 50 Supermoto	12/13	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5		303 / 1022 / 1022X	R	S / MD / MDX	190	58	4 / 3,7	3	8,5				
MRT 50 Pro	12	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRT 50 Pro Competition	12	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5		-	-	-	220	-	-	3	-				
MRT 50 Pro Supermotard	12	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRT 50 SM Racing	12/13	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRX 50	03/06	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRX 50 Pro	05/06	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
MRX 50 Pro	07/08	A	698	L	T	300	108	4	6	6,5		844	R	T	200	62	4	3	8,5				
NKD 50	04/05	H	837	L	T	240	108	3,5	6	6,5		-	-	-	-	-	-	-	-	-	-	-	
NKD 50	07/08	H	865	R	T	280	90	4	6	6,5		829	R	T	220	57	4	5	6,5				
PRO 50	06	A	-	-	-	-	-	-	-	-		916	R	T	200	58	4	6	6,5				
RJ 50 Supermotard	99/01	F	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RJ Spike Supermotard	01	F	341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RJ Spike Racing Pro	02/03	A	341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 AM 5	97	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 AM 6 Automix	97/01	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 AM 6 Supermotard	97/98	F	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 Castrol Series	99/01	A	341	L	S	260	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 Sport Edition	04	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RR 50 Sport Edition	05/08	A	336	L	S	220	108	3,5	6	6,5		368	R	S	200	80	3,5	3	8,5				
RR 50 Thunderfire	99/00	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
RRX 50	07/08	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
RRX 50 Spike	07/09	A	915	L	T	260	90	4	6	6,5		916	R	T	200	58	4	6	6,5				
RRX 50 Spike	08/09	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
RS 50 Sport	12/13	S	1009X / 1011	L	X / S	180	58	4	3	10,5		1009X / 1011	L	X / S	180	58	4	3	10,5				
RS 1 50 AM	95/96	H	015	L	S	220	45	3,5	4	8,5		016	R	S	185	45	4	4	8,5				
RS 1 50 Castrol Series	99	H	318	L	S	260	105	3,5	6	6,5		368	R	S	200	80	3,5	3	8,5				
RS 1 50 Castrol Series	01	H	318	L	S	260	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5				
RS 1 50 Evolution	97/98	H	310	L	S	220	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5				
RS 1 50 Evolution	99/01	H	318	L	S	260	105	3,5	6	6,5		311	R	S	199	57	3,5	5	6,5				
RS 2 50 FR	07/08	H	865	R	T	280	90	4	6	6,5		829	R	T	220	57	4	5	6,5				
RS 2 50 Matrix	03	H	024	R	F00,0	280	108	4	7	6,5		042	R	S	220	57	4	5	6,5				
RS 2 50 Matrix	04	H	822	R	T	280	108	4	7	6,5		829	R	T	220	57	4	5	6,5				
RS 2 Matrix / Matrix Pro	05/09	H	865	R	T	280	90	4	6	6,5		829	R	T	220	57	4	5	6,5				
RS 2 50 NKD	04/05	H	822	R	T	280	108	4	7	6,5		829	R	T	220	57	4	5	6,5				
RS 2 NKD / RS 2 Pro	06	H	865	R	T	280	90	4	6	6,5		829	R	T	220	57	4	5	6,5				
RS 3 / RS 3 Pro	12/13	H	1327	R	S	280	108	4	6	6,5		487	R	S	220	62	3,5	3	8,5				
SMX 50	01/04	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
SMX 50 FR	08	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
SMX 50 PRO	07/08	A	866 / 867	L	T	300	108	4 / 3,5	6	6,5		844	R	T	200	62	4	3	8,5				
SMX 50 / Supermotard	06	A	915	L	T	260	90	4	6	6,5		916	R	T	200	58	4	6	6,5				
Tango 50	12	A	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8,5				
Tango 50 / Racing / Motard	07/11	A	1242	L	S	220	108	3,5	6	7,5		014 / 844	R	S / T	200	62	4	3	8,5				
Tango 50 / Racing / Motard	11	A	1242	L	S	220	108	3,5	6	7,5		1286	R	S	200	62	4	3	10,5				
Windy 50	95/99	S	015	L	S	220	45	3,5	4	8,5		010	R	S	185	80	3,5	3	8,5				
80 c.c.												80 c.c.											
MR 80 Pro	95	A	-	-	-	-	-	-	-	-		010	R	S	185	80	3,5	3	8,5				
RR 80	97	A	336	L	S	220	108	3,5	6	6,5		010	R	S	185	80	3,5	3	8,5				
125 c.c.												125 c.c.											
Marathon / Supermotard	08/11	F	013 / 828	L	S / T	260	108	4	6	6,5		014 / 844	R	S / T	200	62	4	3	8				

67

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit



FRONT										REAR									
NG	YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	
SHERCO Spain 2 / 2										SHERCO									
250 c.c.										250 c.c.									
2,5 Trial	02/09	T	012	L	S	185	-	3	4	10,5	011	R	S	150	45	2,8	4	6,5	
2,5 i Enduro	06/08	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 250 i / SE 250 i R	12/14	E	1269X	L	X	256	120	3	4	10,5	263X / 263XSP	R	X / XSP	220	112	4	4	9,5	
SE 2,5 i / SE 2,5 i - Fr	09/10	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 2,5 F / SX 2,5 i	09	M	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
ST 250	12/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	
SX 2,5 i F Racing	09/11	M	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
290 c.c.										290 c.c.									
2,9 Trial	99	T	258	L	S	185	72	3	6	15,8	259	R	S	150	45	3	5	6,5	
2,9 Trial	00/01	T	278	L	S	185	-	3	6	15,5	279	R	S	145	45	3	5	6,5	
Technische Daten X-Ride	12/13	E	840 / 193 / 193X	L	T / S / X	260	108	3,5	6	6,5	871	R	T	180	62	4	3	10,5	
2,9 Trial	02/08	T	012	L	S	185	-	3	4	10,5	011	R	S	150	45	2,8	4	6,5	
ST 2,9	09/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	
X-Ride 290	11/13	E	193 / 193X	L	S / X	260	108	3,5	6	6,5	238 / 238X	R	S / X	218	62	3,5	3	10,5	
300 c.c.										300 c.c.									
SE 3,0 i - F	09/10	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 3,0 i R	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 300 i R	12/14	E	1269X	L	X	256	120	3	4	10,5	263X / 263XSP	R	X / XSP	220	112	4	4	9,5	
ST 3,0	11/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	
Cabestany Replica	12/13	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	
320 c.c.										320 c.c.									
3,2 Trial 4T	05/08	T	012	L	S	185	-	3	4	10,5	011	R	S	150	45	2,8	4	6,5	
450 c.c.										450 c.c.									
4,5 i 4t	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
4,5 i 4t	06/09	E	722 / 722X / 722SP	L	F / FX00,0 / FSP	320	120	5	4	8,5	683	R	S	240	112	4	4	10,5	
SE 4,5 i-F Supermotard	05/10	E	722 / 722X / 722SP	L	F / FX00,0 / FSP	320	120	5	4	8,5	683	R	S	240	112	4	4	10,5	
SE 4,5 i-F / SE F / SE i R	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
510 c.c.										510 c.c.									
5,1 i 4t	03/05	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 5,1 i-F Supermotard	06/10	E	722 / 722X / 722SP	L	F / FX00,0 / FSP	320	120	5	4	8,5	683	R	S	240	112	4	4	10,5	
SE 5,1 i / R	09/12	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SE 5,1 F	09	E	682	L	S	270	120	3,5	4	10,5	683	R	S	240	112	4	4	10,5	
SIAMOTO										SIAMOTO									
50 c.c.										50 c.c.									
Bingo 50	99	S	452	L	S	155	40,6	4	3	8,5	Drum	-	-	-	-	-	-	-	
Falkon 50	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4	4	8,5	
Mat 50	99/02	S	452	L	S	155	40,6	4	3	8,5	Drum	-	-	-	-	-	-	-	
Top Racing 50	99/02	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	
100 c.c.										100 c.c.									
Mat 100	99/02	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	
Top Racing 100	99/00	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-	-	
125 c.c.										125 c.c.									
Bingo 125	99	S	452	L	S	155	40,6	4	3	8,5	-	-	-	-	-	-	-	-	
Capri 125	98/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5	
Falkon 125	98/00	S	424	R	S	220	42	3,5	4	8,5	376	R	S	185	45	4	4	8,5	
150 / 180 c.c.										150 / 180 c.c.									
Capri 150 4T / Capri 180	00/02	S	423	R	S	180	62	3,5	3	6,5	428	L	S	180	64	3,5	3	6,5	
SIDE BIKE										SIDE BIKE									
180 c.c.										180 c.c.									
Side Bike	95/00	-	-	-	-	-	-	-	-	-	480	-	S	210	30	4	6	6,5	
SUMCO										SUMCO									
125 c.c.										125 c.c.									
Manga125	09/10	S	1201X	R	FX22,0	220	58	4	3	8,5	1312X	-	X17,0	190	58	4	3	8,5	
SUNL										SUNL									
150 c.c.										150 c.c.									
Moped Scooter 150	-	S	1201X	R	FX22,0	220	58	4	3	8,5	1312X	-	X17,0	190	58	4	3	8,5	
SUNRIGHT										SUNRIGHT									
260 c.c.										260 c.c.									
Aeolus Classic 260	-	S	1266X	-	X	243	115	4	6	8,5	-	-	-	-	-	-	-	-	
300 c.c.										300 c.c.									
Aeolus 300	-	S	1266X	-	X	243	115	4	6	8,5	-	-	-	-	-	-	-	-	
SUZUKI Japan 1 / 4										SUZUKI									
50 c.c.										50 c.c.									
Address 50 / Adress 50 R	91/92	S	ND / NA	L	-	156	34	3	3	10,5	Drum	-	-	-	-	-	-	-	
Address R 50	95/02	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
Address R7 50	96/98	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
Address RF 50	96/99	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
DR Big 50	92/02	C	336	L	S	220	108	3,5	6	6,5	Drum	-	-	-	-	-	-	-	
Estilete 50	00/02	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
Katana 50	97/03	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
Katana 50 Racing	98	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
Katana 50 Racing	99/02	S	074	L	S	180	34	4	3	10,5	181	L	S	190	64	4	4	10,5	
Katana 50 Replica Movistar	01/02	S	074	L	S	180	34	4	3	10,5	181	L	S	190	64	4	4	10,5	
Katana 50 W	99/03	S	074	L	S	180	34	4	3	10,5	181	L	S	190	64	4	4	10,5	
RMX 50	97/02	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5	
SMX 50	99/02	A	116	L	S	220	-	3,5	6	15,5	117	R	S	185	-	3,5	6	15,5	
TR 50 S Street Magic	98/00	A	280	L	S	180	38	4	3	10,5	Drum	-	-	-	-	-	-	-	
Zillion UX 50	99/03	S	074	L	S	180	34	4	3	10,5	Drum	-	-	-	-	-	-	-	
65 c.c.										65 c.c.									
RM 65	03/05	M	1143 / 1143X	L	S / X	180	79	3	4	9,5	1143 / 1143X	R	S / X	180	79	3	4	9,5	
80 c.c.										80 c.c.									
RM 80	86/01	M	754	L	S	200	100	3,5	3	6,5	760	R	S	184	85	3,5	4	6,5	

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utv / Urv - T: Trial - F: Supermotard / Supermoto - B: Bicycle

S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes

SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit





SUZUKI Japan 2 / 4												SUZUKI											
85 c.c.												85 c.c.											
RM85	02/04	M	754	L	S	200	100	3,5	3	6,5		760	R	S	184	85	3,5	4	6,5				
RM 85	05/13	M	745 / 745X	L	S / X	220	100	3	6	6,5		909 / 909X	R	S / X	200	85	3,5	4	6,5				
100 c.c.												100 c.c.											
Address AH 100	91/94	S	703	L	S	162	34	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Address AH 100	-	S	074	L	S	180	34	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
110 c.c.												110 c.c.											
Hocuto 110	00/03	S	074	L	S	180	34	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
ELECTRIC												ELECTRIC											
Burgman Full Cell H20	12	S	1061	R	S	240	89	4,5	3	10,5		1061	R	S	240	89	4,5	3	10,5				
125 c.c.												125 c.c.											
AN 125	95/00	S	280	L	S	180	38	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Burgman 125	02/05	S	453	L	S	220	100	4	3	10,5		064	R	S	220	64	4	4	10,5				
Burgman 125 R / Executive	06/13	S	1061	R	S	240	89	4,5	3	10,5		1061	R	S	240	89	4,5	3	10,5				
Burgman 125 Racing	13	S	1061	R	S	240	89	4,5	3	10,5		1061	R	S	240	89	4,5	3	10,5				
DR 125 Z	99/05	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
DR 125 Z	12/13	M	-	-	-	-	-	-	-	-		Drum	-	-	-	-	-	-	-	-	-	-	-
Epicuro 125	00/02	S	443	L	S	220	100	4	5	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Gamma 125	92	R	1159 / 1159X	L	F19,5 / FX19,5	300	64	5	5	10,5		-	-	-	-	-	-	-	-	-	-	-	-
Intruder 125 LC	04/07	C	1142	R	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Intruder 125 LC	08/09	C	1142	L	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Marauder 125	04/10	C	1142	R	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
RG 125 F	92	R	1159 / 1159X	L	F19,5 / FX19,5	300	64	5	5	10,5		-	-	-	-	-	-	-	-	-	-	-	-
RM 125	88/95	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		676 / 676X	R	S / X	220	118	4,5	6	6,5				
RM 125	96/98	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		676 / 676X	R	S / X	220	118	4,5	6	6,5				
RM 125	99	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
RM 125	00/08	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
RM 125	09	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
Sixteen 125 i (UX 125)	08/13	S	1113	R	S	220	89	4	3	10,5		1113	R	S	220	89	4	3	10,5				
TS 125	89/94	E	-	-	-	-	-	-	-	-		044	R	S	220	118	4	4	10,5				
UE 125	01/02	S	280	L	S	180	38	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Van Van RV 125	05/13	U	1295	R	S	220	81	4	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
150 c.c.												150 c.c.											
AN 150	96/00	S	280	L	S	180	38	4	3	10,5		-	-	-	-	-	-	-	-	-	-	-	-
Burgman 150	02/05	S	453	L	S	220	100	4	3	10,5		064	R	S	220	64	4	4	10,5				
Epicuro 150	00/02	S	443	L	S	220	100	4	5	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Sixteen 150 (UX 150)	08/12	S	1113	R	S	220	89	4	3	10,5		1113	R	S	220	89	4	3	10,5				
UE 150 / Vecstar AN 150	98/03	S	280	L	S	180	38	4	3	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
200 c.c.												200 c.c.											
Burgman 200 Executive	06/12	S	1061	R	S	240	89	4,5	3	10,5		1061	R	S	240	89	4,5	3	10,5				
250 c.c.												250 c.c.											
Burgman AN 250	98/02	S	196	L	S	260	121	4,5	6	10,5		691	R	S	210	109	5	5	10,5				
Burgman AN 250	03/06	S	1040	L	S	260	121	4,5	5	10,5		1055	L	F28,0	210	60,2	5	3	10,5				
Burgman AN 250 K7	07/08	S	1040	R	S	260	121	4,5	5	10,5		1118	R	S	210	89	5	5	10,5				
DR 250 R	97/00	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		044	R	S	220	118	4	4	10,5				
DR 250 RX	-	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		044	R	S	220	118	4	4	10,5				
DR 250 Z	01/02	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		044	R	S	220	118	4	4	10,5				
GSF 250 Bandit	90/96	R	120 / 120X	L	F19,5 / FX19,5	310	64	5	5	10,5		121	R	S	250	84	6	4	8,5				
GSX 250	91	R	120 / 120X	R	F19,5 / FX19,5	310	64	5	5	10,5		121	R	S	250	84	6	4	8,5				
GSX 250 R	89	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5		793	L	S	210	81	4	4	10,5				
GW 250 Yoshimura	12/13	R	674	L	F00,0	290	121	4,5	6	10,5		1174	R	S	240	120	5	5	10,5				
Inazuma 250	12/13	R	674	L	F00,0	290	121	4,5	6	10,5		1174	R	S	240	120	5	5	10,5				
Intruder 250 LC	04/07	C	1142	R	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
Marauder 250 GZ	01/10	C	1142	L	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
RGV 250 / K / RGV 250 L	89/90	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5		-	-	-	-	-	-	-	-	-	-	-	-
RGV 250 Gamma M	91	R	1159 / 1159X	L/R	F19,5 / FX19,5	300	64	5	5	10,5		-	-	-	-	-	-	-	-	-	-	-	-
RM 250	88/95	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		676 / 676X	R	S / X	220	118	4,5	6	6,5				
RM 250	96/98	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		676 / 676X	R	S / X	220	118	4,5	6	6,5				
RM 250	99	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
RM 250	00/08	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		329 / 329X	R	S / X	240	118	4	6	6,5				
RMX 250	89/98	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		676 / 676X	R	S / X	220	118	4,5	6	6,5				
RM-Z 250	04/06	M	137 / 137X / 137XF	L	F / FX00,0 / X	250	100	3	4	9,5		799 / 799X	R	S / X	240	116	4	4	10,5				
RM-Z 250 4T	07/14	M	1048 / 1048X / 1048XF	L	F / FX00,0 / X	250	118	3	4	9,5		1049 / 1049X	R	S / X	240	122	4	4	10,5				
TU 250 / TU 250 X	96/11	R	1142	L	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
VL 250 Intruder	07/08	C	1142	R	F21,7	275	56	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-	-	-
TS 250	85/89	U	051	R	S	242	121	4	4	10,5		Drum	-	-	-	-	-	-	-	-	-	-	-
TV 250 Wolf	88/90	R	-	-	-	-	-	-	-	-		793	L	S	210	81	4	4	10,5				
350 c.c.												350 c.c.											
DR 350	90/98	E	255	R	S	250	121	3,5	4	10,5		044	R	S	220	118	4	4	10,5				
DR 350	99	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		044	R	S	220	118	4	4	10,5				



SUZUKI Japan 3 / 4														SUZUKI													
400 c.c.														400 c.c.													
Burgman AN 400	98/02	S	196	L	S	260	121	4,5	6	10,5	691	R	S	210	109	5	5	10,5									
Burgman AN 400	03/04	S	1040	L	S	260	121	4,5	5	10,5	1055	L	F28,0	210	60,2	5	3	10,5									
Burgman 400 / A / ABS	05/13	S	1040	L/R	S	260	121	4,5	5	10,5	1118	R	S	210	89	5	5	10,5									
DR Z 400 E	00/08	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	676 / 676X	R	S / X	220	118	4,5	6	6,5									
			719 / 1153XK01		S / KFX00,0	270																					
			723K13 / 723XK13		KF / KFX00,0	320																					
			723SPK13		KFSP00,0																						
DR Z 400 S	00/09	U	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	676 / 676X	R	S / X	220	118	4,5	6	6,5									
			719 / 1153XK01		S / KFX00,0	270																					
			723K13 / 723XK13		KF / KFX00,0	320																					
			723SPK13		KFSP00,0																						
DR Z 400 SM	05/10	F	1211 / 1211X	L	F00,0 / FX00,0	310	118	5	6	6,5	329 / 329X	R	S / X	240	118	4	6	6,5									
GSF 400	89	R	120 / 120X	L	F19,5 / FX19,5	310	64	5	5	10,5	-	-	-	-	-	-	-	-									
GSF 400 Bandit	90	R	120 / 120X	L	F19,5 / FX19,5	310	64	5	5	10,5	121	R	S	250	84	6	4	8,5									
GSF 400 Bandit	91/95	R	120 / 120X	L	F19,5 / FX19,5	310	64	5	5	10,5	121	R	S	250	84	6	4	8,5									
GSF 400 Bandit	96/97	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSK 400 F	89/90	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSR 400	06/08	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSX 400	88/90	R	239 / 239X	L	F / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSX 400 Inazuma	00	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSX 400 Katana	92	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSX 400 R	88/90	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	793	R	S	210	81	4	4	10,5									
GSX 400 R Impulse S Type	94/96	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSX 400 X Impulse	99	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
RF 400 R	93/97	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
RM 400	01/02	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	-	-	-	-	-	-	-	-									
450 c.c.														450 c.c.													
RMX 450 / RMX 450 Z	10/13	E	1048 / 1048X / 1048XF	L	F / FX00,0 / X	250	118	3	4	9,5	-	-	-	-	-	-	-	-									
RM-Z 450	05/06	M	1048 / 1048X / 1048XF	L	F / FX00,0 / X	250	118	3	4	9,5	1049 / 1049X	R	S / X	240	122	4	4	10,5									
RM-Z 450	07/14	M	1160XK01	L	F / FX00,0 / X	250	118	3	4	9,5	1049 / 1049X	R	S / X	240	122	4	4	10,5									
			1048 / 1048X / 1048XF		F / FX00,0 / X	270																					
			1160XK01		KFX00,0	250																					
			729K13 / 729XK13		KF / KFX00,0	320																					
RM-Z 450	07/14	M	729K13 / 729XK13	L	KF / KFX00,0	320	118	5	4	9,5	1049 / 1049X	R	S / X	240	122	4	4	10,5									
			729SPK13		KFSP00,0																						
500 c.c.														500 c.c.													
GS 500 E	89/03	R	120 / 120X	R	F / FX19,5	310	64	5	5	10,5	121	R	S	250	84	6	4	8,5									
GS 500 F	89/08	R	120 / 120X	R	F / FX19,5	310	64	5	5	10,5	121	R	S	250	84	6	4	8,5									
600 c.c.														600 c.c.													
600 R	04	R	790 / 790X	L/R	F00,0 / FX00,0	300	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5									
DR R Dakar / DR R Djebel	86/89	E	051	R	S	242	121	4	4	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5									
DR 600 S	85/86	E	051	R	S	242	121	4	4	10,5	Drum	-	-	-	-	-	-	-									
DS 600 R	06	E	1041 / 1041X	L/R	F00,0 / FX00,0	310	100	5	5	10,5	-	-	-	-	-	-	-	-									
GSF 600 Bandit / Bandit S	95/04	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSF 600 Bandit W	95/98	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSF 600 Bandit Y	00/04	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSR 600 / GSR 600 ABS	06/10	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSX 600 F	89/97	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5									
GSX 600 F	98/03	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSX 600 F	04/06	R	1000	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSX 600 F W-K3	98/03	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-									
GSX 600 K	88/95	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-									
GSX 600 R	97/03	R	458 / 458X	L/R	F00,0 / FX00,0	320	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5									
GSX 600 R	04/05	R	790 / 790X	L/R	F00,0 / FX00,0	300	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5									
GSX 600 R	06/07	R	1041 / 1041X	L/R	F00,0 / FX00,0	310	100	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5									
GSX 600 R	08/13	R	1214 / 1214X	L/R	F00,0 / FX00,0	310	102	5	6	8,5	791 / 791X	R	S / X	220	89	5	5	10,5									
GSX 600 S	88/95	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-									
RF 600 P/RF 600 R/RF 600 T	93/97	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
VS GL Intruder	97/05	C	1318	R	F00,0	296	57	5	6	10,5	Drum	-	-	-	-	-	-	-									
650 c.c.														650 c.c.													
Bandit 650 A Konzept	12/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
Bandit 650 SA	12/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
Burgman AN 650	02/03	S	672	L/R	S	260	121	4,5	4	10,5	1065	R	S	250	117	5,7	4	10,5									
Burgman AN 650 Executive	04/11	S	1040 / 1357	L/R	S / F00,0	260	121	4,5	5	10,5	1105	R	S	250	117	5	5	10,5									
Burgman 650 Executive ABS	12/13	S	1357	L/R	F00,0	260	121	4,5	5	10,5	-	-	-	230	-	-	-	-									
DL 650 V-Strom	04/06	U	1053 / 1053X	L/R	F00,0 / FX00,0	310	69	5	5	10,5	1094 / 1094X	R	S / X	260	141	5	4	10,5									
DL 650 V-Strom / ABS	07/13	U	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1094 / 1094X	R	S / X	260	141	5	4	10,5									
DR 650	91/95	U	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	-	-	-	-	-	-	-	-									
DR 650 R Djebel	90/95	E	052 / 052X	L	S / X	280	121	4	4	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5									
DR 650 R / RE / RS / RSE	91/95	E	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5									
DR 650 RSE	90/91	U	052 / 052X	L	S / X	280	121	4	4	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5									
DR 650 R Dakar	90/91	E	052 / 052X	L	S / X	280	121	4	4	10,5	-	-	-	-	-	-	-	-									
DR 650 RS / SE / L / M / SL	91/95	U	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5									
DR 650 SE	96/10	U	674	L	F00,0	290	121	4,5	6	10,5	029	R	S	240	118	4,5	4	10,5									
Gladius 650	09/11	R	1278	L/R	F00,0	290	121,5	5	5	10,5	1174	R	S	240	120	5	5	10,5									
Gladius 650 ABS	12/13	R	1278	L/R	F00,0	290	121,5	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSF 650 Bandit	05/06	R	1000	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
GSF 650 Bandit / ABS	07/12	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSF 650 Bandit N	07/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSF 650 Bandit S / ABS	06	R	1322	L/R	F00,0	290	121	4,5	5	10,5	-	-	-	-	-	-	-	-									
GSF 650 Bandit S / ABS	07/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
GSX 650 F / ABS	08/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5									
SV 650 / SV 650 S	99/02	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									
SV 650 / SV 650 S	03/11	R	1000	L/R	F00,0	290	69	4,5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5									
SV 650 ABS	07/10	R	1278	L/R	F00,0	290	121,5	5	5	10,5	-	-	-	-	-	-	-	-									
SV 650 S	99/02	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5									



SUZUKI Japan 4 / 4														SUZUKI													
650 c.c.														650 c.c.													
SV 650 S ABS	07/10	R	1278	L/R	F00,0	290	121,5	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SFV 650 Gladius	09/12	R	1278	L/R	F00,0	290	121,5	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
XF 650 Freewind	97/02	R	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	029	R	S	240	118	4,5	4	10,5	-	-	-	-	-	-	-	-	
V-Strom 650 / ABS	12/13	U	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1094 / 1094X	R	S / X	260	141	5	4	10,5	-	-	-	-	-	-	-	-	
750 c.c.														750 c.c.													
750 R	04	R	790 / 790X	L/R	F00,0 / FX00,0	300	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
DR Big 750 / DR Big 750 S	88/90	U	052 / 052X	L	S / X	280	121	4	4	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5	-	-	-	-	-	-	-	-	
GSR 750 / GSR 750 ABS	11/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750	89/92	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
GSX 750	97/03	R	1159 / 1159X	L/R	F19,5 / FX19,5	300	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 F	89/97	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	121	R	S	250	84	6	4	8,5	-	-	-	-	-	-	-	-	
GSX 750 F	98/03	R	239 / 239X	L	F20,0 / FX20,0	290	64	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 F	04/06	R	1000	L/R	F00,0	290	69	4,5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 FL Slingshot	89/92	R	239 / 239X	L/R	F20,0 / FX20,0	290	64	4,5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
GSX 750 R	85/88	R	1138	L/R	F21,7	300	61,5	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 R	89/95	R	124	L/R	F22,0	310	64	4	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 R	96/03	R	458 / 458X	L/R	F00,0 / FX00,0	320	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 R	04/05	R	790 / 790X	L/R	F00,0 / FX00,0	300	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 R	06/07	R	1041 / 1041X	L/R	F00,0 / FX00,0	310	100	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 750 R	08/13	R	1214 / 1214X	L/R	F00,0 / FX00,0	310	102	5	6	8,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
VS GL Intruder	85/86	C	1318	L	F00,0	296	57	5	6	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VS GLP 750 Intruder	86/91	C	109	R	S	296	144	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
800 c.c.														800 c.c.													
DR Big 800	88/90	U	-	-	-	-	-	-	-	-	065 / 065X	R	S / X	250	134,5	4	6	10,5	-	-	-	-	-	-	-	-	
DR Big 800	91/96	U	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5	-	-	-	-	-	-	-	-	
DR Big 800	96/97	U	-	-	-	-	-	-	-	-	065 / 065X	R	S / X	250	134,5	4	6	10,5	-	-	-	-	-	-	-	-	
DR 800 SM-P	91/93	F	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
DR Big 800 SL	89/90	U	673 / 122 / 122X	L	F00,0 / S / X	300	121	4,5 / 5 / 5	6	10,5	065 / 065X	R	S / X	250	134,5	4	6	10,5	-	-	-	-	-	-	-	-	
Intruder C 800	08/13	C	122 / 122X / 673	R	S / X / F00,0	300	121	5	6	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VS GL Intruder	91/99	C	1318	L	F00,0	296	57	5	6	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VZ 800 Marauder	96/04	C	1159 / 1159X	R	F19,5 / FX19,5	300	64	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
900 c.c.														900 c.c.													
RF 900	94/97	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
RF 900 / RR / RS / RS2	94/97	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
RF 900 T / RF 900 V	94/97	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
1000 c.c.														1000 c.c.													
DL 1000 V-Strom	02/11	R	1053 / 1053X	L/R	F00,0 / FX00,0	310	69	5	5	10,5	1094 / 1094X	R	S / X	260	141	5	4	10,5	-	-	-	-	-	-	-	-	
DL 1000 V-Strom	12/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1094 / 1094X	R	S / X	260	141	5	4	10,5	-	-	-	-	-	-	-	-	
GSX 1000 R K1/K2	01/02	R	458 / 458X	L/R	F00,0 / FX00,0	320	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1000 R K3/K4	03/04	R	790 / 790X	L/R	F00,0 / FX00,0	300	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1000 R	05/08	R	1041 / 1041X	L/R	F00,0 / FX00,0	310	100	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1000 R	09/13	R	1214 / 1214X	L/R	F00,0 / FX00,0	310	102	5	6	8,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
SV 1000 / SV 1000 S	03/07	R	1053 / 1053X	L/R	F00,0 / FX00,0	310	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
TL 1000 R	98/03	R	458 / 458X	L/R	F00,0 / FX00,0	320	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
TL 1000 S	97/01	R	458 / 458X	L/R	F00,0 / FX00,0	320	69	5	5	10,5	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
1100 c.c.														1100 c.c.													
GSX 1100	91/96	R	-	-	-	-	-	-	-	-	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1100 R	87/88	R	-	-	-	-	-	-	-	-	791 / 791X	R	S / X	220	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1100 R	89/00	R	124	L/R	F22,0	310	64	4	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
1200 c.c.														1200 c.c.													
GSF 1200 / Bandit	96/05	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSF 1200 Bandit S	01/06	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1200	99/03	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1200 Inazuma	98/99	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1200 X / GSX 1200 X1	99/01	R	120 / 120X	L/R	F19,5 / FX19,5	310	64	5	5	10,5	240 / 240X	R	S / X	240	89	5	5	10,5	-	-	-	-	-	-	-	-	
1250 c.c.														1250 c.c.													
Bandit 1250 SA	12/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
GSF 1250 Bandit / S / ABS	06/12	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1250 Bandit	06/10	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1250 F / FA / ABS	10/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1174	R	S	240	120	5	5	10,5	-	-	-	-	-	-	-	-	
GSX 1250 S ABS	08/09	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1300 c.c.														1300 c.c.													
B-King 1300 Konzept	12/13	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-King / ABS	08/10	R	1104 / 1104X	L/R	F00,0 / FX00,0	310	121	5	5	10,5	1370	R	S	260	140	5,5	6	10,5	-	-	-	-	-	-	-	-	
GSX 1300 R																											



SYM Taiwan 2 / 2													SYM				
50 c.c.													50 c.c.				
Fiddle 50 S / Fiddle II 50	08/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-
Jet 4 50 / 50 R / 50 Naked	12/13	S	1206X	L	X	226	58	4	5	10,5	Drum	-	-	-	-	-	-
Jet Euro X 50	06/09	S	1070	L	S	190	80	4	5	10,5	Drum	-	-	-	-	-	-
Jet Sport X 50 SR	08/10	S	1354X	L	X	190	58	4	3	10,5	1355	L	S	160	60	4	4 6,5
Mio 50	06/13	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
Red Devil 50	07	S	1070	L	S	190	80	4	5	10,5	Drum	-	-	-	-	-	-
SR 50	99	S	162	L	F18,0	267	64	5	6	8,5	Drum	-	-	-	-	-	-
Symphony 50 / S	09/13	S	1313X	L	X	226	58	4	5	10,5	Drum	-	-	-	-	-	-
Symphony SR 50	11/13	S	1206X	L	X	226	58	4	5	10,5	1313X	L	X	226	58	4	5 10,5
X'Pro 50	12/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-
100 c.c.													100 c.c.				
Jet Euro 100	07/08	S	1070	L	S	190	80	4	5	10,5	Drum	-	-	-	-	-	-
Mio 100	07/13	S	108	L	S	160	58	4	3	10,5	Drum	-	-	-	-	-	-
125 c.c.													125 c.c.				
Allo 125	12/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-
Euro MX 125	02/04	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
Jet 4 125	09/13	S	1313X	L	X	226	58	4	5	10,5	Drum	-	-	-	-	-	-
Fiddle 125 / II 125 / II 125 S	08/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	Drum	-	-	-	-	-	-
GTS 125 / EFI	06/07	S	-	-	-	-	-	-	-	-	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
GTS 125 i Evo / Euro 3	08/13	S	1158	L	S	240	98	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
HD 125 Euro / Euro 3	03/04	S	1126	L	S	220	96,5	4	5	10,5	-	-	-	-	-	-	-
HD Euro 3	07/08	S	1126	L	S	220	96,5	4	5	10,5	-	-	-	-	-	-	-
HD 125 Evo	05/06	S	1126	L	S	220	96,5	4	5	10,5	1127	R	S	220	110	5	5 10,5
HD 125 Evo Euro 3	07/13	S	1126	L	S	220	96,5	4	5	10,5	1127	R	S	220	110	5	5 10,5
HD2 125	12/13	S	1126	L	S	220	96,5	4	5	10,5	1127	R	S	220	110	5	5 10,5
Joymax 125 i	12/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
Joymax 125 Xi	12/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
Joyride 125	01/09	S	1157	L	S	224	173	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
Joyride 125 Evo / Euro 2	09/13	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
MX 125 Euro	-	S	-	-	-	-	-	-	-	-	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
Shark 125 / Euro 2 / Dual Disk	99/02	S	1157	L	S	224	173	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
SR 125	98	S	108	L	S	160	58	4	3	10,5	-	-	-	-	-	-	-
Symphony 125 / 125 R / 125 S	09/13	S	1206X	L	X	226	58	4	5	10,5	1313X	C	X	226	58	4	5 10,5
VS 125	06/08	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
X'Pro 125	12/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-
Wolf SB 125 Ni	12/13	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150 c.c.													150 c.c.				
Allo 150	12/13	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-
Duro MX 150	02/04	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
Fiddle II 151	12	S	303 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	8,5	-	-	-	-	-	-	-
Jet 4 150	12/13	S	1313X	L	X	226	58	4	5	10,5	Drum	-	-	-	-	-	-
Joyride 150	01/02	S	1157	L	S	224	173	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
Shark 150	00/01	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
Symphony 151 S / SR	12/13	S	1206X	L	X	226	58	4	5	10,5	1313X	C	X	226	58	4	5 10,5
VS 150	07/08	S	1157	L	S	224	173	4	5	10,5	-	-	-	-	-	-	-
200 c.c.													200 c.c.				
HD 200 Euro 2 / Euro 3	03/06	S	1126	L	S	220	96,5	4	5	10,5	-	-	-	-	-	-	-
Joyride 200	01/09	S	1157	L	S	224	173	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
Joyride 200 i Evo	09/13	S	1157	L	S	224	173	4	5	10,5	1156 / 1156X	R	S / X	200	73	4,5	3 10,5
250 c.c.													250 c.c.				
Joymax 250 i	03/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
Joymax 250 Xi	12/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
Wolf SB 250 Ni	12/13	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300 c.c.													300 c.c.				
GTS 300 Evo	09/10	S	1158	L	S	240	98	4	5	10,5	-	-	-	-	-	-	-
Joymax 300 i	12/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
Joymax 300i GTS	12/13	S	-	L	X	260	-	-	-	-	-	R	S	240	-	-	-
Joymax 300 xi	12/13	S	1158	L	S	240	98	4	5	10,5	1127	R	S	220	110	5	5 10,5
400 c.c.													400 c.c.				
Maxsym 400	12/13	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANK													TANK				
150 c.c.													150 c.c.				
Racer 150 DS	-	S	1201X	R	FX22,0	220	58	4	3	8,5	1312X	-	X17,0	190	58	4	3 8,5
TGB Taiwan													TGB				
50 c.c.													50 c.c.				
Akros 50 Tec	94	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
Hiw's / Trigger / 202 T 50	99	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
303 R 50 / 309 RS 50	99	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
90 c.c.													90 c.c.				
Akros / Hiw's / 202 T 90	99	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
125 c.c.													125 c.c.				
202 T 125 / 303 R 125	99	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
309 RS 125	00	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
X-Motion 125 EFI	08	S	1132	L	S	260	130	5	5	10,5	1133	R	S	220	104	5	5 10,5
150 c.c.													150 c.c.				
303 R / 309 RS 150	00	S	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5	-	-	-	-	-	-	-
			1300X		FX00,0	220		3,5									
250 c.c.													250 c.c.				
X-Motion 250 EFI	08	S	1132	L	S	260	130	5	5	10,5	1133	R	S	220	104	5	5 10,5



TM Italy																	TM			
80 c.c.																	80 c.c.			
EN 80	98/03	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
125 c.c.																	125 c.c.			
E / GS / MC / MX / XC 125	90/92	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5		
EN 125	02/05	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
EN 125	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
EN 125	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX 125	02/05	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX 125	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
MX 125	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX - EN 125	98/01	M	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
SMR 125	05/10	F	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
144 c.c.																	144 c.c.			
EN 144	08/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
EN 144	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX 144	08/09	M	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
MX 144	10/13	M	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
250 c.c.																	250 c.c.			
EN 250	02/05	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
EN 250	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
EN 250 FI	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX 250	02/05	M	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX 250	06/09	M	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
MX 250 / MX 250 FI	10/13	M	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
MX - EN 250	98/01	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
300 c.c.																	300 c.c.			
MX - EN 300	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
EN 300	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
400 c.c.																	400 c.c.			
MX 400	03	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
450 c.c.																	450 c.c.			
MX F 450 / EN F 450	05	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
EN 450 FI / MX 450 FI	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
EN 450 FI / MX 450 FI	10/13	E	1299X	L	FX00,0	270	70,5	3	6	6,5	-	-	-	-	-	-	-			
530 c.c.																	530 c.c.			
MX F 530 - EN F 530	06/09	E	1299X	L	FX00,0	270	70,5	3	6	6,5	1364X	R	X	242	110	4,5	4	7		
TNG																	TNG			
50 c.c.																	50 c.c.			
LS 49	-	S	1265X	L	X	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-			
SS 49	-	S	1265X	L	X	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-			
150 c.c.																	150 c.c.			
Low boy 150	-	S	1265X	L	X	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-			
Milano 150 / Volare 150	-	S	1265X	R	X	185	58	3,5	3	10,5	Drum	-	-	-	-	-	-			
Volare 150 GS Low boy	-	S	-	-	-	-	-	-	-	-	1011 / 1011X	-	S / X	180	58	4	3	10,5		
VL 150	-	S	-	-	-	-	-	-	-	-	1022 / 1022X	-	MD / MDX	190	58	3,7	3	10,5		
Znen 150 GS	-	S	-	-	-	-	-	-	-	-	1011 / 1011X	-	S / X	180	58	4	3	10,5		
250 c.c.																	250 c.c.			
TS-250	-	S	-	-	-	-	-	-	-	-	1265X	-	X	185	58	3,5	3	10,5		
TOMOS																	TOMOS			
50 c.c.																	50 c.c.			
SE 50	05	A	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5		
125 c.c.																	125 c.c.			
SE 125 4T	05/06	E	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5		
SM 125 4T	05/06	F	801 / 1103 / 1068	L	T / F00,0 / FSP00,0	300	90	4	6	6,5	836	R	T	218	62	3,5	3	8,5		
TRIUMPH Great Britian 1 / 2																	TRIUMPH			
600 c.c.																	600 c.c.			
Baby Speed 600	01/02	R	1256 / 1256X	L/R	F14,5 / FX14,5	310	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
Daytona 600	03/07	R	1256 / 1256X	L/R	F14,5 / FX14,5	310	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
Speed Four 600	03/06	R	1256 / 1256X	L/R	F14,5 / FX14,5	310	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
TT 600	00/03	E	1256 / 1256X	L/R	F14,5 / FX14,5	310	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
650 c.c.																	650 c.c.			
Daytona 650	05/06	R	1256 / 1256X	L/R	F14,5 / FX14,5	310	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
675 c.c.																	675 c.c.			
Daytona 675 / R ABS	06/13	R	1257 / 1257X	L/R	F14,0 / FX14,0	310	84,5	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
Street 675 Triple / R	07/13	R	1257 / 1257X	L/R	F14,0 / FX14,0	310	84,5	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5		
790 c.c.																	790 c.c.			
Bonneville 790	01/06	C	1163	L	S	310	144	5	6	10,5	1259 / 1259X	R	S / X	255	105	5	4	10,5		
800 c.c.																	800 c.c.			
Tiger 800 / ABS / XC / ABS	10/13	R	1253X / 1253	L/R	FX00,0 / F00,0	305	82,5	5	5	10,5	1331X / 1331	R	X / S	255	105	6	4	10,5		
865 c.c.																	865 c.c.			
America	06/09	C	1267	L	S	310	144	5	6	8,5	-	-	-	-	-	-	-			
Bonneville 865	10/11	R	1256 / 1256X	L	F14,5 / FX14,5	310	78	5	5	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Bonneville 865	12/13	R	1267	L	S	310	144	5	6	8,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Bonneville 865 T100	02/09	R	1267	L	S	310	144	5	6	8,5	-	-	-	-	-	-	-			
Bonneville 865 SE / T100	12/13	R	1163	L	S	310	144	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Q-Bike	12/13	R	1267	L	S	310	144	5	6	8,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Mr. Brown by SBF	12/13	R	1267	L	S	310	144	5	6	8,5	-	-	-	-	-	-	-			
Scrambler 865	06/13	T	1267	L	S	310	144	5	6	8,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Speedmaster 865	03/09	C	1267	L	S	310	144	5	6	8,5	-	-	-	-	-	-	-			
Steve Mc Quen 865	12	R	1163	L	S	310	144	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
Thruxton 865	04/13	R	1330	L	F00,0	318	144	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
The Runner	12/13	R	1267	L	S	310	144	5	6	8,5	1259 / 1259X	L	S / X	255	105	5	4	10,5		
885 c.c.																	885 c.c.			
Thunderbird Sport 886	98/03	R	1267	L	S	310	144	5	6	8,5	-	-	-	-	-	-	-			



TRIUMPH Great Britian 2 / 2													TRIUMPH												
900 c.c.													900 c.c.												
Adventurer 900	96/01	R	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Daytona 900	94/96	R	-	-	-	-	-	-	-	-	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Legend 900 TT	98/00	R	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Scrambler 900	06	R	1163	L	S	310	144	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple T509	97/98	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Thunderbird 900	95/99	C	125 / 1073 / 1330	L	S / S / F00,0	317/316	144	6 / 5 / 5	6	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tiger 900	93/98	R	204	L/R	S	276	144	5	6	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
950 c.c.													950 c.c.												
Daytona T950	96/98	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
955 c.c.													955 c.c.												
Daytona T955 I	99/01	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Daytona T955 I	01/06	R	1255 / 1255X	L/R	F14,5 / FX14,5	320	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple T955	99/01	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple T955	02/04	R	1255 / 1255X	L/R	F14,5 / FX14,5	320	78	5	5	10,5	101 / 101X	L	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Sprint RS 955	00/04	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Sprint ST 955	98/04	R	1258 / 1258X	L/R	F10,3 / FX10,3	320	78	5	6	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
1050 c.c.													1050 c.c.												
Speed Triple 1050	05/07	R	1260 / 1260X	L/R	F17,5 / FX17,5	320	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple 1050	08/11	R	1284 / 1284X	L/R	F00,0 / FX00,0	320	150	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple 1050	12/13	R	1284 / 1284X	L/R	F00,0 / FX00,0	320	150	5	5	10,5	1259 / 1259X	C	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple 1050 ABS	12	R	1284 / 1284X	L/R	F00,0 / FX00,0	320	150	5	5	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple R 1050	12/13	R	1260 / 1260X	L/R	F17,5 / FX17,5	320	78	5	5	10,5	1259 / 1259X	C	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple S 1050	05/07	R	1260 / 1260X	L/R	F17,5 / FX17,5	320	78	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Speed Triple S 1050	11	R	1284 / 1284X	L/R	F00,0 / FX00,0	320	150	5	5	10,5	101 / 101X	R	S / X	220	105	5	4	10,5	-	-	-	-	-	-	
Sprint ST T 1050	05/11	R	1255 / 1255X	L/R	F14,5 / FX14,5	320	78	5	5	10,5	1259 / 1259X	L	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
Tiger 1050 / ABS / SE	07/13	R	1260 / 1260X	L/R	F17,5 / FX17,5	320	78	5	5	10,5	1259 / 1259X	R	S / X	255	105	5	4	10,5	-	-	-	-	-	-	
1200 c.c.													1200 c.c.												
Throphy 1200	98	R	1362 / 1362X	L/R	F13,0 / FX13,0	310	115	5	6	10,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
1215 c.c.													1215 c.c.												
Explorer 1215	12/13	R	1253 / 1253X	L/R	F00,0 / FX00,0	305	82,5	5	5	10,5	-	-	-	282	-	-	-	-	-	-	-	-	-		
Tiger Explorer 1215	12/13	R	1253 / 1253X	L/R	F00,0 / FX00,0	305	82,5	5	5	10,5	-	-	-	282	-	-	-	-	-	-	-	-	-		
URAL Russian													URAL												
750 c.c.													750 c.c.												
T	10/13	R	404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
T 2WD	10/13	R	404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
VENTO USA													VENTO												
150 c.c.													150 c.c.												
Phantera 150	08/10	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
Phantom R4 150	05	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
Phantom R4i / R5 150	09/10	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
VERTEMATI													VERTEMATI												
500 c.c.													500 c.c.												
Cross C-500	01/04	M	066 / 066X	L	S / X	240	101	3	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
VILLA													VILLA												
50 c.c.													50 c.c.												
AX 50 / GZ 50	93	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	-	-	-		
VOR													VOR												
400 c.c.													400 c.c.												
EN 400	00/02	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
SMR 400 C	02	F	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
450 c.c.													450 c.c.												
EN / SMC / SMR C 450	02	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
492 / 495 c.c.													492 / 495 c.c.												
EN 492 / MX 495 / SM 495	98/01	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
500 c.c.													500 c.c.												
Enduro 500	98/99	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
SM 500	99	F	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
Cross 500	98/02	M	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
Enduro 500	00/02	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
MX 503 EX	00/01	M	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
MX 503 EN	00/02	E	-	-	-	-	-	-	-	-	422 / 422X	L	S / X	220	115	4	6	6,5	-	-	-	-	-		
530 c.c.													530 c.c.												
EN / MX / SME / SMR C	02	E	-	-	-	-	-	-	-	-	288	L	S	220	110	4	6	6,5	-	-	-	-	-		
VOXAN													VOXAN												
1000 c.c.													1000 c.c.												
Black Magic 1000	06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Café Racer / Street Scrambler	00/06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
V 1000 Roadster	01/06	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
WAKAN													WAKAN												
1640 c.c.													1640 c.c.												
Road / Racing 1640	07	R	-	-	-	-	-	-	-	-	1064	L	S	229	67	5	5	8,5	-	-	-	-	-		
WK TRIKES													WK TRIKES												
-	02/03	G	662 / 847	L/R	S / T	240	80	4 / 4,5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-		
XISPA													XISPA												
125 c.c.													125 c.c.												
X125R	08/09	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	-	-	-	-	-		
250 c.c.													250 c.c.												
Xispa 250	08/12	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	-	-	-	-	-		
280 c.c.													280 c.c.												
XPA 280 R	08/12	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	-	-	-	-	-		
300 c.c.													300 c.c.												
XPA 300	10/11	T	715 / 715X	L	S / X	185	-	3	4	15,5	650 / 650X	R	S / X	150	45	3	4	6,5	-	-	-	-	-		



X-TREME 160 c.c.											X-TREME 160 c.c.										
XM 160	-	S	1201X	R	FX22,0	220	58	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
YAMAHA Japan 1 / 6											YAMAHA										
50 c.c.											50 c.c.										
Aerox / Aerox Replica / Aerox Naked	97/13	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	C	S / MD / MDX	190	58	4 / 3,7	3	10,5			
Axis 50	94/96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Breeze 50	94/95	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50	93/96	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50	99	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50	00	S	1148	-	F10,0	180	48	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Moto GP	99	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 S / Naked	03/12	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Next generation	00/02	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 NG	96/00	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 NG	01/03	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Bump	93/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Original	97/98	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 3,5	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Original	99/08	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 R	01	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 50 Spy	96/00	S	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
CR 50 Z	91/95	A	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
DT 50 LC	98	A	399	L	S	220	92	3	4	8,5	Drum	-	-	-	-	-	-	-	-	-	
DT 50 R	97	A	274	L	S	230	112	4,5	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
DT 50 R	00/02	A	163	L	S	230	112	4	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
DT 50 R	03/08	A	350 / 837	L	S / T	240	108	3,5	6	6,5	082 / 836	R	S / T	218	62	3,5	3	8,5			
DT 50 X	03/06	A	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	836	R	T	218	62	3,5	3	8,5			
DT 50 SM	05/07	A	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	082 / 836	R	S / T	218	62	3,5	3	8,5			
Jog 50 R	91/02	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
Jog 50 R / Jog 50 RR	03/13	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Neo's 2T- 4T / Neo's 4 -Takt	97/13	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Slider 50	99/00	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5			
SPY 50	96/00	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
RS 50 Spy	96/00	A	393	L	S	180	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
TZR 50 R	93/96	H	057	R	S	245	115	4	6	6,5	092	R	S	203	84	4	4	8,5			
TZR 50 R	97/02	H	057	R	S	245	115	4	6	6,5	388	R	S	203	84	4,5	4	8,5			
TZR 50 R	03/12	H	289	L	S	280	155	4	5	6,5	609	R	S	220	102	4	5	6,5			
TZR 50 Rossi Replica	08	H	289	L	S	280	155	4	5	6,5	609	R	S	220	102	4	5	6,5			
TZR 50 X Power	00/05	H	401	R	S	282	132	4	6	8,5	388	R	S	203	84	4,5	4	8,5			
TZR 50 R Checa	01	H	401	R	S	282	132	4	6	8,5	388	R	S	203	84	4,5	4	8,5			
Why 50	98/09	S	084	L	S	220	88	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
YM 50 Breeze	94	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
80 c.c.											80 c.c.										
TZR 80 RR	96/98	R	401	R	S	282	132	4	6	8,5	388	R	S	203	84	4,5	4	8,5			
YZ 80	86/92	M	797 / 797X	L	S / X	184	84	4	4	9,5	797 / 797X	R	S / X	184	84	4	4	9,5			
YZ 80 / YZ 80 LW	93/01	M	745 / 745X	L	S / X	220	100	3	6	6,5	757 / 757X	R	S / X	190	84	3	4	6,5			
YZ 80 LW	02/05	M	745 / 745X	L	S / X	220	100	3	6	6,5	-	-	-	-	-	-	-	-	-	-	
Zest YE-80	97/98	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
85 c.c.											85 c.c.										
YZ 85	02/13	M	745 / 745X	L	S / X	220	100	3	6	6,5	757 / 757X	R	S / X	190	84	3	4	6,5			
Jog 90	-	S	406	L	S	155	40,6	3,8	3	10,5	Drum	-	-	-	-	-	-	-	-	-	
100 c.c.											100 c.c.										
Aerox 100	00/05	S	107 / 1022 / 1022X 1300X	L	S / MD / MDX FX00,0	190 220	58	4 / 3,7 / 3,7 3,5	3	10,5	107 / 1022 / 1022X	L	S / MD / MDX	190	58	4 / 3,7	3	10,5			
Bw's 100	00	S	1148	L	F10,0	180	48	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Bw's 100	00/02	S	1187	L	S	190	48	3,5	4	10,5	Drum	-	-	-	-	-	-	-	-	-	
Neo's 100	00/02	S	023 / 1022 / 1022X	L	S / MD / MDX	190	58	3,5 / 3,7	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
125 c.c.											125 c.c.										
Bw's 125	09/13	S	1036 / 1036X	L	S / X	220	82	4	5	8,5	Drum	-	-	-	-	-	-	-	-	-	
Cygnus 125 XC	00/03	S	1148	L	F10,0	180	48	4	3	8,5	Drum	-	-	-	-	-	-	-	-	-	
Cygnus 125 XC	06	S	1036 / 1036X	L	S / X	220	82	4	5	8,5	Drum	-	-	-	-	-	-	-	-	-	
Cygnus 125 XC	07	S	1179	R	S	245	82	4	5	8,5	Drum	-	-	-	-	-	-	-	-	-	
Cygnus 125 X	08/13	S	1036 / 1036X	R	S / X	220	82	4	5	8,5	Drum	-	-	-	-	-	-	-	-	-	
DT 125	84/87	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
DT 125 / DT 125 R	88/07	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5			
DTZ 125 Tenere	89/94	U	390	L	S	230	86	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	
Majesty125	96/98	S	131	L	S	220	54	4,5	4	10,5	-	-	-	-	-	-	-	-	-	-	
Majesty 125 DD	01/08	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3	8,5			
Majesty 125 DT	98/00	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	-	-	-	
Majesty 125 LTD	06/08	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3	8,5			
Maxster 125	01/04	U	1099	L	S	245	80	4	6	8,5	774	R	S	220	102	5	5	8,5			
R 125 Cup	12	T	1202	L	S	292	155	4	5	8,5	1203	R	S	230	102	4	5	8,5			
SR 125	97/02	R	1195 / 483 / 783	L	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	Drum	-	-	-	-	-	-	-	-	-	
Teo's 125	99/02	E	716	L	S	220	54	4,5	4	8,5	656	R	S	220	105	4	4	6,5			
TT 125 R	00/03	E	399	L	S	220	92	3	4	8,5	Drum	-	-	-	-	-	-	-	-	-	
TW 125	99/04	U	785	R	S	220	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-	-	-	
TDR 125 (Italian model)	89/92	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	422 / 422X	R	S / X	220	115	4	6	6,5			
TDR 125	93/04	R	-	-	-	-	-	-	-	-	422 / 422X	R	S / X	220	115	4	6	6,5			
TDR 125 (Japanese model)	89/99	R	321 / 321X	L	S / X	282															



YAMAHA Japan 2 / 6													YAMAHA												
125 c.c.													125 c.c.												
WR 125	89/90	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
WR 125	91/92	E	039	L	S	245	86	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
WR 125	93/97	E	320 / 320X	L	S / X	245	118	3	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
WR 125	98/99	E	320 / 320X	L	S / X	245	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
WR 125	00/01	E	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
			320 / 320X																						
			723K13 / 723XK13																						
			723SPK13																						
WR 125	02/12	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
			719 / 1153XK02																						
			723K13 / 723XK13																						
			723SPK13																						
WR 125 R	09/13	E	675/675X/276/276X	L	S / X / F / FX	250	118	3	6	6,5	-	R	X	220	-	-	-	-							
WR 125 X	09/13	F	294F / 294X / 294	L	S / FX / F	298	132	5	6	8,5	-	R	X	220	-	-	-	-							
X-City 125	07/11	S	1123	L	S	270	128	5	6	8,5	1124	R	S	240	92	5	4	8,5							
X Enter 125 i	12/13	S	1123	L	S	270	128	5	6	8,5	Drum	-	-	-	-	-	-	-							
X-MAX / X-MAX i / ABS 125	05/13	S	1081 / 1083 / 1233X	R	S / F00,0 / FX00,0	267	132	4,5 / 4 / 4	5/6	8,5	1124 / 1033	R	S	240	92	5	4	8,5/10,5							
XT 125 R	05/08	U	837	L	T	240	108	3,5	6	6,5	836	R	T	218	62	3,5	3	8,5							
XT 125 X	05/09	U	614 / 828	L	S / T	260	108	3,5 / 4	6	6,5	082 / 836	R	S / T	218	62	3,5	3	8,5							
XV Virago / XV 125 S Virago	97/00	C	321 / 321X	L	S / X	282	132	5	6	8,5	Drum	-	-	-	-	-	-	-							
XVS 125 Drag Star	99/02	C	321 / 321X	R	S / X	282	132	5	6	8,5	Drum	-	-	-	-	-	-	-							
YBR 125	09/10	R	1292	R	S	245	114,7	3,5	5	8,5	Drum	-	-	-	-	-	-	-							
YBR 125 / YBR 125 Custom	12/13	R	1320	R	S	245	132	4	6	8,5	Drum	-	-	-	-	-	-	-							
YZ 125	86/87	M	034	L	S	230	86	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 125	88/89	M	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 125	90/97	M	320 / 320X	L	S / X	245	118	3	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 125	98/99	M	320 / 320X	L	S / X	245	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
YZ 125	00/01	M	719 / 1153XK05	L	S / KFX00,0	270	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
			320 / 320X																						
			723K13 / 723XK13																						
			723SPK13																						
YZ 125	02/07	M	276/276X/675/675X	L	S / KFX00,0	270	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
			719 / 1153XK02																						
			723K13 / 723XK13																						
			723SPK13																						
YZ 125	08	M	276X/276/675X/675	L	FX / F / X / S	250	118	3	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
			719 / 1153XK05																						
			723K13 / 723XK13																						
			723SPK13																						
YZ 125	09/14	M	276X/276/675X/675	L	FX / F / X / S	250	118	3	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZF 125 R	08/13	R	719 / 1153XK05	L	S / KFX00,0	270	118	3	6	6,5	1203	R	S	230	102	4	5	8,5							
150 c.c.																									
Majesty 150	98/00	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	-							
Majesty 150	01/05	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3	8,5							
Maxster 150	02/04	S	1099	L	S	245	80	4	6	8,5	774	R	S	220	102	5	5	8,5							
Teo's 150	00/02	S	716	L	S	220	54	4,5	4	8,5	Drum	-	-	-	-	-	-	-							
X Enter 150	12	S	1123	L	S	270	128	5	6	8,5	Drum	-	-	-	-	-	-	-							
180 c.c.																									
Majesty 180	00	S	-	-	-	-	-	-	-	-	658	R	S	190	63	5	3	8,5							
Majesty 180 / 180 LTD	01/06	S	716	L	S	220	54	4,5	4	8,5	658	R	S	190	63	5	3	8,5							
200 c.c.																									
DT 200	87	E	034	L	S	230	86	4	6	6,5	Drum	-	-	-	-	-	-	-							
DT 200	89	E	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
SR 200	97	R	1195 / 483 / 783	L	F00,0 / S	267	132	4 / 5 / 4	6	8,5	-	-	-	-	-	-	-	-							
SDR 200	-	R	-	-	-	-	-	-	-	-	421	R	S	210	84	5	3	8,5							
WR 200	92/05	U	900	L	S	245	115	4	6	8,5	422 / 422X	R	S / X	220	115	4	6	6,5							
250 c.c.																									
FZR 250	87	R	145	R	F9,5	320	64	4	6	8,5	421	R	S	210	84	5	3	8,5							
FZX 250 Zeal	91	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	-	-	-	-	-	-	-	-							
R1 250 Z	97	R	404 / 404X	L/R	F / FX9,5	298	64	4	6	8,5	-	-	-	-	-	-	-	-							
RZ 250 R / RZ 250 RR	-	R	633	L/R	S	267	132	5	6	10,5	633	R	S	267	132	5	6	10,5							
SR 250 Classic	95/03	R	162	R	F18,0	267	64	5	6	8,5	Drum	-	-	-	-	-	-	-							
SRV 250	92/97	R	321 / 321X	L	S / X	282	132	5	6	8,5	Drum	-	-	-	-	-	-	-							
SRV 250 S-Renaissa	92	R	321 / 321X	L	S / X	282	132	5	6	8,5	-	-	-	-	-	-	-	-							
Tricker 250	05/07	U	ND / NA	L	-	220	87	4	6	6,5	1189	R	S	203	84,3	4,5	3	10,5							
TDR 250	89/92	U	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	421	R	S	210	84	5	3	8,5							
TT 250	00→	U	-	-	-	-	-	-	-	-	639 / 639X	R	S / X	220	115	5	6	8,5							
TT 250 R	93/03	E	900	L	S	245	115	4	6	8,5	422 / 422X	R	S / X	220	115	4	6	6,5							
TZ 250 GP	96/97	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	-	-	-	-	-	-	-	-							
TZR 250	87/92	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	421	R	S	210	84	5	3	8,5							
TZR 250 R / SPR	90/96	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	421	R	S	210	84	5	3	8,5							
WR 250	90/97	E	-	-	-	-	-	-	-	-	422 / 422X	R	S / X	220	115	4	6	6,5							
WR 250	98/99	E	320 / 320X	L	S / X	245	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
			719 / 1153XK02																						
			320 / 320X																						
			719 / 1153XK02																						
WR 250	00	E	723K13 / 723XK13	L	S / KFX00,0	270	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
			723K13 / 723XK13																						
			723SPK13																						
			723SPK13																						



YAMAHA Japan 3 / 6												YAMAHA											
250 c.c.												250 c.c.											
WR 250	01	E	276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		372 / 372X	R	S / X	240	115	4	6	6,5				
WR 250	02	E	276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X KF / KFX00,0 KFSP00,0	250 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
WR 250	03/07	E	276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
WR 250	08	E	276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	FX / F / X / S KF / KFX00,0 KFSP00,0	250 320	118	3 5	6	6,5		789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5				
WR 250 F	02/13	E	276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
WR 250 R	01	E	276/276X/675/675X 719 / 1153XK02	L	F / FX / S / X S / KFX00,0	250 270	118	3	6	6,5		372 / 372X	R	S / X	240	115	4	6	6,5				
WR 250 R	02/08	E	276/276X/675/675X 719 / 1153XK02	L	F / FX / S / X S / KFX00,0	250 270	118	3	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
WR 250 X	98/03	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5		-	-	-	-	-	-	-	-	-	-		
X-City 250 / X-City 250 i	07/13	S	1123	L	S	270	128	5	6	8,5		1124	R	S	240	92	5	4	8,5				
XV 250 Virago	91/94	C	162	R	F18,0	267	64	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
XV 250 Virago	95/07	C	321 / 321X	L	S / X	282	132	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
XV 250 S Virago	95/00	C	321 / 321X	L	S / X	282	132	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
XVS 250 Drag Star	01/03	C	321 / 321X	L	S / X	282	132	5	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
YBR 250	07/13	R	1198	R	S	283	126	4	5	8,5		Drum	-	-	-	-	-	-	-	-	-		
Grand Majesty 250 (Japan)	04/05	S	1081 / 1083 / 1233X	L	S / F / FX00,0	267	132	4,5 / 4 / 4	5 / 6	8,5		1054	R	S	267	132	5	3	8,5				
YP Majesty 250	96/97	S	028	R	S	245	115	4	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
YP Majesty 250 ABS / DX	98/99	S	028	R	S	245	115	4	6	8,5		779	R	S	230	84	5	3	8,5				
YP Majesty 250 ABS/DX	00/08	S	028	R	S	245	115	4	6	8,5		689	R	S	230	116	5	3	8,5				
X-MAX / X-MAX 250 i Black	05/11	S	1081 / 1083 1233X	R	S / F00,0 FX00,0	267	132	4,5 / 4 / 4	5 / 6	8,5		1124 1033	R	S	240	92	5	4	8,5 10,5				
X-MAX i ABS / X-MAX i Sport	11/13	S	1081 / 1083 1233X	R	S / F00,0 FX00,0	267	132	4,5 / 4 / 4	5 / 6	8,5		1124 1033	R	S	240	92	5	4	8,5 10,5				
YZ 250	85/88	M	034	L	S	230	86	4	6	6,5		422 / 422X	R	S / X	220	115	4	6	6,5				
YZ 250	89/91	M	039	L	S	245	86	4	6	6,5		422 / 422X	R	S / X	220	115	4	6	6,5				
YZ 250	92/97	M	320 / 320X	L	S / X	245	118	3	6	6,5		422 / 422X	R	S / X	220	115	4	6	6,5				
YZ 250	98/00	M	320 / 320X	L	S / X	245	118	3	6	6,5		372 / 372X	R	S / X	240	115	4	6	6,5				
YZ 250	01	M	719 / 1153XK05 276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	S / KFX00,0 F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		372 / 372X	R	S / X	240	115	4	6	6,5				
YZ 250	02/07	M	719 / 1153XK05 276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
YZ 250	08	M	719 / 1153XK05 276/276X/675/675X 719 / 1153XK02 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
YZ 250	09/14	M	276X/276/675X/675 719 / 1153XK05	L	FX / F / X / S S / KFX00,0	250 270	118	3	6	6,5		789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5				
YZ 250 F	01	M	276/276X/675/675X 719 / 1153XK05 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		372 / 372X	R	S / X	240	115	4	6	6,5				
YZ 250 F	02/06	M	276/276X/675/675X 719 / 1153XK05 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
YZ 250 F	07/08	M	276/276X/675/675X 719 / 1153XK05 723K13 / 723XK13 723SPK13	L	F / FX / S / X S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
YZ 250 F	09/10	M	276X/276/675X/675 719 / 1153XK05 723K13 / 723XK13 723SPK14	L	FX / F / X / S S / KFX00,0 KF / KFX00,0 KFSP00,0	250 270 320	118	3 5	6	6,5		789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5				
YZ 250 F	11/14	M	276X/276/675X/675 723K13 / 723XK13 723SPK14	L	FX / F / X / S KF / KFX00,0 KFSP00,0	250 320	118	3 5	6	6,5		789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5				
300 c.c.												300 c.c.											
XC 300	04/06	S	1359	R	S	270	129	5	5	8,5		1124	R	S	240	92	5	4	8,5				
XC 300 Versity	03	S	1359	R	S	270	129	5	5	8,5		1124	R	S	240	92	5	4	8,5				
350 c.c.												350 c.c.											
RD 350 F / N / R	85/93	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5		483 / 783	R	S / S	267	132	5 / 4	6	8,5				
RD 350 YPVS	83/84	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5		Drum	-	-	-	-	-	-	-	-	-		
RIZ 350	92	E	-	-	-	-	-	-	-	-		421	R	S	210	84	5	3	8,5				
TT 350	85/95	E	390	L	S	230	86	3,5	6	6,5		Drum	-	-	-	-	-	-	-	-	-		
XT 350	85/95	E	039	L	S	245	86	4	6	6,5		Drum	-	-	-	-	-	-	-	-	-		



YAMAHA Japan 4 / 6														YAMAHA											
360 c.c.														360 c.c.											
YZ 360	89	M	390	L/R	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 360 Rally	90/93	U	-	-	-	-	-	-	-	-	422 / 422X	R	S / X	220	115	4	6	6,5							
400 c.c.														400 c.c.											
Majesty 400 / ABS	04/13	S	1081 / 1083 / 1233X	L/R	S / F / FX00,0	267	132	4,5 / 4 / 4	5/6	8,5	1054	R	S	267	132	5	3	8,5							
FZ 400 N	85	R	1195 / 483 / 783	R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5							
FZ 400	96	R	404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5							
FZR 400	86	R	-	-	-	-	-	-	-	-	421	R	S	210	84	5	3	8,5							
FZR 400 R / FZR 400 RSP	87/88	R	401	L	S	282	132	4	6	8,5	421	R	S	210	84	5	3	8,5							
FZR 400 R / RR / RRS	89/92	R	404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5	421	R	S	210	84	5	3	8,5							
SR 400	02	R	404 / 404X	R	F9,5 / FX9,5	298	64	4	6	8,5	Drum	-	-	-	-	-	-	-							
SRX 400	91	R	1060 / 1060X	L	F10,5 / FX10,5	320	64	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5							
WR 400 F	98/00	E	320 / 320X	L	S / X	245	118	3	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
WRF 400	98	U	-	-	-	-	-	-	-	-	422 / 422X	R	S / X	220	115	4	6	6,5							
X-MAX 400	13/14	S	1083 / 1233X	L/R	F / FX00,0	267	132	4	5	8,5	-	-	-	-	-	-	-	-							
XS 400	82	R	1195 / 483 / 783	R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	Drum	-	-	-	-	-	-	-							
YZ 400 F	98/99	M	320 / 320X	L	S / X	245	118	3	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 400 F	00	M	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 400 F	00	M	723K13 / 723XK13	L	KF / KFX00,0	320	118	5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
YZ 400 F	00	M	723SPK13	L	KFSP00,0	320	118	5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
426 c.c.														426 c.c.											
WR 426 F	00	E	320 / 320X	L	S / X	245	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
WR 426 F	01	E	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	372 / 372X	R	S / X	240	115	4	6	6,5							
WR 426 F	02	E	723K13 / 723XK13	L	KF / KFX00,0	320	118	5	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 426 F	00/02	M	723SPK13	L	KFSP00,0	320	118	5	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 426 F	00/02	M	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 426 F	00/02	M	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 426 F	00/02	M	723K13 / 723XK13	L	KF / KFX00,0	320	118	5	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 426 F	00/02	M	723SPK13	L	KFSP00,0	320	118	5	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
450 c.c.														450 c.c.											
WR 450 F	03/08	E	276/276X/675/675X	L	F / FX / S / X	250	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
WR 450 F	09/10	E	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
WR 450 F Especial DAKAR	11/12	E	1209XK10	L	KFX00,0	300	118	4,5	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
WR 450 F	13	E	276/276X/675/675X	L	FX / F / X / S	250	118	3	6	6,5	789X / 789SP	R	X / SP	245	115	4	6	6,5							
YZ450 F	03/08	M	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	789 / 789X / 789SP	R	S / X / SP	245	115	4	6	6,5							
YZ450 F	09/10	M	723K13 / 723XK13	L	KF / KFX00,0	320	118	5	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZ450 F	11/14	M	723SPK13	L	KFSP00,0	320	118	5	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZ450 F	11/14	M	276/276X/675/675X	L	FX / F / X / S	250	118	3	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZ450 F	11/14	M	719 / 1153XK02	L	S / KFX00,0	270	118	3	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZ450 F	11/14	M	723K13 / 723XK13	L	KF / KFX00,0	320	118	5	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
YZ450 F	11/14	M	723SPK13	L	KFSP00,0	320	118	5	6	6,5	789X / 789 / 789SP	R	X / S / SP	245	115	4	6	6,5							
490 c.c.														490 c.c.											
YZ 490	85/87	M	034	L	S	230	86	4	6	6,5	Drum	-	-	-	-	-	-	-							
YZ 490	88	M	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	-							
500 c.c.														500 c.c.											
RD 500 LC	84/88	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	405	R	S	245	115	5	6	8,5							
T-Max 500	01/03	S	401	L	S	282	132	4	6	8,5	1032 / 1032X	L	S / X	267	132	4,5	6	8,5							
T-MAX / T-MAX Black Max	04/07	S	1081 / 1083 / 1233X	L/R	S / F / FX00,0	267	132	4,5 / 4 / 4	5/6	8,5	1032 / 1032X	L	S / X	267	132	4,5	6	8,5							
XP T-MAX 500	04/11	S	1195/483/783/1233X	L/R	F00,0/S/FX00,0	267	132	4 / 5 / 4 / 4	6	8,5	1032 / 1032X	L	S / X	267	132	4,5	6	8,5							
WR 500 Z	92/93	M	390	L	S	230	86	3,5	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5							
T-MAX 530 / T-MAX 530 ABS	12/14	S	1083 / 1233X	L/R	F / FX00,0	267	132	4	5	8,5	1296 / 1296X	R	S / X	282	132	5	5	10,5							
XV 535 DX Virago	89/94	C	696	R	F18,2	298	64	5	6	8,5	Drum	-	-	-	-	-	-	-							
XV 535 DX Virago	95/03	C	294 / 294X / 294F	R	F / FX00,0 / S	298	132	5	6	8,5	Drum	-	-	-	-	-	-	-							
XVS 535 Virago	96/00	C	294 / 294X / 294F	R	F / FX00,0 / S	298	132	5	6	8,5	Drum	-	-	-	-	-	-	-							
550 c.c.														550 c.c.											
XJ 550 Maxim/XJ 550 Seca	81/83	R	696	L	F18,2	298	64	5	6	6,5	Drum	-	-	-	-	-	-	-							
XZ 550	82/84	C	1195 / 483 / 783	L	F00,0 / S	267	132	4 / 5 / 4	6	8,5	Drum	-	-	-	-	-	-	-							
600 c.c.														600 c.c.											
FZ 600	87/88	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5							
FZ 600 / Fazer / S2	04/08	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	784	R	S	245	105	5	5	10,5							
FZ 600 N. NS	04/05	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	784	R	S	245	105	5	5	10,5							



YAMAHA Japan 5 / 6												YAMAHA														
600 c.c.												600 c.c.														
FZ 600 N, NS	06	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FZR 600	89	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
FZR 600 R	90/95	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
FZS 600 Fazer	98/03	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
MT03 600	06/13	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	784	R	S	245	105	5	5	10,5	784	R	S	245	105	5	5	10,5
SRX 600	87/89	R	054	L/R	S	267	132	4,5	6	6,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
SRX 600	85/87	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
TT 600	89/92	E	390	L	S	230	86	3,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TT 600 E	92/97	E	314	L	S	267	118	4	6	6,5	322	R	S	220	115	5	6	6,5	322	R	S	220	115	5	6	6,5
TT 600 E	93/01	E	314	L	S	267	118	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5
TT 600 N	85/88	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
TT 600 R	84/92	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
TT 600 R	98/07	E	314	L	S	267	118	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5
TT 600 S	93/01	E	314	L	S	267	118	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5	422 / 422X	R	S / X	220	115	4	6	6,5
TT 600 W	89/92	E	390	L	S	230	86	3,5	6	6,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
XJ6 Diversion F ABS / S / N	12/13	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	784	R	S	245	105	5	5	10,5	784	R	S	245	105	5	5	10,5
XJ6 Diversion / ABS	09/12	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	784	R	S	245	105	5	5	10,5	784	R	S	245	105	5	5	10,5
XJ6 F / ABS	12	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	784	R	S	245	105	5	5	10,5	784	R	S	245	105	5	5	10,5
XJ 600	83/91	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5
XJ 600 N Diversion	92/97	R	409	L	S	320	198	6	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XJ 600 N Diversion	98/03	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XJ 600 N	04/12	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	784	R	S	245	105	5	5	10,5	784	R	S	245	105	5	5	10,5
XJ 600 S Diversion	91/97	R	409	L	S	320	198	6	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XJ 600 S Diversion	98/03	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XT 600 4 valves	88/89	E	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
XT 600 Z 4 valves	86/87	U	054	L	S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XT 600 E	90/94	E	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
XT 600 E	95/03	E	321 / 321X	L	S / X	282	132	5	6	8,5	059	R	S	220	86	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
XT 600 Z Tenere	85/86	U	054	L	S	267	132	4,5	6	6,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XT 600 Z Tenere	87/91	U	054	L	S	267	132	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
XVS Drag Star 600	97	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
YX 600 Radian	86/90	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
YZF 600 R Thundercat	96/06	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
YZF 600 R 6	99/02	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	639 / 639X	R	S / X	220	115	5	6	8,5	639 / 639X	R	S / X	220	115	5	6	8,5
YZF 600 R 6	03/04	R	165 / 165F	L/R	F00,0 / S	298	132	5	5	8,5	903 / 903X	R	S / X	220	105	5	5	10,5	903 / 903X	R	S / X	220	105	5	5	10,5
YZF 600 R 6	05/13	R	902 / 902X / 1358	L/R	F / FX / F00,0	310	132	5	5	8,5	903 / 903X	R	S / X	220	105	5	5	10,5	903 / 903X	R	S / X	220	105	5	5	10,5
YZF 600 R 46	05	R	902 / 902X / 1358	L/R	F / FX / F00,0	310	132	5	5	8,5	903 / 903X	R	S / X	220	105	5	5	10,5	903 / 903X	R	S / X	220	105	5	5	10,5
650 c.c.												650 c.c.														
XJ 650 Seka	83	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
XJ 650 Turbo	82	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
XVS Drag Star/Drag Star Classic	97/06	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	Drum	-	-	-	-	-	-	Drum	-	-	-	-	-	-		
660 c.c.												660 c.c.														
SZR 660	95/01	R	1060 / 1060X	R	F10,5 / FX10,5	320	64	5	6	8,5	421	R	S	210	84	5	3	8,5	421	R	S	210	84	5	3	8,5
XT 660 R	04/11	U	294 / 294X / 294F	L	F / FX00,0 / S	298	132	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XT 660 Z Tenere	91/94	U	321 / 321X	L	S / X	282	132	5	6	8,5	059	R	S	220	86	4,5	6	6,5	059	R	S	220	86	4,5	6	6,5
XT 660 Z Tenere / ABS	08/13	U	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
XT 660 X	04/13	U	1226	L	F14,0	320	132	4	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5	636 / 636X	R	S / X	245	115	5	6	8,5
700 c.c.												700 c.c.														
FZX 700	86/87	R	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6	8,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
750 c.c.												750 c.c.														
FZ 750 Genesis	87/88	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5
FZ 750 Genesis	89/92	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5
FZR 750 R	89/92	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5
FZX 750 Fazer	86/90	R	1195 / 483 / 783	L/R	F00,0 / S / S	267	132	4 / 5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5	483 / 783	R	S / S	267	132	5 / 4	6	8,5
XJ 750	82/84	R	696	L/R	F18,2	298	64</																			

FRONT										REAR									
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø
YAMAHA Japan 6 / 6										YAMAHA									
1000 c.c.										1000 c.c.									
YZF 1000 R 1	07/11	R	902 / 902X / 1358	L/R	F / FX / F00,0	310	132	5	5 8,5	903 / 903X	R	S / X	220	105	5	5 10,5			
YZF 1000 R 1 ABS	12/13	R	1358	L/R	F00,0	310	132	5	5 8,5	903 / 903X	R	S / X	220	105	5	5 10,5			
1100 c.c.										1100 c.c.									
BT 1100 Bulldog	02/06	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
FJ 1100	83/87	R	321 / 321X	L/R	S / X	282	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FZR 1100	-	R	-	-	-	-	-	-	-	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
XV 1100 Virago	86/93	C	1195 / 483 / 783	L/R	F00,0 / S	267	132	4 / 5 / 4	6 8,5	Drum	-	-	-	-	-	-	-	-	
XV 1100 Virago	94/98	C	321 / 321X	L/R	S / X	282	132	5	6 8,5	Drum	-	-	-	-	-	-	-	-	
XV 1100 Virago	99	C	321 / 321X	L/R	S / X	282	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
XVS Drag Star / Classic	99/06	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
1200 c.c.										1200 c.c.									
FJ 1200 (Not ABS)	86/93	R	321 / 321X	L/R	S / X	282	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FJ 1200 (Not ABS)	88/90	R	404 / 404X	L/R	F9,5 / FX9,5	298	64	4	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FJ 1200 (ABS)	91/93	R	-	-	-	-	-	-	-	321 / 321X	R	S / X	282	132	5	6 8,5			
FJ Fairing	86/87	R	321 / 321X	L/R	S / X	282	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FJ Fairing	88/93	R	-	-	-	-	-	-	-	321 / 321X	R	S / X	282	132	5	6 8,5			
V 1200 Max	86/92	C	321 / 321X	L/R	S / X	282	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
V 1200 Max	93/06	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
XTZ Super Tenere "WorldCROSSER"	11/13	T	902X / 902 / 1358	L/R	FX / F / F00,0	310	132	5	5 8,5	321X / 321	R	X / S	282	132	5	6 8,5			
XJR 1200	95/98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6 8,5	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
XVZ 1200 TD	85	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
XVZ Venture Royale	84/86	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	294 / 294X / 294F	R	F / FX / S	298	132	5	6 8,5			
XVZ Venture Royale	87	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
1300 c.c.										1300 c.c.									
FJR 1300	01/03	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FJR 1300 / A / AS	04/13	R	297 / 297X	L/R	F / FX00,0	320	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
FJR 1300 ABS	03/05	R	297 / 297X	L/R	F / FX00,0	320	132	5	6 8,5	321 / 321X	R	S / X	282	132	5	6 8,5			
XJR 1300	95/97	R	-	-	-	-	-	-	-	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
XJR 1300	98	R	1060 / 1060X	L/R	F10,5 / FX10,5	320	64	5	6 8,5	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
XJR 1300	99/13	R	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
XVS Midnight Star	07/11	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
XVZ 1300 Royal Star	96/07	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	409	R	S	320	198	6	6 8,5			
XVZ T-TD Venture Royale	88/95	C	321 / 321X	L/R	S / X	282	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
XVZ-T-TD Venture Royale	99/01	C	395 / 395X	L/R	F / FX00,0	298	132	5	6 10,5	-	-	-	-	-	-	-	-	-	
Wild Star 1300	99	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
1600 c.c.										1600 c.c.									
XV 1600 A Wildstar	99/04	C	395 / 395X	L/R	F / FX00,0	298	132	5	6 10,5	-	-	-	-	-	-	-	-	-	
Wild Star	99/07	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
1670 c.c.										1670 c.c.									
MT01	05/11	C	297 / 297X	L/R	F / FX00,0	320	132	5	6 8,5	483 / 783	R	S / S	267	132	5 / 4	6 8,5			
1700 c.c.										1700 c.c.									
XV PC Road Star Warrior	02/07	C	294 / 294X / 294F	L/R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	
1900 c.c.										1900 c.c.									
XV Roadliner 1900	06	C	294 / 294X / 294F	R	F / FX00,0 / S	298	132	5	6 8,5	-	-	-	-	-	-	-	-	-	



Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

M/IDE TYPE: R: Tourism/Racing / Street / Sport / Naked - C: Custom/Touring - H: Trail - E: Enduro - M: Cross - D: Quad/Atv/Utility - T: Trial - F: Supermotard / Supermoto - B: Bicycle

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with

XSP: Wavy without ventilations / **KS:** Std kit / **KF:** Floating kit / **KX:** Wavy kit / **KFX:** Wavy without vent kit / **KFSP:** Floating without ventilations kit





ATV - UTV - UXV - QUADS

ARCTIC CAT													EEUU 1 / 2					ARCTIC CAT												
250 c.c.													250 c.c.																	
250 (2x4) Utility	99/08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
300 c.c.													300 c.c.																	
300 (4x4)	99/04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
350 c.c.													350 c.c.																	
350 ATV	12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
366 c.c.													366 c.c.																	
366 (4x4) Auto Utility	08/09		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
366 SE	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 c.c.													400 c.c.																	
400 (4x4) ACT	04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 4x4 Auto ACT	04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (2x4) Utility	98/04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 2x4 Auto Utility	04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Utility	00/07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 4x4 VP Utility	05/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Auto Utility	04/08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 4x4 Auto LE Utility	05/07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Auto VP Utility	05/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Auto TBX Utility	04/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 TRV	09		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 TRV H1	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Auto TRV Multirider	06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
400 (4x4) Auto TRV Plus Multirider	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
425 c.c.													425 c.c.																	
425i	12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
425i SE	12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450 c.c.													450 c.c.																	
450 H1 Efi	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450i	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450i GT	12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450 TRV	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450i TRV	11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
450i XC	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
454 c.c.													454 c.c.																	
454 Bearcat (2x4)	97/98		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
454 Bearcat 4x4	96/98		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
500 c.c.													500 c.c.																	
500 (4x4) Auto Utility	98/08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
500 (4x4) Auto LE Utility	05/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
500 (4x4) Manual G/Box Utility	98/09		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
500 (4x4) Auto TBX Utility	04/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
500 (4x4) Auto TRV Utility	04		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 c.c.													550 c.c.																	
550 HI EFi	09/10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 HI Efi LE	09/10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 TRV	11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 TRV Cruiser	11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 TRV EFi	09/10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 TRV EFi LE	09/10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550i	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550i LTD	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550i GT	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550i GT TRV	11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550i TRV Cruiser	11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 GT TRV	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 GT S TRV	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 S	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
550 S LTD	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 c.c.													650 c.c.																	
650 H1 (4x4) Auto Utility	04/08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 (4x4) Auto LE Utility	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 (4x4) SE Auto Utility	06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 Mudpro	10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 Mudpro	10/11		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 TBX	09		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 HI TBX (4x4) Auto Utility	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 TRV	09		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 HI TRV (4x4) Auto	08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 HI TVR (4x4) Auto PI	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 HI TVR (4x4) Auto PI LE	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 TRV (4x4) Auto Plus Multirider	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 H1 TRV (4x4) Auto Plus LE Multirider	07		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 V2 (4x4) Auto Utility	04/06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 V2 (4x4) Auto LE Utility	04/05		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
650 V2 (4x4) Auto LE TS	06		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700 c.c.													700 c.c.																	
700 Diesel Utility	07/08		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700i GT	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700 TRV H2 Efi Cruiser	09/10		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700 TRV	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700 TRV Cruiser	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												
700 TRV GT	11/12		1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5												



ARCTIC CAT											EEUU 2 / 2		ARCTIC CAT										
700 c.c.											700 c.c.												
700 EFI (4x4) LE Utility / SE Utility	06	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 EFI Cruiser	11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 EFI (4x4) Auto M4	08	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 EFI (4x4) Auto TRV LE	08	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 H1 EFI	09/10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 H1 EFI LE	09/10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 HI EFI (4x4) Auto SE	08/09	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 H1 TBX EFI	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 Super Duty Diesel	10/11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 Mudpro	10/11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 H1 EFI Mudpro	09/10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700i	11/12	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700i LTD	11/12	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700i Mudpro	11/12	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700i Mudpro LTD	11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 S	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 S LTD	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
700 TBX LTD	11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 c.c.											1000 c.c.												
1000 GT	11/12	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 Mudpro	10/11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 H2 Mudpro EFI	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000i Mudpro	12	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 TRV Cruiser	11	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 TRV H2 Efi Cruiser	09/10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000Thundercat H2	08/10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000Thundercat H2 LE	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
1000 TRV H2 Efi	10	Q	1384X	L/R	X	202	95	3,5	4	8,5	1384X	C	X	202	95	3,5	4	8,5					
ARCTIC CAT (side x side)											ARCTIC CAT (side x side)												
700 c.c.											700 c.c.												
700 HDX Prowler	11	Q	-	-	-	-	-	-	-	-	1384X	C	X	202	95	3,5	4	8,5					
700 HDX i Prowler	11	Q	-	-	-	-	-	-	-	-	1384X	C	X	202	95	3,5	4	8,5					
BOMBARDIER											BOMBARDIER												
200 c.c.											200 c.c.												
Outlander HO	04/05	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
Rally	05/07	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
330 c.c.											330 c.c.												
Outlander HO	04/06	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
400 c.c.											400 c.c.												
OutLander HO / MAX / MAX	03/06	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
500 c.c.											500 c.c.												
Quest (4x4) diferent models	02	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
650 c.c.											650 c.c.												
DS 650 Dif. models	00/05	Q	608	L/R	S	165	48	4	4	8,5	282	C	S	196	81	4	4	8,5					
DS 650 Baja	01/06	Q	608	L/R	S	165	48	4	4	8,5	282	C	S	196	81	4	4	8,5					
DS 650 X	01/06	Q	608	L/R	S	165	48	4	4	8,5	282	C	S	196	81	4	4	8,5					
Outlander 650 HO	06	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
Quest (2x4) 7582	02/04	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
Quest Max	03	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
Quest XT (4x4)	02	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
Traxter Max	02	Q	-	-	-	-	-	-	-	-	1018	C	S	205	-	4	4	8,5					
800 c.c.											800 c.c.												
OutLander EFI / EFI XT	06/07	Q	1018	L/R	S	205	-	4	4	8,5	1017	C	S	180	-	4,5	4	8,5					
OutLander MAX / MAX XT	06/07	Q	1018	L/R	S	205	-	4	4	8,5	1017	C	S	180	-	4,5	4	8,5					
Quest MAX / STD / XT	04/05	Q	1018	L/R	S	205	-	4	4	8,5	1017	C	S	180	-	4,5	4	8,5					
Traxter (4x4)	01	Q	1018	L/R	S	205	-	4	4	8,5	-	-	-	-	-	-	-	-					
Traxter Autoshift	01/05	Q	1018	L/R	S	205	-	4	4	8,5	-	-	-	-	-	-	-	-					
Traxter Footshift	01	Q	1018	L/R	S	205	-	4	4	8,5	-	-	-	-	-	-	-	-					
Traxter Max	03/05	Q	1018	L/R	S	205	-	4	4	8,5	-	-	-	-	-	-	-	-					
Traxter XL (4x4)	01/04	Q	1018	L/R	S	205	-	4	4	8,5	-	-	-	-	-	-	-	-					
DAELIM Korea											DAELIM												
300 c.c.											300 c.c.												
ET 300	12	Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
GAS GAS Spain											GAS GAS												
50 c.c.											50 c.c.												
Wild H.P. 50	02/07	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
250 c.c.											250 c.c.												
Wild H.P. 250	02/05	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
KS RV 250	06	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
300 c.c.											300 c.c.												
Wild H.P. 300	02/05	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
Wild H.P. 300 Reverse	02/05	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
450 c.c.											450 c.c.												
Wild H.P. 450	02/09	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
500 c.c.											500 c.c.												
Wild H.P. 500	05	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
515 c.c.											515 c.c.												
Wild H.P. 515	08/09	Q	815 / 816	L/R	T	178	54	5	3	10,5	817	R	T	220	108	4,5	6	10,5					
HONDA - 3 WHEELERS Japan											HONDA - 3 WHEELERS												
250 c.c.											250 c.c.												
ATC 250 R	81/82	Q	651 / 651X	L/R	S / X	173	53,2	3	3	10,5	-	-	-	-	-	-	-	-					
HONDA - 4 WHEELERS Japan 1 / 2											HONDA - 4 WHEELERS												
220 c.c.											220 c.c.												
KLF 220 A	01/02	Q	053	L/R	S	200	80	3,5	3	10,5	-	-	-	-	-	-	-	-					

HONDA - 4 WHEELERS

83

																						
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø					
KYMCO Taiwan 2 / 2																						
500 c.c.																						
UTV 500 (4x4)	10/13				1384X	L/R	X	202	95	3,5	4	8,5			1384X	L/R	X	202	95	3,5	4	8,5
UTV Bull 500 (4x4)	10/13				1384X	L/R	X	202	95	3,5	4	8,5			1384X	L/R	X	202	95	3,5	4	8,5
700 c.c.																						
MTU 700	09/13				1384X	L/R	X	202	95	3,5	4	8,5			1384X	C	X	202	95	3,5	4	8,5
POLARIS 1 / 2																						
250 c.c.																						
(2x4 / 4x4) 250	90				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss (4x6) Middle axle brake	89/92				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss 250 (6x6)	91				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss (6x6) Middle axle brake	91/93				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Trail Blazer 250	99/04				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Trail Blazer 250	05/06				-	-	-	-	-	-	-	-			1215	C	S	203	83,5	4	3	8,5
Trail Blazer 250 (Freedom)	01/04				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Xplorer 250 (4x4)	00				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
300 c.c.																						
Big Boss 6x6) Midde axle brake	94/02				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
325 c.c.																						
Magnum 325 (4x4) (2x4)	00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Magnum 325 (4x4)	02				1207	L/R	S	180	73	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
Magnum HDS (2x4) / (4x4)	02				1207	L/R	S	180	73	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
Magnum Mose (2x4 / 4x4)	01				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Trail Boss 325	00/02				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Xpedition 325	00				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Xpedition 325	02				1207	L/R	S	180	73	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
330 c.c.																						
ATP 330 (4x4)	04/05				1207	L/R	S	180	73	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
Magnum 330 (2x4) / HDS	03/06				652	L/R	S	227	89	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
Magnum 330 (4x4) / HDS	03/04				1207	L/R	S	180	73	4	4	8,5			1216	C	S	206	89	4,5	4	8,5
Trail Boss 330	03/04				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Trail Boss 330	05/09				-	-	-	-	-	-	-	-			1215	C	S	203	83,5	4	3	8,5
Trail Boss 330	10/12				1207	L/R	S	180	73	4	4	8,5			1215	C	S	203	83,5	4	3	8,5
Trail Blazer 330	08/10				-	-	-	-	-	-	-	-			1215	C	S	203	83,5	4	3	8,5
Trail Blazer 330	10/12				1207	L/R	S	180	73	4	4	8,5			1215	C	S	203	83,5	4	3	8,5
335 c.c.																						
Sportsman / Worker (4x4)	99/00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
350 c.c.																						
L 350 (4x4)	90				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss L 350	93				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss L Middle Axle Brake	93				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Sportsman 350 (4x4)	93				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Trail Boss 350 L (4x4)	91				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
400 c.c.																						
L 400 (4x4)	94				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss 400 L (6x6)	94/97				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss L (6x6) Middle axle brake	94/97				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Scrambler 400 (2x4) / (4x4)	96/97				492	L/R	S	183	73	4	4	8,5			493	C	S	177	51	4,5	3	10,5
Scrambler 400 (2x4) / (4x4)	98/02				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Sportsman 400	01/05				652	L/R	S	227	89	4	4	8,5			047	C	S	149	61	4,5	8	5,5
Sportsman 400 L (4x4)	94/97				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Sportsman 400 HO (4x4)	11/12				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Trail Blazer 400	03				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Xplorer 400	01/02				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Xplorer 400 (4x4)	01/02				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Xplorer 400 L (4x4)	95/00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
X Press 400 L	97				1002	L/R	S	173	-	4	4	8,5			-	-	-	-	-	-	-	-
425 c.c.																						
Magnum 425 (4x4) / (6x6)	95/98				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Magnum 6x6 Middle axle brake	97				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Xpedition 425 (4x4)	00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
450 c.c.																						
Sportsman 450	06/07				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
455 c.c.																						
Diesel 455	01				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Diesel 455 (4x4) EBS	99/00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
500 c.c.																						
ATP 500 HO (4x4)	04/05				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
ATV 500 Pro (4x4) PPS	02				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss 500 (6x6)	98/99				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Big Boss (6 x 6) Middle axle brake	98/99				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Magnum 500	01				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Magnum 500 (4x4)	99/00				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Magnum (2x4/4x4) HDS	02				-	-	-	-	-	-	-	-			1216	C	S	206	89	4,5	4	8,5
Magnum 500 4x4 HDS	02/03				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Predator 500	00/08				363	L/R	S	178	63	4	4	8,5			786	C	S	197	76	4	4	8,5
Scrambler 500 (2x4)	96/00				492	L/R	S	183	73	4	4	8,5			493	C	S	177	51	4,5	3	10,5
Scrambler 500 (2x4)	01/02				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Scrambler 500 (2x4)	07/08				-	-	-	-	-	-	-	-			1215	C	S	203	83,5	4	3	8,5
Sportsman 500 (4x4)	96/97				652	L/R	S	227	89	4	4	8,5			-	-	-	-	-	-	-	-
Scrambler 500 (4x4)	98/04				492	L/R	S	183	73	4	4	8,5			493	C	S	177	51	4,5	3	10,5
Scrambler 500 (4x4)	05/09				-	-	-	-	-	-	-	-			1215	C	S	203	83,5	4	3	8,5
Scrambler 500 (4x4)	10/12				1207	L/R	S	180	73	4	4	8,5			-	-	-	-	-	-	-	-
Sportsman 500 / H.O.	01/02				265	L/R	S	227	79	4	4	8,5			047	C	S	149	61	4,5		

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Tuning / Racing / Street / Sport / Naked C: Custom/Touring H: Trail F: Enduro M: Cross Q: Quad/ATV/Utility T: Tool S: Supermoto / Supamoto B: Bicycle

MODEL TYPE: **R:** Roadster / Racing / Sport / Sport / Naked - **C:** Custom / Touring - **S:** Scooter - **A:** Ciclomotor / Moped 50 c.c. Offroad con marchas / with

SIDE: **L** (Izquierdo/Left) - **R** (Derecho/Right) - **LR** (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std / X: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MOX: Wavy Multidisc / SP: Without ventilations / FSP: Floating with



35

NG		FRONT										REAR									
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø

YAMAHA Japan 2 / 2											YAMAHA										
660 c.c.											660 c.c.										
FWA 660 Grizzly	01/04	Q	901	L/R	S	220	107	3,5	4	10,5	-	-	-	-	-	-	-	-	-	-	-
YFM 660 Grizzly	02	Q	264	L/R	S	161	48	3,5	4	10,5	-	-	-	-	-	-	-	-	-	-	-
YFM 660 RN Raptor	01/09	Q	264	L/R	S	161	48	3,5	4	10,5	494	C	S	220	58	4	4	8,5	-	-	-
700 c.c.											700 c.c.										
Raptor YFM 700 R	06/12	Q	264	L/R	S	161	48	3,5	4	10,5	1059	R	S	200	51	3,5	4	10,5	-	-	-



Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo / Racing / Street / Sport / Naked - C: Custom / Touring - U: Trail - E: Enduro - M: Cross - Q: Quad / Atv / Utv / Urv - T: Trial - F: Supermoto / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor / Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor / Moped 50 c.c. Onroad con marchas / with gear - V: Electricas / Electric - G: Trikes

SIDE: L (Izquierdo / Left) - R (Derecho / Right) - LR (Izquierdo y derecho / Left & Right)

DISC TYPE: S: Std / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations
XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



NG		FRONT								REAR							
YEAR	MODEL TYPE	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø	REF.	SIDE	DISC TYPE	OUTSIDE Ø	INSIDE Ø	THICKNESS	N° HOLES	HOLES Ø

BICYCLES - MTB - DOWN HILL - BIKETRIAL - TREKKING -

SPECIALS

Magura	-	B	550	L	S	122	33	3	3	5,5	550	L	S	122	33	3	3	5,5
Ursus	-	B	553	L	S	140	33	2	6	5,5	553	L	S	140	33	2	6	5,5
Cannondale	-	B	558	L	S	160	33	2	4	5,5	558	L	S	160	33	2	4	5,5
Cannondale	-	B	509	L	S	160	35	2	4	5,5	509	L	S	160	35	2	4	5,5
Cannondale	-	B	571	L	S	190	35	2,1	4	5,5	571	L	S	190	35	2,1	4	5,5

INTERNATIONAL STANDARD

International standard	-	B	552	L	S	140	33	2	6	5,5	552	L	S	140	33	2	6	5,5
International standard	-	B	554	L	S	160	33	1,8	6	5,5	554	L	S	160	33	1,8	6	5,5
International standard	-	B	555	L	S	160	33	2	6	5,5	555	L	S	160	33	2	6	5,5
International standard	-	B	560	L	S	160	35	2	6	5,5	560	L	S	160	35	2	6	5,5
International standard	-	B	561	L	S	165	33	2	6	5,5	561	L	S	165	33	2	6	5,5
International standard	-	B	562	L	S	170	33	1,8	6	5,5	562	L	S	170	33	1,8	6	5,5
International standard	-	B	563	L	S	180	33	2	6	5,5	563	L	S	180	33	2	6	5,5
International standard	-	B	564	L	S	180	35	2	6	5,5	564	L	S	180	35	2	6	5,5
International standard	-	B	569	L	S	190	33	2,1	6	5,5	569	L	S	190	33	2,1	6	5,5
International standard	-	B	570	L	S	190	35	2,1	6	5,5	570	L	S	190	35	2,1	6	5,5
International standard	-	B	572	L	S	203	33	2	6	5,5	572	L	S	203	33	2	6	5,5



Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso - Dimensions subjected to change without further notice

MODEL TYPE: R: Turismo/ Racing / Street / Sport / Naked - C: Custom/Touring - U: Trail - E: Enduro - M: Cross - Q: Quad/Atv/Utv/Uxv - T: Trial - F: Supermotard / Supermoto - B: Bicycle
S: Scooter - A: Ciclomotor/Moped 50 c.c. Offroad con marchas / with gear - H: Ciclomotor/Moped 50 c.c. Onroad con marchas / with gear - V: Electricas/Electric - G: Trikes

SIDE: L (Izquierdo/Left) - R (Derecho/Right) - LR (Izquierdo y derecho/Left & Right)

DISC TYPE: S: Std. / K: Wavy / T: Turbine / F: Floating / TX: Turbine Wavy / MD: Multidisc / MDX: Wavy Multidisc / SP: Without ventilations / FSP: Floating without ventilations

XSP: Wavy without ventilations / KS: Std kit / KF: Floating kit / KX: Wavy kit / KFX: Wavy without vent kit / KFSP: Floating without ventilations kit



9023 001 005 011
9008
8450
1146X
1077
1068
1022X
945
913

ENJOY EVERY BRAKING...



DISCOS POR REFERENCIA / BRAKE DISCS BY REFERENCE

**POR REFERENCIA
Y DIBUJOS**

**BY REFERENCE
AND DRAWINGS**

NG
Brake Disc

<Ref. 420
Ø292



<Ref. 738
Ø292

ENJOY EVERY BRAKING...



007 Ø185xØ60x3,5 008 Ø220xØ108x4,0 009 Ø185xØx4,0 010 Ø160xØx4,0 011 Ø190xØ58x3,5



012 Ø260xØ120x3,0 013 Ø220xØ112x4,0 014 Ø185xØ80x3,5 015 Ø150xØ45x2,8 016 Ø185xØx3,0



017 Ø260xØ108x4,0 018 Ø200xØ62x4,0 019 Ø220xØ45x3,5 020 Ø185xØ45x4,0 021 Ø220xØ60x4,0



022 Ø165xØ50x3,5 023 Ø320xØ101x4,5 024 Ø180xØ60x3,5 025 Ø185xØ72x3,0 026 Ø320xØ108x4,0



027/012 Ø320xØ108x4,0 028 Ø190xØ58x3,5 029 Ø280xØ108x4,0 030 Ø220xØ108x4,0 031 Ø245xØ115x4,0



032 Ø240xØ118x4,5 033 Ø170xØ103x3,5 034 Ø180xØ45x3,5 035 Ø240xØ72x3,5 036 Ø230xØ86x4,0



037 Ø185xØ103x3,5 038 Ø245xØ86x4,0 039 Ø220xØ88x4,5 040 Ø220xØ57x4,0 041 Ø220xØ105x4,0



POR REFERENCIA / BY REFERENCE

0220xØ118x4,0 0220xØ121x5,0 0220xØ121x5,0 0256xØ144x4,0 0256xØ144x4,0



Ø149xØ61x4,5 0296xØ144x4,0 0240xØ116x4,0 0242xØ121x4,0 0280xØ121x4,0



0280xØ121x4,0 0200xØ80x3,5 0287xØ132x4,5 0185xØx3,5 0245xØ115x4,0



0220xØ66x4,5 0210xØ108x3,5 0185xØ45x3,5 0185xØ72x4,0 0150xØ45x3,0



0220xØ64x4,0 0250xØ134,5x4,0 0250xØ134,5x4,0 0240xØ101x3,0 0240xØ101x3,0



0240xØ105x4,0 0220xØ81x4,0 0260xØ125x4,0 0240xØ72x3,5 0185xØ70x3,5



0180xØ34x4,0 0220xØ66x3,5 0180xØ103x3,5 0220xØ42x4,0 0180xØ62x3,5












































































POR REFERENCIA / BY REFERENCE



1435 Ø220xØ105x4,0 1436 Ø240xØ72x3,5 1437 Ø200xØ62x3,5 1438 Ø220xØx3,5 1439 Ø185xØx3,5



1440 Ø240xØ118x3,5 1441 Ø310xØ64x5,0 H:19,5 1442 Ø310xØ64x5,0 H:19,5 1443 Ø250xØ84x6,0 1444 Ø300xØ121x5,0



1445 Ø300xØ121x5,0 1446 Ø310xØ64x4,0 H:22,0 1447 Ø317xØ144x6,0 1448 Ø276xØ53x4,5 1449 Ø185xØ45x3,5



1450 Ø220xØ108x3,5 1451 Ø220xØ110x4,2 1452 Ø220xØ110x4,2 1453 Ø220xØ110x4,2 1454 Ø200xØ97x4,0



1455 Ø220xØ54x4,5 1456 Ø230xØ120x4,0 1457 Ø220xØ112x4,0 1458 Ø230xØx4,5 1459 Ø250xØ100x3,0




1460 Ø250xØ100x3,0 1461 Ø250xØ100x3,0 1462 Ø220xØ100x4,5 1463 Ø220xØ100x4,5 1464 Ø240xØx3,7



1465 Ø260xØx3,5 1466 Ø260xØx3,0 1467 Ø260xØx3,0 1468 Ø220xØ110x4,2 1469 Ø220xØ110x4,2





189 Ø300xØ170x5,0 189 Ø220xØ110x4,0 190 Ø174xØ38x4,0 191 Ø174xØ66x4,0 192 Ø218xØ42x3,5



193 Ø260xØ108x3,5 194 Ø260xØ108x3,5 195 Ø240xØ114x4,0 196 Ø260xØ121x4,5 197 Ø185xØ72x3,5



198 Ø240xØ118x3,0 199 Ø240xØ118x3,0 200 Ø240xØ118x3,0 201 Ø240xØ118x3,0 202 Ø260xØ72x3,0



203 Ø190xØ68x3,5 204 Ø256xØ144x5,5 205 Ø276xØ144x5,0 206 Ø276xØ144x4,0 207 Ø276xØ144x4,5



208 Ø240xØ105x5,0 209 Ø275xØ56x5,0 210 Ø220xØ62x3,5 211 Ø276xØ144x6,0 212 Ø296xØ58x4,0 H:17,0



213 Ø290xØ105x3,5 214 Ø220xØ105x4,5 215 Ø256xØ144x4,0 216 Ø220xØ105x5,0 217 Ø184xØ60x4,0



218 Ø240xØx3,5 219 Ø220xØx3,5 220 Ø300xØ110x4,0 H:11,0 221 Ø175xØ73x4,0 222 Ø276xØx5,0





230x Ø276xØx5,0 231x Ø240xØ118x3,0 232x Ø218xØ62x3,5 233x Ø218xØ62x3,5 234x Ø290xØ64x4,5 H:20,0



235x Ø290xØ64x4,5 H:20,0 236x Ø240xØ89x5,0 237x Ø240xØ89x5,0 238x Ø175xØ45x4,0 239x Ø220xØ108x3,5



240x Ø150xØ45x4,0 241x Ø150xØ45x4,0 242x Ø185xØ45x4,0 243x Ø185xØ60x4,0 244x Ø184xØ87x4,0



245x Ø184xØ93x4,0 246x Ø160xØ87x4,0 247x Ø150xØ45x3,5 248x Ø250xØ121x3,5 249x Ø230xØ100x5,0



250x Ø240xØ125x4,0 251x Ø185xØ72x3,0 252x Ø150xØ45x3,0 253x Ø185xØ72x4,0 254x Ø150xØ46x3,0



255x Ø220xØ112x4,0 256x Ø220xØ112x4,0 257x Ø220xØ112x4,0 258x Ø161xØ46x3,5 259x Ø227xØ79x4,0



260x Ø220xØ112x4,0 261x Ø185xØ46x3,5 262x Ø185xØ72x3,5 263x Ø230xØ112x4,5 264x Ø260xØ108x3,5



POR REFERENCIA / BY REFERENCE

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice



Ø250xØ118x3,0
Ø250xØ118x3,0
Ø185xØx3,0
Ø145xØ45x3,0
Ø180xØ38x4,0



Ø218xØ42x4,0
Ø196xØ81x4,0
Ø228xØ60x3,5
Ø256xØ144x5,0
Ø250xØ140x4,0



Ø220xØ110x4,0
Ø280xØ155x4,0
Ø220xØ102x4,0
Ø220xØ60x4,0
Ø260xØ60x4,0



Ø298xØ132x5,0
Ø298xØ132x5,0
Ø298xØ132x5,0
Ø260xØ108x4,0
Ø320xØ132x5,0



Ø320xØ132x5,0
Ø260xØ108x3,5
Ø220xØ108x4,0
Ø190xØ58x4,0
Ø226xØ58x4,0



Ø250xØ112x4,0
Ø184xØ45x4,0
Ø220xØ105x3,5
Ø199xØ57x3,5
Ø220xØ88x4,0



Ø256xØ94x6,0
Ø267xØ118x4,0
Ø185xØx3,5
Ø165xØx3,5
Ø260xØ105x3,5




































































Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso.
 Dimensions subjected to change without further notice.



Ø175xØ73x4,0 Ø180xØ58x3,5 Ø200xØ80x3,5 Ø250xØ108x3,5 Ø130xØ46x3,5



Ø160xØ60x3,0 Ø240xØ115x4,0 Ø240xØ115x4,0 Ø240xØ121x4,0 Ø185xØ45x4,0



Ø260xØ108x3,5 Ø203xØ84x4,5 Ø150xØ45x3,0 Ø230xØ86x3,5 Ø260xØ120x3,5



Ø180xØ48x3,5 Ø298xØ132x5,0 Ø298xØ132x5,0 Ø240xØ108x3,5 Ø220xØ92x3,0



Ø282xØ132x4,0 Ø160xØ45x3,2 Ø185xØx3,5 Ø298xØ64x4,0 H.9,5 Ø298xØ64x4,0 H.9,5



Ø245xØ115x5,0 Ø155xØ40,6x3,8 Ø320xØ198x5,0 Ø130xØ46x3,5 Ø185xØx3,0



Ø185xØx3,0 Ø245xØ115x5,0 Ø276xØ141x5,0 Ø320xØ198x4,0 Ø292xØ50x5,0





425 Ø210xØ84x5,0 426 Ø220xØ115x4,0 427 Ø220xØ115x4,0 428 Ø180xØ62x3,5 429 Ø220xØ42x3,5



430 Ø150xØ45x3,0 431 Ø130xØ45x3,0 432 Ø180xØ64x3,5 433 Ø240xØ62x4,0 434 Ø240xØ72x3,5



435 Ø220xØ72x3,5 436 Ø185xØ45x3,5 437 Ø220xØ100x4,0 438 Ø190xØ58x3,5 439 Ø220xØ58x3,5



440 Ø240xØ58x3,5 441 Ø220xØ105x4,0 442 Ø155xØ40,6x4,0 443 Ø220xØ100x4,0 444 Ø296xØ144x4,5



445 Ø320xØ69x5,0 446 Ø320xØ69x5,0 447 Ø220xØ126x4,0 448 Ø200xØ45x3,5 449 Ø160xØ72x3,0



450 Ø189xØ72x3,0 451 Ø184xØ72x3,0 452 Ø205xØ72x3,0 453 Ø245xØ125x3,5 454 Ø240xØ118x3,0



455 Ø240xØ118x3,0 456 Ø240xØ105x4,0 457 Ø210xØ30x4,0 458 Ø318xØ106x4,0 459 Ø287xØ150x5,0



Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice

440 Ø220xØ62x3,5 440 Ø169xØ50x3,5 440 Ø183xØ73x4,0 440 Ø177xØ51x4,5 440 Ø220xØ58x4,0



440 Ø245xØ58,5x4,5 440 Ø230xØ44x5,0 440 Ø160xØ35x2,0 440 Ø230xØ44x5,0 440 Ø122xØ33x3,0



440 Ø140xØ33x2,0 440 Ø140xØ33x2,0 440 Ø160xØ33x1,8 440 Ø160xØ33x2,0 440 Ø160xØ33x2,0



440 Ø160xØ35x2,0 440 Ø165xØ33x2,0 440 Ø170xØ33x1,8 440 Ø180xØ33x2,0 440 Ø180xØ35x2,0



440 Ø190xØ33x2,1 440 Ø190xØ35x2,1 440 Ø190xØ35x2,1 440 Ø203xØ33x2,0 440 Ø207xØ45x3,0



440 Ø190xØ72x4,0 440 Ø150xØ46x2,5 440 Ø165xØ48x4,0 440 Ø220xØ102x4,0 440 Ø200xØ86,5x4,0



440 Ø220xØ58x4,0 440 Ø260xØ108x3,5 440 Ø240xØ125x3,5 440 Ø185xØx3,0 440 Ø185xØx2,7





620 Ø184xØx3,5 625 Ø160xØ60x3,5 630 Ø240xØ125x3,5 635 Ø267xØ132x5,0 640 Ø245xØ115x5,0



645 Ø245xØ115x5,0 647 Ø240xØ100x5,5 648 Ø240xØ125x4,5 649 Ø220xØ115x5,0 650 Ø220xØ115x5,0



641 Ø260xØ108x3,0 641 Ø278xØ88x4,0 642 Ø220xØ105x4,0 642 Ø296xØ94x4,5 H:12,5 645 Ø330xØ94x4,5 H:13,0



643 Ø330xØ94x4,5 H:13,0 645 Ø165xØx3,0 645 Ø175xØ45x3,5 647 Ø150xØ45x3,5 649 Ø240xØ112x4,0



648 Ø240xØ112x4,0 648 Ø185xØx3,0 648 Ø150xØ45x3,0 648 Ø150xØ45x3,0 651 Ø173xØ53,2x3,0



643 Ø173xØ53,2x3,0 645 Ø227xØ89x4,0 645 Ø219xØ105x4,0 645 Ø240xØ121,5x4,0 645 Ø240xØ121,5x4,0



645 Ø240xØ121,5x4,0 645 Ø220xØ105x4,0 645 Ø190xØ63x5,0 645 Ø240xØ80x4,0 645 Ø190xØ58x4,0



645 Ø240xØ121,5x4,0 645 Ø220xØ105x4,0 645 Ø190xØ63x5,0 645 Ø240xØ80x4,0 645 Ø190xØ58x4,0



POR REFERENCIA / BY REFERENCE

103

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice



winter



 Ø180xØ46x3,5  Ø150xØ46x3,5  Ø184xØ46x3,0  Ø160xØ45x3,0  Ø173xØx2,8



 Ø260xØ121x4,5  Ø300xØ121x4,5  Ø290xØ121x4,5  Ø250xØ118x3,0  Ø250xØ118x3,0



 Ø220xØ118x4,5  Ø220xØ118x4,5  Ø292xØ50x5,8  Ø292xØ56,3x5,0  Ø270xØ120x3,5



 Ø240xØ112x4,0  Ø310xØ140x4,0  Ø270xØ90x4,0  Ø280xØ130x4,5  Ø290xØ165x4,0



 Ø230xØ116x5,0  Ø210xØ109x5,0  Ø298xØ58x4,5 H:23,0  Ø280xØ130x4,0  Ø254xØ50x5,0



 Ø298xØ64x5,0 H:18,2  Ø300xØ108x4,0  Ø184xØx3,0  Ø165xØ45x3,0  Ø162xØ34x4,0



 184xØ45x3,0  Ø175xØ45x3,0  Ø220xØ126x4,0  Ø240xØ89,6x4,0  Ø205xØ46x3,0



 184xØ45x3,0  Ø175xØ45x3,0  Ø220xØ126x4,0  Ø240xØ89,6x4,0  Ø205xØ46x3,0





115 Ø185xØx3,0 **115A** Ø185xØx3,0 **116** Ø220xØ54x4,5 **117** Ø220xØ89,6x4,0 **118** Ø220xØ108x4,0



119 Ø276xØ118x3,0 **120** Ø200xØ100x3,5 **121** Ø260xØ120x3,0 **122** Ø320xØ120x5,0 **123A-11** Ø320xØ120x5,0



123B Ø320xØ120x5,0 **123B-11** Ø320xØ120x5,0 **123C** Ø320xØ120x5,0 **123D-11** Ø320xØ120x5,0 **123E-11** Ø320xØ118x5,0



123F-11 Ø320xØ118x5,0 **123G-11** Ø320xØ118x5,0 **123H-11** Ø320xØ118x5,0 **123I-11** Ø320xØ118x5,0 **123J-11** Ø320xØ118x5,0



124 Ø320xØ101x5,0 **124A-11** Ø320xØ101x5,0 **124B-11** Ø320xØ101x5,0 **124C-11** Ø320xØ101x5,0 **124D-11** Ø320xØ101x5,0



124E-11 Ø320xØ101x5,0 **124F** Ø320xØ101x5,0 **124G-11** Ø320xØ101x5,0 **124H-11** Ø320xØ101x5,0 **124I** Ø320xØ127x5,0



124J-11 Ø320xØ127x5,0 **124K** Ø320xØ127x5,0 **124L-11** Ø320xØ127x5,0 **124M** Ø318xØ127x5,0 **124N-11** Ø318xØ127x5,0



POR REFERENCIA / BY REFERENCE

105

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso. Dimensions subjected to change without further notice.



734415 Ø320xØ118x5,0
 734416 Ø320xØ118x5,0
 734417 Ø320xØ118x5,0
 734 Ø260xØ90x3,5
 735 Ø200xØ57x3,5



736 Ø320xØ127x4,0
 73611 Ø320xØ127x4,0
 737 Ø260xØ108x3,5
 7371 Ø260xØ108x3,5
 7313K Ø260xØ108x3,5



738111 Ø320xØ109x5,0
 738112 Ø320xØ109x5,0
 738113 Ø320xØ109x5,0
 738 Ø240xØ120x3,0
 7381 Ø180xØ60x3,5



739 Ø292xØ56,3x5,0
 7391 Ø292xØ56,3x5,0
 7391 Ø292xØ50x5,0
 740 Ø202xØ50x5,0
 741 Ø292xØ50x5,8



742 Ø292xØ50x5,8
 743 Ø220xØ100x3,0
 745X Ø220xØ100x3,0
 746 Ø270xØ130x5,0
 748 Ø220xØ88x3,0



7492 Ø220xØ88x3,0
 749113 Ø320xØ118x5,0
 74921113 Ø320xØ118x5,0
 74921113 Ø320xØ118x5,0
 750 Ø300xØ61x5,0 H:13,2



7501 Ø300xØ61x5,0 H:13,2
 751 Ø310xØ62x5,0 H:21,5
 752 Ø310xØ62x5,0 H:21,5
 753 Ø296xØ62x5,0 H:17,0
 754 Ø296xØ62x5,0 H:17,0





750 Ø200xØ100.5x3.5 **750** Ø260xØ120x3.0 **750** Ø220xØ96x3.0 **750** Ø220xØ86x3.0 **750** Ø190xØ84x3.0



750 Ø190xØ84x3.0 **750** Ø184xØ85x3.5 **750** Ø220xØ122x4.0 **750** Ø300xØ61x4.5 H:13.5 **750** Ø300xØ61x4.5 H:13.5



750 Ø256xØ144x5.0 **750** Ø220xØ102x5.0 **750** Ø310xØ61x5.0 H:13.2 **750** Ø310xØ61x5.0 H:13.2 **750** Ø230xØ84x5.0



750 Ø200xØ45x3.0 **750** Ø276xØ58x4.0 H:16.5 **750** Ø267xØ132x4.0 **750** Ø245xØ105x5.0 **750** Ø220xØ86x3.5



750 Ø197xØ76x4.0 **750** Ø310xØ94x5.0 H:13.0 **750** Ø310xØ94x5.0 H:13.0 **750** Ø245xØ115x4.0 **750** Ø245xØ115x4.0



750 Ø245xØ115x4.0 **750** Ø300xØ69x5.0 **750** Ø300xØ69x5.0 **750** Ø220xØ89x5.0 **750** Ø220xØ89x5.0



750 Ø256xØ144x5.0 **750** Ø210xØ81x4.0 **750** Ø190xØ80x4.0 **750** Ø190xØ80x4.0 **750** Ø184xØ84x4.0



Ø184xØ84x4,0 Ø240xØ116x4,0 Ø240xØ116x4,0 Ø300xØ90x4,0 Ø180xØ57x4,0



Ø178xØ54x5,0 Ø178xØ54x5,0 Ø220xØ108x4,5 Ø220xØ108x4,0 Ø280xØ108x4,0



Ø260xØ108x4,0 Ø220xØ57x4,0 Ø218xØ62x3,5 Ø240xØ108x3,5 Ø260xØ108x3,5



Ø300xØ108x3,5 Ø218xØ62x3,5 Ø200xØ62x4,0 Ø320xØ101x4,5 Ø240xØ80x4,5



Ø290xØ120x5,0 Ø240xØ125x3,5 Ø280xØ90x4,0 Ø300xØ108x4,0 Ø300xØ108x3,5



Ø260xØ108x3,5 Ø160xØ62x4,0 Ø245xØ115x4,0 Ø220xØ107x3,5 Ø310xØ132x5,0



Ø310xØ132x5,0 Ø220xØ105x5,0 Ø220xØ105x5,0 Ø180xØx3,0 Ø150xØ45x2,5











































































POR REFERENCIA / BY REFERENCE


Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso


Dimensions subjected to change without further notice



wintex








POR REFERENCIA / BY REFERENCE

111

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice



0200 Ø190xØ80x4,0 1077 Ø240xØ125x4,0 1071 Ø210xØ58x4,0 0203 Ø316xØ144x5,0 1054 Ø250xØ118x3,5



0205 Ø267xØx3,5 1079 Ø209xØx3,5 1077 Ø220xØ105x4,0 1079 Ø226xØ105x4,0 1079 Ø320xØ102x3,5



1080 Ø260xØ102x3,5 1081 Ø267xØ132x4,5 1082 Ø210xØ90x4,0 1083 Ø267xØ132x4,0 1084 Ø220xØ122x4,0



1086 Ø190xØ56x4,0 1087 Ø260xØ120x4,0 1088 Ø220xØ100x3,5 1089 Ø240xØ105x4,5 1090 Ø240xØ105x4,5



1091 Ø300xØ140x5,0 1092 Ø276xØ144x4,0 1093 Ø260xØ87,5x4,0 1094 Ø260xØ87,5x4,0 1095 Ø260xØ141x5,0



1096 Ø260xØ141x5,0 1097 Ø240xØ116x5,0 1098 Ø260xØx3,5 1099 Ø185xØ45x3,5 1100 Ø220xØ60x4,0



1101 Ø245xØ80x4,0 1102 Ø230xØ105x4,0 1103 Ø220xØ88x3,0 1104 Ø220xØ85x3,0 1105 Ø300xØ90x4,0





1104 Ø310xØ121x5,0 1104 Ø310xØ121x5,0 1105 Ø250xØ117x5,0 1106 Ø255xØ87x5,0 1107 Ø190xØ70x4,5



1108 Ø184xØ84x4,0 1109 Ø184xØ84x4,0 1110 Ø180xØ63,5x4,0 1111 Ø200xØ76x4,0 1112 Ø220xØ89x4,0



1113 Ø310xØ58x5,0 H:22,0 1114 Ø296xØ184x6,3 1115 Ø250xØ101x3,0 1117 Ø220xØ121x4,0 1118 Ø210xØ89x5,0



1119 Ø220xØ122x4,5 1120 Ø155xØ42x3,0 1121 Ø263xØ101x5,0 1122 Ø180xØ58x3,7 1123 Ø270xØ128x5,0



1124 Ø240xØ92x5,0 1125 Ø173xØ3,0 1126 Ø220xØ96,5x4,0 1127 Ø220xØ110x5,0 1128 Ø260xØ130x5,0



1129 Ø220xØ104x5,0 1130 Ø220xØ74x4,7 1131 Ø200xØ58x4,0 1132 Ø305xØ118x5,0 1133 Ø305xØ118x5,0



1134 Ø300xØ61,5x5,0 H:21,7 1135 Ø170xØ42x3,5 1136 Ø190xØ4,0 1137 Ø275xØ56x5,0 H:21,7 1138 Ø180xØ79x3,0



POR REFERENCIA / BY REFERENCE

113

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice



11458 Ø180xØ79x3,0 **11459** Ø210xØ58x4,0 **11460** Ø320xØ105x5,0 **11461** Ø320xØ105x5,0 **11462** Ø240xØ102x4,0



11463 Ø180xØ48x4,0 H:10,0 **11464** Ø286xØ94x4,5 H:18,5 **11465** Ø270xØ100x3,0 **11466** Ø270xØ109x3,0 **11467** Ø160xØ2,5



11468 Ø160xØ2,5 **11469** Ø270xØ118x3,0 **11470** Ø270xØ118x3,0 **11471** Ø270xØ118x3,0 **11472** Ø270xØ101x3,0



11473 Ø200xØ73x4,5 **11474** Ø200xØ73x4,5 **11475** Ø224xØ173x4,0 **11476** Ø240xØ98x4,0 **11477** Ø300xØ64x5,0 H:19,5



11478 Ø300xØ64x5,0 H:19,5 **11479** Ø270xØ118x3,0 **11480** Ø298xØ62x5,0 H:23,0 **11481** Ø270xØ105x3,0 **11482** Ø270xØ105x3,0



11483 Ø310xØ144x5,0 **11484** Ø260xØ120x3,0 **11485** Ø220xØ68x4,0 **11486** Ø220xØ68x4,0 **11487** Ø260xØ71x4,0



11488 Ø280xØ71x4,0 **11489** Ø240xØ107,5x5,0 **11490** Ø240xØ111x4,0 **11491** Ø255xØ87x5,0 **11492** Ø240xØ120x5,0





NG
ELECTRONICS

1176 Ø276xØ124x4,0 1177 Ø226xØ126x4,5 1178 Ø245xØ82x4,0 1179 Ø310xØ58x5,0 H:17,5 1180 Ø310xØ58x5,0 H:17,5



1181 Ø220xØ58,3x4,0 1182 Ø230xØ102x5,0 1183 Ø240xØ58x4,0 1184 Ø220xØ58x4,0 1185 Ø190xØ48x3,5



1186 Ø154xØ42x3,0 1187 Ø203xØ84,3x4,5 1188 Ø200xØ66x3,8 1189 Ø230xØ87x4,3 1190 Ø240xØ58x4,0 H:22,0



1191 Ø240xØ126x4,0 1192 Ø300xØ105x5,0 1193 Ø300xØ105x5,0 1194 Ø267xØ132x4,0 1195 Ø298xØ132x4,0



1196 Ø298xØ132x4,0 1197 Ø310xØ62x5,0 H:18,5 1198 Ø310xØ62x5,0 H:18,5 1199 Ø283xØ126x4,0 1200 Ø270xØ108x3,5



1201 Ø240xØ126x6,0 1202 Ø220xØ58x4,0 H:22,0 1203 Ø292xØ155x4,0 1204 Ø230xØ102x4,0 1205 Ø318xØ108x4,0



1206 Ø318xØ108x4,0 1207 Ø298xØ132x4,0 1208 Ø298xØ132x4,0 1209 Ø226xØ58x4,0 1210 Ø180xØ73x4,0



Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice



winter







1234 Ø218xØ62x3,5 1235 Ø260xØ105x3,2 1236 Ø220xØ103x4,0 1237 Ø220xØ106x3,5 1238 Ø185xØx2,5



1239 Ø150xØ45x2,5 1240 Ø256xØ56,3x5,0 1241 Ø292xØ56,3x5,0 1242 Ø300xØ56,3x5,0 1243 Ø300xØ56,3x5,0



1244 Ø300xØ56,3x5,0 1245 Ø260xØ105x3,5 1246 Ø220xØ100x3,5 1247 Ø305xØ82,5x5,0 1248 Ø305xØ82,5x5,0



1249 Ø270xØx3,0 1250 Ø270xØx3,0 1251 Ø270xØx3,0 1252 Ø320xØ78x5,0 H:14,5 1253 Ø320xØ78x5,0 H:14,5



1254 Ø310xØ78x5,0 H:14,5 1255 Ø310xØ78x5,0 H:14,5 1256 Ø310xØ84,5x5,0 H:14,0 1257 Ø310xØ84,5x5,0 H:14,0 1258 Ø320xØ78x5,0 H:10,3



1259 Ø320xØ78x5,0 H:10,3 1260 Ø255xØ105x5,0 1261 Ø255xØ105x5,0 1262 Ø320xØ78x5,0 H:17,5 1263 Ø320xØ78x5,0 H:17,5



1264 Ø180xØ58x4,0 1265 Ø250xØ100x5,0 1266 Ø260xØ120,2x3,5 1267 Ø240xØ112x4,0 1268 Ø185xØ58x3,5




POR REFERENCIA / BY REFERENCE


117

Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso

Dimensions subjected to change without further notice







POR REFERENCIA / BY REFERENCE


Las dimensiones indicadas pueden estar sujetas a cambios sin previo aviso


Dimensions subjected to change without further notice



winter









PLATOS CADENA SEMIMECANIZADOS HALF FINISHED SPROCKETS

TIPO CADENA/ CHAIN TYPE: RENOLD 110054

5/8" 520	1/2" 420
AKZ110 = 5/8" 30Z 6mm	AKZ401 = 1/2" 33Z 6mm
AKZ111 = 5/8" 31Z 6mm	AKZ402 = 1/2" 34Z 6mm
AKZ112 = 5/8" 32Z 6mm	AKZ403 = 1/2" 35Z 6mm
AKZ113 = 5/8" 33Z 6mm	AKZ404 = 1/2" 36Z 6mm
AKZ114 = 5/8" 34Z 6mm	AKZ405 = 1/2" 37Z 6mm
AKZ115 = 5/8" 35Z 6mm	AKZ406 = 1/2" 38Z 6mm
AKZ116 = 5/8" 36Z 6mm	AKZ407 = 1/2" 39Z 6mm
AKZ117 = 5/8" 37Z 6mm	AKZ408 = 1/2" 40Z 6mm
AKZ118 = 5/8" 38Z 6mm	AKZ409 = 1/2" 41Z 6mm
AKZ119 = 5/8" 39Z 6mm	AKZ410 = 1/2" 42Z 6mm
AKZ120 = 5/8" 40Z 6mm	AKZ411 = 1/2" 43Z 6mm
AKZ121 = 5/8" 41Z 6mm	AKZ412 = 1/2" 44Z 6mm
AKZ122 = 5/8" 42Z 6mm	AKZ413 = 1/2" 45Z 6mm
AKZ123 = 5/8" 43Z 6mm	AKZ414 = 1/2" 46Z 6mm
AKZ124 = 5/8" 44Z 6mm	AKZ415 = 1/2" 47Z 6mm
AKZ125 = 5/8" 45Z 6mm	AKZ416 = 1/2" 48Z 6mm
AKZ126 = 5/8" 46Z 6mm	AKZ417 = 1/2" 49Z 6mm
AKZ127 = 5/8" 47Z 6mm	AKZ418 = 1/2" 50Z 6mm
AKZ128 = 5/8" 48Z 6mm	AKZ419 = 1/2" 51Z 6mm
AKZ129 = 5/8" 49Z 6mm	AKZ420 = 1/2" 52Z 6mm
AKZ130 = 5/8" 50Z 6mm	AKZ421 = 1/2" 53Z 6mm
AKZ131 = 5/8" 51Z 6mm	AKZ422 = 1/2" 54Z 6mm
AKZ132 = 5/8" 52Z 6mm	AKZ423 = 1/2" 55Z 6mm
AKZ133 = 5/8" 53Z 6mm	AKZ424 = 1/2" 56Z 6mm
AKZ134 = 5/8" 54Z 6mm	AKZ425 = 1/2" 57Z 6mm
AKZ135 = 5/8" 55Z 6mm	AKZ426 = 1/2" 58Z 6mm
AKZ136 = 5/8" 56Z 6mm	AKZ427 = 1/2" 59Z 6mm
AKZ137 = 5/8" 57Z 6mm	AKZ428 = 1/2" 60Z 6mm
AKZ138 = 5/8" 58Z 6mm	AKZ429 = 1/2" 61Z 6mm
	AKZ430 = 1/2" 62Z 6mm

BUSQUEDA POR MARCA y MODELO / SEARCH BY BRAND & MODEL

- 1** INTRODUCIR LA PAGINA WEB DE NG EN EL EXPLORADOR
 INTRODUCE THE NG WEBSITE IN THE EXPLORER

http://www.ngbrakedisc.com/

- 2** PULSAR EN MENU "CATALOGO"
 CLICK ON MENU "CATALOGUE"



- 3** PULSAR EN CATALOGO ONLINE
 CLICK ON CATALOGUE ONLINE



- 4** SELECCIONAR LA MARCA
 SELECT THE BRAND



- 5** SELECCIONAR LA CILINDRADA
 SELECT THE CUBIC CAPACITY



- 6** SELECCIONAR EL MODELO
 SELECT THE MODEL



- 7** APLICACIONES ENCONTRADAS
 ITEMS FOUND



BUSQUEDA POR REFERENCIA / SEARCH BY REFERENCE

- 1** PULSAR CATALOGO ONLINE
 CLICK ON CATALOGUE ONLINE



- 2** INTRODUCIR LA REFERENCIA
 INTRODUCE THE REFERENCE



- 3** APLICACIONES ENCONTRADAS
 ITEMS FOUND



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.



ARGENTINA
MK3 BRAKERACING
00-54-0221-15-6722924
mk3brakes@hotmail.com
http://www.mk3.com.ar



AUSTRALIA
KENMA AUSTRALIA PTY LTD
Mob: 61 438 388 117
Tel: 61 2 9484 0777
Fax: 61 2 9484 0877
http://www.kenma.com.au



AUSTRIA
SCHUMOTO HANDELSGES
Freistaedterstrasse 338
Te A4040 Linz
Tel: +437327570800
Fax: +4373275708090
office@schumoto.at
http://www.schumoto.at



BELGIUM
CARKC KIRCROSS
52 Rue de Fosses
B6250 BELGIUM
Tel: 003271397255
Fax: 00327139389



BELGIUM
OFF ROAD ACTION
TRIAL SPECIALIST
Waterkasteelstraat 38
3740 Bilzen
Tel: +32 13 55 40 45
Fax: +32 13 55 40 55
info@offroadaction.net
http://www.offroadaction.net



BOSNIA HERZEGOVINA
GUEVARA BH D.O.O
Krajiskih Brigada bb
78000 Banja Luka
Bosna i Hercegovina
Tel: +387 (0) 51 / 354-580
veleprodajabh@motooprema.eu
http://www.motooprema.eu



CROATIA
NOVEMA NOVA
Draganici 30/1
47201 Draganici
OIB: 74380993714
Tel: 038547 / 715-930
Fax: 003854 / 715-933
info@novema-nova.hr
http://www.novema-nova.hr



CZECH REPUBLIC
MOTOPOINT S.R.O.
Vrchovina 88
50901 Nova Paka
www.motonet.cz
Tel: +420493722248
Fax: +420493720474
info@motopoint.cz
http://www.motopoint.cz



DENMARK
ERKI ApS
Svanekevej 10
7400 Herning
Tel: 45 97 22 41 11
Fax: 45 97 22 41 21



FRANCE
BIHR SAS
7, Rue Robert Schuman Z.I. Parc.3
68870 Bartenheim
Tel: +33 389 70 30 00
Fax: +33 389 70 30 99
purchasing@bihr.eu
http://www.bihr.eu



FRANCE
CGN
167, Boulevard Salvador Allende
44812 - Saint-Herblain Cedex
Tel: +33 0240920095
Fax: +33 0240920488
service.comande@cgnfrance.com



GERMANY
LANGENSCHIEDT GmbH
Gottlieb-Daimler-Str. 10
45711 Datteln
Tel: (0 23 63) 36 18-0
Fax: (0 23 63) 36 18-30
info@langenscheidt-gmbh.de



GERMANY
RACING PLANET OHG
Lobstedter Str. 50
07749 Jena
+49(0) 3641-87615-20
+49(0) 3641-87615-11
http://www.racing-planet.de



GREAT BRITAIN
DIRECT DISTRIBUTION
Baildon Green Mills
BD17 7NW Baildon
Tel: 0044 (0) 1274 599 172
Fax: 0044 (0) 1274 587 148
info@directdistributionservices.co.uk
www.directdistributionservices.co.uk



GREAT BRITAIN
STANFORTH MOTORCYCLE
Church Street
Ecclesfield
Sheffield
S35 9WG
Tel: (UK) 0114 2462027
Fax: (UK) 0114 2454232
sales@staniforths.co.uk



GREECE
KOSTPART STAMATIS KONTOGIANNIS
29, Dimitrakopoulou Str.
117 42 Athens
Tel: +30 210 9241 400
Fax: +30 210 9213 038
kostpart@otenet.gr



ISRAEL
OFNOIT LTD.
46, Salame RD.
IS-66073 Tel-Aviv
Tel: +97236823076
Fax: +97236812755
ofnoit@netvision.net.il
http://www.ofnoit.co.il



ITALY
SOCIETÀ GENERALE RICAMBI
Via P.Sottocomo 52
20129 Milano
Tel: +39 051722557
Fax: +39 051720376
infosgr@sgr-rl.com
http://www.sgr-rl.com



JAPAN
TEISHO CORPORATION
9-2-10 Minatojima
Chuo-Ku Kobe
650-0045 Japan
Tel: 81-78-302-0372
Fax: 81-78-302-0347



MALAYSIA
SYARIKAT MOTOSIKAL SUNNY
Setapak 53000 Kuala Lumpur
4021 1661 / 4021 6611
4021 1088
sunnycycke@gmail.com



MOROCCO
MOTO PLUS SARL
86 Rue Hadj Ammar Riffi
Mers Sultan
Casablanca 20 120
Marokko (MA)
motoplus.ma@hotmail.com
Tel: +212 5 22 20 38 15
Tel: +212 5 22 22 49 53
Fax: +212 22 20 34 83
motoplus@menara.ma



NORWAY
SPARE PARTS SERVICE AS
Postboks, 174
2021 Skedsmokorset
Tel: 0047 648 37500
Fax: 0047 648 37520
info@sps.no
http://www.sps.no



POLAND
OLEK MOTOCYKLE
UL. Szklana 23
Aleksander Gwozdziak-300
Bielso-Biala
Tel: 48334979550
Fax: 48334979551
import@olekmotorcycle.pl



PORTUGAL
LUSOMOTOS
Rua Do Barreiro
Veiculos e Acessorios LD^a
3780-621 Aguiar-Anadia
Tel: 0035 1231510860
Fax: 0035 1231515269
import@lusomotos.com
http://www.lusomotos.com



SERBIA
GUEVARA D.O.O
Bul. Zorana Djindjica 101
11070 Novi Beograd
Srbija
Tel: +381 11 3130 957
info@motooprema.rs
http://www.motooprema.eu



SINGAPORE
FUTURE SCOOTERING PTE LTD
50 Bukit Batok St 23 #02-26/27
Midview Building
659578 Singapore
001-65-6392 2393
001-65-6297 9805
http://www.futurescooter.com



SLOVAK REPUBLIC
MOTOPOINT SK, S.R.O.
Kálmána Mikszátha 268
979 01 Rimavská Sobota
Slovak Republic
http://www.motonets.sk



SOUTH AFRICA
F.G. ENTERPRISES
P.O. Box 38591
Pinelands 7430
+27 21 531 4723
+27 21 531 5933
frank@iburst.co.za



SWEDEN
MOTORMERA AB
Flygmotorsvägen 3
42337 Torshälla
+46 (0) 31-785 90 14
http://www.motormera.se



SWITZERLAND
MOTACC SUISSE
PF 1349
4133 Pratteln 1
Tel: +41 (0) 618269626
Fax: +41 (0) 618269625
info@motacc.com
http://www.motacc.com



SWITZERLAND
COMAXS AG
Alemannenweg 6
8803 Rüschlikon
Schweiz
Tel: +41 (0)43 388 0550
Fax: +41 (0)43 388 0553
contact@comaxs.ch
http://www.comaxs.ch



THE NETHERLANDS
SCOOTERSELEX BV
De Volger 60
1483 GA De Rijp
The Netherlands
Tel: 0031 299 674 110
Fax: 0031 299 674 779
info@scooterselex.nl
http://www.scooterselex.nl



USA
CLEVELAND CYCLE WORKS
CCW Custom Bikes Only
Online Store:
http://shop.clevelandcyclegwerks.com/
http://www.clevelandcyclegwerks.com/



USA
RACING PLANET USA (Scooter Only)
9737 NW 41st Street
Miami, FL 33178
phone: 786-866-8774
www.RacingPlanetUSA.com



USA
NIHILO (Competition Dirt)
7749 SW Ellipse Way
Stuart, FL 34997
Phone: (772) 426-3000
http://www.nihiloconcepts.com



VENEZUELA
MOTO MEGA MGI CA
Esquina Cuartel Viejo a Pineda
Edificio Misto PB Local 1-2
02128607577
http://www.motomega1.com

worldwide distributors



NG
Brake Disc

TECNOLOGIES METAL-LURGIQUES M.T. S.L.

C/ CAMP 83

08290 CERDANYOLA DEL VALLES

BARCELONA - SPAIN

TEL.+34.93.692.06.35 FAX.+34.93.580.07.92

www.ngbrakedisc.com

info@ngbrakedisc.com



follow us in facebook